PROPOSED REGULATION OF THE

STATE BOARD OF HEALTH

LCB File No. R176-07

November 6, 2007

EXPLANATION – Matter in *italics* is new; matter in brackets [omitted material] is material to be omitted.

AUTHORITY: §§1-3, NRS 439.200, 652.123, 652.130 and 652.235; §§4 and 5, NRS 439.200, 652.130 and 652.140; §§6-10, NRS 652.123, 652.125 and 652.130; §11, NRS 439.150 and 652.100.

A REGULATION relating to medical laboratories; revising provisions governing medical laboratories; authorizing the Bureau of Licensure and Certification of the Health Division of the Department of Health and Human Services to investigate medical laboratories upon receipt of a complaint; revising requirements governing reports made by medical laboratories; revising the required qualifications of certain employees of medical laboratories; increasing certain fees relating to medical laboratories; and providing other matters properly relating thereto.

- **Section 1.** NAC 652.155 is hereby amended to read as follows:
- 652.155 1. Except as otherwise provided in this section and NRS 652.230, the provisions of this chapter:
 - (a) Apply to:
- (1) A laboratory which is licensed pursuant to NRS 652.080 and which provides services to the public; and
 - (2) A nonexempt laboratory which is registered pursuant to NAC 652.175; and
 - (b) Do not apply to an exempt laboratory which is registered pursuant to NAC 652.175.
- 2. Except as otherwise provided in subsection 3, a person who is employed by a laboratory that is licensed by or registered with the Health Division pursuant to chapter 652 of NRS may perform a test without complying with the provisions of *this* chapter [652 of NAC] if:

- (a) The test has been classified as a waived test pursuant to 42 C.F.R. Part 493, Subpart A; and
- (b) The director, [or] a designee of the director *or a licensed physician* at the laboratory at which the test is performed:
 - (1) Verifies that the person is competent to perform the test;
- (2) Ensures that the test is performed in accordance with instructions of the manufacturer of the test; and
- (3) Validates and verifies the manner in which the test is performed by using controls which ensure that the results of the test will be accurate and reliable.
- 3. Except as otherwise provided in subsection 4, the provisions of subsection 2 do not relieve a person who performs a test [of] *from* the requirement to:
- (a) Comply with the policies and procedures that the director of the laboratory at which the test is performed has established pursuant to NAC 652.280; or
- (b) Obtain certification pursuant to NAC 652.470 [...] and pay the applicable fees as set forth in NAC 652.488.
- 4. An advanced practitioner of nursing as defined in NRS 632.012 or a physician assistant as defined in NRS 630.015 who is employed by a laboratory that is licensed by or registered with the Health Division pursuant to chapter 652 of NRS and who has not received certification pursuant to NAC 652.470 may perform a test without complying with the provisions of *this* chapter [652 of NAC] if the test:
 - (a) Has been classified as a waived test pursuant to 42 C.F.R. Part 493, Subpart A; or
 - (b) Is a provider-performed microscopy categorized pursuant to 42 C.F.R. § 493.19.
 - 5. As used in this section, "licensed physician" includes:

- (a) A physician licensed as a doctor of medicine pursuant to chapter 630 of NRS;
- (b) A physician licensed as a doctor of osteopathic medicine pursuant to chapter 633 of NRS;
 - (c) A chiropractic physician licensed pursuant to chapter 634 of NRS; and
 - (d) A podiatric physician licensed pursuant to chapter 635 of NRS.
 - **Sec. 2.** NAC 652.175 is hereby amended to read as follows:
- 652.175 1. A laboratory operated by a licensed physician pursuant to NRS 652.235 must register with the Health Division as an exempt laboratory or a nonexempt laboratory.
- 2. A laboratory operated by a licensed physician pursuant to NRS 652.235 may register with the Health Division as an exempt laboratory if:
- (a) The operating physician submits an application for registration as an exempt laboratory on a form provided by the Bureau;
 - (b) The operating physician pays the applicable fees set forth in NAC 652.488;
- (c) Each test performed by personnel other than the physician has been classified as a waived test pursuant to 42 C.F.R. Part 493, Subpart A; and
 - (d) Either:
- (1) The operating physician performs tests on his own patients and makes his own readings of the results of the tests; or
- (2) Any manipulation of a person for the collection of a specimen is made by an employee of the laboratory who is qualified pursuant to NRS 652.210.
- 3. A laboratory operated by a licensed physician pursuant to NRS 652.235 may register with the Health Division as a nonexempt laboratory if:

- (a) The operating physician submits an application for registration as a nonexempt laboratory on a form provided by the Bureau;
- (b) The operating physician *is licensed as a director and* pays the applicable fees set forth in NAC 652.488;
- (c) At least some tests performed by personnel other than the physician have not been classified as waived tests pursuant to 42 C.F.R. Part 493, Subpart A; and
 - (d) Either:
- (1) The operating physician or an employee of the laboratory performs tests on the patients of the physician and the physician or the employee of the laboratory makes his own readings of the results of the tests; or
- (2) Any manipulation of a person for the collection of a specimen is made by an employee of the laboratory who is qualified pursuant to NRS 652.210.
 - 4. As used in this section, "licensed physician" includes:
 - (a) A physician licensed as a doctor of medicine pursuant to chapter 630 of NRS;
- (b) A physician licensed as a doctor of osteopathic medicine pursuant to chapter 633 of NRS;
 - (c) A chiropractic physician licensed pursuant to chapter 634 of NRS; and [(b)] (d) A podiatric physician licensed pursuant to chapter 635 of NRS.
 - **Sec. 3.** NAC 652.300 is hereby amended to read as follows:
- 652.300 1. Except as otherwise provided in subsection 3, if a specimen is received by the laboratory, it must be accompanied by an authorized written request or a computerized authorization.

- 2. If the laboratory receives specimens referred from another laboratory, it [must] *shall* report the results to the laboratory submitting the specimens.
- 3. Verbal requests from authorized persons may be accepted by the laboratory with proper verification. The laboratory shall obtain an authorized written request or a computerized authorization to supplement a verbal request within 30 days after the laboratory accepted the verbal request.
 - 4. Each request must contain the following information:
- (a) The full name of [and] or a number which identifies the person from whom the specimen was taken.
- (b) The name of the licensed physician, other authorized person or clinical laboratory that submitted the specimen.
 - (c) The date and time the specimen was collected for testing.
 - (d) The type of test or specific test required.
 - **Sec. 4.** NAC 652.320 is hereby amended to read as follows:
- 652.320 1. Except as otherwise provided in this subsection, the Bureau shall inspect periodically the premises and operation of each laboratory, including, without limitation, the premises of an outpatient center of the laboratory, if any. A laboratory that is subject to inspection by an accrediting organization approved by the Centers for Medicare and Medicaid Services of the United States Department of Health and Human Services pursuant to 42 C.F.R. §§ 493.551 to 493.575, inclusive, is not required to be inspected *periodically* by the Bureau if the reports of the inspections are available to the Bureau.
- 2. Upon receipt of a complaint against a laboratory or its personnel, except for a complaint concerning the cost of services, the Bureau may conduct an investigation into the

premises, qualifications of personnel, methods of operation, policies, procedures and records of that laboratory or any other laboratory which may have information pertinent to the complaint.

- 3. The Bureau shall report deficiencies noted at the time of each inspection by forwarding to the director a statement of deficiencies and a form for the director to submit a plan of correction. The director shall return the form to the Bureau, containing thereon the plan of correction for each of the deficiencies, within 10 working days after he receives the form. The plan must indicate the date by which each deficiency will be corrected.
 - **Sec. 5.** NAC 652.340 is hereby amended to read as follows:
- 652.340 1. A report by the laboratory to the source requesting the report must include, without limitation, the following:
- (a) The full name of or a number which identifies the person from whom the specimen was taken.
 - **(b)** The name and address of the reporting laboratory.
 - (c) The date and time the specimen was received in the laboratory.
- [(e)] (d) The condition of a specimen if considered unsatisfactory on receipt, for example, broken, leaked, hemolyzed or turbid.
 - (d) (e) The type of test or specific test performed.
 - (e) (f) The result of the test.
 - (g) The date of the test.
- [(g)] (h) If the specimen is sent to a reference laboratory for testing, the identity of the reference laboratory.
 - 2. A report on tissue must be written using acceptable and standardized terminology.

- 3. Duplicate copies or a suitable record of all reports by a laboratory must be maintained by the laboratory in accordance with 42 C.F.R. Part 493 and in a manner which allows ready identification and accessibility.
 - **Sec. 6.** NAC 652.410 is hereby amended to read as follows:
- 652.410 1. To qualify for a certificate as a general supervisor of a licensed laboratory, a person must, except as otherwise provided in this section, be:
 - (a) [A licensed director;
- (b)] A qualified physician serving on behalf of the director; or
- (c) (b) A clinical laboratory technologist who has had at least 3 years of experience in a laboratory as a full-time employee working at least 30 hours per week, of which at least 2 years have been spent working:
- (1) In a licensed laboratory or a laboratory of a hospital, university or health department; and
 - (2) Under the supervision of a director who possesses a doctoral degree.
- 2. A technologist certified by the Board in a specialty who has had at least 3 years of experience in a laboratory as a full-time employee working at least 30 hours per week, of which at least 2 years have been spent working:
 - (a) In a licensed laboratory or a laboratory of a hospital, university or health department; and
 - (b) Under the supervision of a director who possesses a doctoral degree,
- → qualifies for a certificate as a general supervisor of a licensed laboratory if the tests performed in the laboratory are solely in his specialty.
- 3. A person who possesses a doctoral degree from an accredited institution with a major in chemical, physical or biological science and who has had at least 1 year of experience in a

licensed laboratory or a laboratory of a hospital, university or health department as a full-time employee working for at least 30 hours per week under the supervision of a director who possesses a doctoral degree qualifies for a certificate as a general supervisor of a licensed laboratory.

- 4. A person who possesses a master's degree from an accredited institution with a major in chemical, physical or biological science and who has had at least 2 years of experience in a licensed laboratory or a laboratory of a hospital, university or health department as a full-time employee working at least 30 hours per week under the supervision of a director who possesses a doctoral degree qualifies for a certificate as a general supervisor of a licensed laboratory.
 - **Sec. 7.** NAC 652.420 is hereby amended to read as follows:
 - 652.420 1. A clinical laboratory technologist may:
- (a) Perform tests which require the exercise of independent judgment, under minimum supervision or review by the director or general supervisor, in those specialties for which he has had adequate education, training and experience and in which he has demonstrated a proficiency; and
 - (b) Supervise, if necessary, the work of the medical technicians and laboratory assistants.
 - 2. To qualify for a certificate as a clinical laboratory technologist, a person must:
- (a) Successfully complete a full course of study which meets all academic requirements for a bachelor's degree in medical technology from an accredited college or university, and pass a national examination for certification approved by the Board;
- (b) [Successfully complete 3 years of academic study, with a minimum of 90 semester hours or the equivalent, at an accredited college or university in a curriculum involving biological or physical science and at least 12 months of training at a school of medical technology approved

by a national accrediting agency, and pass a national examination for certification approved by the Board;

- (e)] Successfully complete a course of study for a bachelor's degree in one of the chemical, physical or biological sciences at an accredited college or university, have at least 1 year of additional full-time experience or training in the specialty or subspecialty in which he performs tests, and pass a national examination for certification approved by the Board; or
- [(d)] (c) Pass the examination for clinical laboratory technologists given by the United States

 Department of Health and Human Services.
 - **Sec. 8.** NAC 652.470 is hereby amended to read as follows:
 - 652.470 1. Before working in a laboratory at any technical level:
- (a) An application for certification must be made on a form provided by the Bureau giving information on the applicant's educational background;
- (b) Substantiating documents such as college or other academic transcripts or copies of certificates of registration should accompany the application, but must be submitted within 6 months after the date of the application;
 - (c) The form must indicate the level and title for which certification is desired; and
 - (d) The fee prescribed in NAC 652.488 must accompany the application.
- 2. Temporary employment, for a period not exceeding 6 months, may be granted while the application is being processed, or when the applicant has been issued a provisional certificate.
- 3. The Bureau shall issue the appropriate certificate on behalf of the Board when it is determined that all requirements for certification are satisfied. Applications which are incomplete or require further review must be referred to the Committee for its recommendation.

- 4. [Certified personnel] A person may upgrade [their classification] his certificate after completing the appropriate additional experience, training or academic requirements, or any combination thereof, by applying to the [Board] Bureau pursuant to subsection 1.
- 5. A person whose certification has lapsed for more than 5 years may reapply for certification by submitting an original application to the Bureau accompanied by the fee prescribed in NAC 652.488.
- 6. A person whose certification has lapsed for 5 years or less may reapply for certification by submitting an application for reinstatement to the Bureau accompanied by the fee prescribed in NAC 652.488.
- 7. A certificate will be placed in an inactive status upon the approval of the Health Division and payment of the fee prescribed in NAC 652.488.
 - **Sec. 9.** NAC 652.480 is hereby amended to read as follows:
- 652.480 1. Except as otherwise provided in NAC 652.483, to be certified by the Bureau in a specialty, a technologist must pass a national examination for certification in the specialty and must have [:
- (a) Successfully successfully completed a course of study for a bachelor's degree in one of the chemical, physical or biological sciences at an accredited college or university, and have 1 year of experience working in a licensed laboratory, or a laboratory of a hospital, health department or university, in the chosen specialty under the supervision of a director who possesses a doctoral degree. [; or
- (b) Successfully completed 3 years of academic study, with a minimum of 90 semester hours or the equivalent, at an accredited college or university in one of the chemical, physical or biological sciences, and have 4 years of full-time experience in a licensed laboratory, or a

laboratory of a hospital, health department or university, in the chosen specialty under the supervision of a director who possesses a doctoral degree.]

- 2. Each applicant for certification in a specialty must designate on the application the specialty in which he desires to be certified. The applicant must submit with his application:
- (a) Verification of his successful completion of the [academic] course of study required by subsection 1; and
- (b) A letter from the director of the laboratory in which he obtained his experience which verifies that the applicant has the experience required by subsection 1.
- 3. In addition to the requirements of subsection 1, an applicant for certification as a biotechnologist must obtain the written recommendation of his certification from the Committee before he is eligible for that certification.
 - 4. Each certificate will designate the holder by:
 - (a) The title of "Technologist" in a specialty; or
 - (b) An equivalent title and will show his area of specialty by a subtitle.
 - **Sec. 10.** NAC 652.483 is hereby amended to read as follows:
- 652.483 The Bureau shall certify a technologist in a specialty for which a national examination is not given if he:
 - 1. Has education and experience in the specialty which is acceptable to the Board;
 - 2. Obtains a written recommendation of the proposed certification from:
 - (a) A director licensed in this State who holds a doctoral degree; and
 - (b) The Committee; and
 - 3. Has successfully completed [:

(a) A] a course of study for a bachelor's degree in one of the chemical, physical or biological sciences at an accredited college or university, and has 1 year of experience in a licensed laboratory, or a laboratory of a hospital, health department or university, in the chosen specialty under the supervision of a director who possesses a doctoral degree. [; or

(b) Three years of academic study, with a minimum of 90 semester hours or the equivalent, at an accredited college or university in one of the chemical, physical or biological sciences, and has 4 years of full time experience in a licensed laboratory, or a laboratory of a hospital, health department or university, in the chosen specialty under the supervision of a director who possesses a doctoral degree.]

Sec. 11. NAC 652.488 is hereby amended to read as follows:

652.488 The following nonrefundable fees will be charged:

1. Licensure of laboratory

Initial:

Annual test volume less than 25,000	[\$550] \$1,100
Annual test volume at least 25,000 but less than 100,000	[800] 3,000
Annual test volume 100,000 or more	[1150] 4,000
Biennial renewal:	
Annual test volume less than 25,000	[400] 800
Annual test volume at least 25,000 but less than 100,000	[600] 2,500
Annual test volume 100,000 or more	[800] 3,500
Reinstatement:	
Annual test volume less than 25,000	[550] 1,100
Annual test volume at least 25,000 but less than 100,000	[800] 3,000

	Annual test volume 100,000 or more	[1,150] 4,000
2.	Licensure of director	
	Initial	[\$250] \$500
	Biennial renewal	[150] 300
	Reinstatement	[250] 500
3.	Registration of laboratory operated pursuant to NRS 652.235 which is	
nonex	xempt pursuant to NAC 652.155	
	Initial	[\$300] \$1,500
	Biennial renewal	[200] 900
	Reinstatement	[300] 1,500
4.	Registration of laboratory operated pursuant to NRS 652.235 which is	
exem	pt pursuant to NAC 652.155	
	Initial	[\$100] \$500
	Biennial renewal	<u>[50]</u> 300
5.	Certification of personnel	
	Initial:	
	General supervisor	[\$150] \$225
	Technologist	[75] 113
	Technician	[75] 113
	Pathologist's assistant	[75] 113
	Point-of-care test analyst	[50] 75
	Laboratory, blood-gas or office laboratory assistant	[40] 60
	Biennial renewal:	

General supervisor	[100] 150
Technologist	[50] 75
Technician	[50] 75
Pathologist's assistant	<u>[50]</u> 75
Point-of-care test analyst	[40] 60
Laboratory, blood-gas or office laboratory assistant	[30] 45
Reinstatement:	
General supervisor	[<u>150]</u> 225
Technologist	[75] 113
Technician	[75] 113
Pathologist's assistant	[75] 113
Point-of-care test analyst	[50] 75
Laboratory, blood-gas or office laboratory assistant	<mark>[40] 60</mark>
6. Placement of license or certificate in inactive status	[\$20] <i>\$50</i>
7. Issuance of original duplicate license or certificate	[\$20] \$50
8. Permit to operate laboratory at temporary location	[\$35] \$300
9. Change of location of laboratory	<mark>[\$250] \$300</mark>
10. Change of director of laboratory	[\$250] \$300
11. Change of name of laboratory	[\$250] \$300
12. Inspection for additional specialties and subspecialties in which tests	
will be performed at laboratory	[\$250] \$300

Plus \$50 for each additional

specialty or subspecialty

13.	Inspection of an outpatient center of a laboratory (per site)
	Initial inspection
	Inspection at time of biennial renewal

14. If the Bureau conducts an inspection of a laboratory that is located outside of this State, the Bureau shall assess the expenses that the Bureau incurs as a result of the inspection to the laboratory. The laboratory shall reimburse the Bureau for the expenses assessed pursuant to this subsection.