PROPOSED REGULATION OF THE BOARD OF DENTAL EXAMINERS OF NEVADA

LCB FILE NO. R075-22I

The following document is the initial draft regulation proposed by the agency submitted on 05/26/2022

NAC 631..... Any complaints received by the Board involving Board members and/or employees of the Board shall be referred to the Attorney General's office for resolution.

- (a) Board members as used in this regulation shall include all active members of the Nevada State Board of Dental Examiners as well as former Board members for five (5) years after the Board member leaves the service of the Nevada State Board of Dental Examiners.
- (b) Employees shall include sub-committee members, Preliminary Screening Experts, Infection Control Inspectors, Anesthesia Evaluators, and any other Dentist, Dental Hygienists, or Dental Therapists. who receives compensation for employment derived from services rendered to the Board. Cases involving employees of the Board shall only be referred to the Attorney General's Office for incidents occurring while the Dentist, Dental Hygienists, or Dental Therapists was employed by the Board or serving on one of the Board's sub-committees.

NAC 631... Upon receipt of a complaint involving a Board Member or employee the Board shall gather all records from the treating Dentist, Dental Hygienists, or Dental Therapists and forward all records to a Board Preliminary Screening Expert who shall certify that they have no knowledge of the incident as well as certifying they can fairly evaluate the matter and are not biased.

NAC 631... Upon receipt of the report from the Preliminary Screening Expert, the Board shall refer the matter to the Attorney General's Office for further investigation.

NAC 631... The Attorney General's office shall, subsequent to any further investigation they deem necessary, shall request that the Office of the Governor appoint Board Members and/or Review Panelists to review the investigation pursuant to NRS 631.3635. This Panel must be consistent with the requirements outlined in NRS 631.3635.