


Nevada Academy of Health



NEVADA HEALTH SCORECARD

January 14, 2009

Jay Kvam, MSPH

Biostatistician

(775) 684-5894

jkvam@health.nv.gov

Alicia Hansen, MS

Chief Biostatistician

(775) 684-4161

ahansen@health.nv.gov

EXHIBIT E NevadaStakeholder Document consists of 17 pages.

☒ Entire document provided.

A copy of the complete document is available through the Research Library (775/684-6827) or e-mail library@lcb.state.nv.us. Meeting Date: 3/22/10

TABLE OF CONTENTS

HEALTH CARE FINANCE & EXPENDITURE	1
HEALTH CARE WORKFORCE	3
HEALTH CARE ACCESS & CAPACITY	4
HEALTH CARE QUALITY	5
MATERNAL & CHILD HEALTH	7
MINORITY HEALTH DISPARITIES	8
HEALTH & WELL-BEING	9
DEMOGRAPHICS.....	A
ENDNOTES.....	C

KEY

ACGME	Accreditation Council for Graduate Medical Education
CQP	Congressional Quarterly Press
CWF	The Commonwealth Fund
KFF	Kaiser Family Foundation
SND	State of Nevada Demographer
UHF	United Health Foundation
<i>n</i>th	rank
Δ	change relative to prior report
B	gotten better
W	gotten worse
N	no change
↑	increase
↓	decrease
☆	state capitol
★	county seat

INTRODUCTION

The Nevada Health Scorecard is a compilation of health indicators, or ‘scores’, and ranks drawn from the following state health ranking sources:

- Congressional Quarterly Press
- The Commonwealth Fund
- Kaiser Family Foundation
- United Health Foundation

These publications were included because of their reputation as credible and because they rank each state based on its underlying score for each health indicator. Although there is virtually an endless pool of indicators to choose from, those selected by each health ranking source as core were included in this scorecard. For instances where an indicator had been calculated by more than one source, whichever provided the most current figure—all else equal—was represented on the scorecard. Moreover, as statewide indicators, it is important to bear in mind that they only reflect an aggregate view of the states, not the reality as it is in each county, city, or municipality. There can be and is great variability at the county and city level.

The rank order of the scorecard has been adapted from the many sources to be consistent, with 1st indicating a best ranking and either 50th or 51st a worst ranking. Only The Commonwealth Fund and Kaiser Family Foundation included the District of Columbia, so a rank of 51st is possible for these sources. However, since a number of indicators in the Health Care Finance & Expenditure section could not be assigned a best or worst ranking due to the nature of the indicator, they were instead listed from most, 1, to least, 50 or 51, to show Nevada’s position relative to the other states.

Finally, to show how Nevada may have changed over time for any particular indicator, columns for change in both rank and score have been included when the figures necessary to establish this were available. This information is to be interpreted as change relative to a prior report, with the year of the prior report noted below and the possible responses being gotten better, worse, or not having changed at all. These responses are also color-coded for ease of viewing, with gotten better in green, gotten worse in red, and not having changed in yellow. For the Health Care Finance & Expenditure section, arrows denote whether the figure has increased or decreased relative to a prior report.

Hyperlinks have been included in the electronic version of this document for indicators provided by The Commonwealth Fund, Kaiser Family Foundation, and United Health Foundation. When additional information broken down by race/ethnicity is available, the note [r/e] follows its respective indicator. To access any of these links, simply hold the CTRL key and click on either the title of the desired indicator or the race/ethnicity notation.

HEALTH CARE FINANCE & EXPENDITURE		RANK		SCORE		STATE	
		n th	Δ	value	Δ	best	worst
median annual household income	KFF	16 th 2007	W 2002	\$53,008 2007	B 2002	NJ \$65,933	MS \$35,971
poverty rate (based on household income) [r/e]	KFF	18 th 2005	-	10.6% 2005	-	NH 5.6%	DC 21.3%
children ^a in poverty	UHF	19 th 2007	W 2003	14.1% 2007	W 2003	NH 6.5%	MS 32.8%
population uninsured	UHF	43 rd 2007	B 2003	18.4% 2007	W 2003	MA 7.9%	TX 24.9
children uninsured	KFF	49 th 2007	B 2002	16.8% 2007	B 2002	MA 5.1%	TX 21.8%
private sector firms offering health insurance	KFF	18 th 2006	B 2001	56.7% 2006	N 2001	HI 89.6%	MT 40.1%
adults always able to afford to see a doctor in the past year	CWF	36 th 2004	-	85.3% 2004	-	HI 96.6%	MS 80.1%
public health funding (per capita)	UHF	48 th 2006	N 2005	\$36 2006	B 2005	HI \$198	IN \$33

HEALTH CARE FINANCE & EXPENDITURE

		RANK		SCORE		STATE			
		<i>nth</i>	Δ	value	Δ	most		least	
health care expenditure (per capita)	KFF	46 2004	= 2000	\$4,569 2004	↑ 2000	DC	\$8,295	UT	\$3,972
state health expenditure (millions)	KFF	39 2003	↑ 2001	\$1,649 2003	↑ 2001	NY	\$44,564	WY	\$709
state health expenditure (of GSP)	KFF	48 2003	↑ 2000	1.9% 2003	↑ 2000	MS	5.9%	CO/VA	1.8%
state Medicaid expenditure (millions)	KFF	39 ^b 2006	↓ 2003	\$1,163 2006	↑ 2003	CA	\$31,174	WY	\$409
Medicaid payments (per enrollee)	KFF	34 2005	↓ 2000	\$4,462 2005	↑ 2000	DC	\$7,941	CA	\$2,701
Medicare reimbursements (per enrollee)	CWF	42 2003	-	\$7,109 2003	-	NJ	\$8,076	HI	\$4,530
adults ^c enrolled in Medicaid [r/e]	KFF	50 2007	= 2002	3.6% 2007	↑ 2002	DC	15.4%	NH	3.1%
children enrolled in Medicaid [r/e]	KFF	51 2007	↓ 2002	14.5% 2007	↑ 2002	DC	44.0%	NV	
average annual family health insurance premium	CQP	25 2004	↑ 2003	\$9,970 2004	↑ 2003	NJ	\$11,425	ND	\$7,800
health insurance premium per private employee	CWF	9 2004	-	\$3,874 2004	-	AK	\$4,379	UT	\$3,034
average family health insurance premium paid by employee	KFF	41 2006	↑ 2001	22% 2006	↑ 2001	FL	33%	WY	19%
average personal health insurance premium paid by employee	KFF	45 2006	= 2001	15% 2006	= 2001	VA	24%	HI	15%

HEALTH CARE WORKFORCE		RANK		SCORE		STATE	
		<i>nth</i>	Δ	value	Δ	best	worst
primary care physicians (per 100,000) [r/e]	UHF	46 th 2006	N 2007	85.3 2006	W 2007	MD 178.6	ID 78.9
projected physician assistants (per 100,000)	KFF	38 th 2008	-	18 2008	-	AK 53	MS 3
registered nurses (per 100,000)	KFF	50 th 2007	B 2002	572 2007	W 2002	DC 1,379	AZ 546
dentists (per 100,000)	CQP	47 th 2004	B 2000	43 2004	B 2000	HI 83	MS 40
medical school graduates	KFF	43 rd 2007	W 2005	53 2007	N 2005	NY 1,633	SD 48
pediatricians (per 100,000)	CQP	43 rd 2005	W 2001	56 2005	B 2001	MA 184	ID 34
psychiatrists (per 100,000)	CQP	46 th 2005	B 2001	7 2005	B 2001	MA 34	ID 6
pharmacists (per 100,000)	CQP	28 th 2005	N 2004	79 2005	B 2004	NE 103	AK 54
paramedics (per 100,000)	CQP	46 th 2005	N 2004	37 2005	N 2004	WI 129	NE 27
rate of residents in core and specialty programs (per 100,000)	ACGME	46 th 2008	-	12.0 2008	-	DC 321.8	MT 2.1
rate of residents completing all accredited training (per 100,000)	ACGME	47 th 2008	-	2.7 2008	-	DC 94.1	MT 0.9

HEALTH CARE ACCESS & CAPACITY		RANK		SCORE		STATE			
		n th	Δ	value	Δ	best		worst	
communi ty hospital beds ^e (per 100,000)	CQP	45 th 2005	B 2001	194 2005	W 2001	SD	558	WA	171
persns lackig access to primary care	CQP	38 th 2006	W 2002	14.8% 2006	W 2002	NJ	2.2%	LA	35.7%
geographic disparity ^f of health outcomes (as a differential percentage)	UHF	46 th 2005	W 2007	17.6% 2005	W 2007	DE	4.2%	SD	26.5%
adults with a usual source of care ^g	CWF	51 st 2004	-	66.3% 2004	-	DE	89.4%	NV	
children with a medical home ^h	CWF	50 th 2003	-	34.5% 2003	-	NH	61.0%	MS	33.8%
adults who visited a doctor in the past two years	CWF	47 th 2000	-	77v% 2000	-	DC	91.5%	WY	73.9%
adults who visited a dental clinic in the past year	KFF	40 th 2006	B 1999	66.2% 2006	B 1999	CT	80.5%	OK	58.0%
adults ⁱ who received screening and preventive care	CWF	47 th 2004	-	34.3% 2004	-	MN	50.1%	ID	32.6%
children who received medical and dental preventive care	CWF	50 th 2003	-	46.8% 2003	-	MA	74.9%	ID	45.7%
children ^j who received mental care for an emotional, behavioral, or developmental issue	CWF	45 th 2003	-	53.2% 2003	-	WY	77.2%	TX	43.4%

HEALTH CARE QUALITY		RANK		SCORE		STATE	
		n th	Δ	value	Δ	best	worst
mortality rate of cases amenable ^k to health care (per 100,000)	CWF	38 th 2002	-	111.5 2002	-	MN 70.2	DC 160.0
preventable hospitalization rate (per 1,000 Medicare enrollees)	UHF	13 th 2005	W 2003	65.3 2005	W 2003	HI 32.2	WV 114.4
Medicare patients who gave a best rating for health care received in past year	CWF	45 th 2003	-	65.9% 2003	-	MT 74.4%	NM 61.2%
Medicare hospital admission for ambulatory sensitive conditions ^l	CWF	9 th 2003	-	5,594 2003	-	HI 4,069	MS 11,537
Medicare readmissions after 30 days (of admissions)	CWF	50 th 2003	-	23.5% 2003	-	VT 13.2%	LA 23.8%
home health patients admitted to a hospital	CWF	15 th 2004	-	24.6% 2004	-	UT 18.3%	LA 46.4%
hospital patients who received recommended care for acute myocardial infarction, congestive heart failure, or pneumonia	CWF	45 th 2004	-	79.8% 2004	-	RI 88.4%	NM 79.0%
heart failure patients whose health care provider listens, explains, shows respect, and spends enough time with them	CWF	46 th 2003	-	66.0% 2003	-	VT 74.9%	AZ 63.1%
heart failure patients given written instructions at discharge	CWF	50 th 2005	-	22% 2005	-	NJ/RI 67%	NM 14%
surgical patients who received appropriate timing of antibiotics to prevent infection	CWF	51 st 2005	-	50.0% 2005	-	CT 90.0%	NV

HEALTH CARE QUALITY		RANK		SCORE		STATE	
		<i>nth</i>	Δ	value	Δ	best	worst
adult diabetics who received recommended preventive care	CWF	46 th 2004	-	31.3% 2004	-	HI 65.4%	MS 28.7%
high-risk nursing home residents with pressure sores	CWF	26 th 2004	-	13.2% 2004	-	ND 7.6%	DC 19.3%
nursing home residents who were physically restrained	CWF	45 th 2004	-	11.3% 2004	-	NE 1.9%	AR 15.9%
long-stay nursing home residents admitted to a hospital	CWF	20 th 2000	-	14.9% 2000	-	UT 8.3%	LA 24.9%
nursing home residents readmitted to a hospital within 3 months	CWF	21 st 2000	-	11.0% 2000	-	OR 6.7%	MS 17.5%

MATERNAL & CHILD HEALTH		RANK		SCORE		STATE		
		n th	Δ	value	Δ	best	worst	
mothers receiving late or no prenatal care	CQP	39 th 2004	B 2001	7.3% 2004	B 2001	VT 1.5%	NM	
mothers receiving adequate prenatal care	UHF	9 th 2006	-	60.7% 2006	W 2003			
low-weight births [r/e]	CQP	28 th 2005	W 2001	8.3% 2005	W 2001	WA 6.1%	MS 11.8%	
infant ¹ mortality rate (per 1,000 live births) [r/e]	UHF	13 th 2005	B 2000	5.8 2005	B 2000	UT 4.4	MS 11.0	
rate of legal ² abortions (per 1,000 women ³) [r/e]	KFF	43 rd 2005	W 2000	21 2005	W 2000	ID 4	NY 30	
teenage birth rate (per 1,000 women)	CQP	40 th 2005	W 2001	50.5 2005	B 2001	NH 18.0	NM 62.7	
children ⁴ who have ever breastfed	KFF	13 th 2005	-	78.3% 2005	-	UT 90.3%	LA 47.9%	
children ⁵ immunized	UHF	50 th 2007	W 2003	66.7% 2007	W 2003	NH 93.2%	NV	

MINORITY HEALTH DISPARITIES		RANK		SCORE		STATE	
		<i>nth</i>	Δ	value	Δ	best	worst
persons in poverty among Blacks	KFF	7 th 2007	B 2001	27.8% 2007	W 2001	CT 20.6%	MS 43.6%
persons in poverty among Hispanics	KFF	8 th 2007	B 2001	22.7% 2007	B 2001	HI 15.9%	MA 41.4%
non-elderly uninsured among Blacks	KFF	11 th 2007	B 2001	18.0% 2007	W 2001	DC 12.1%	LA 29.8%
non-elderly uninsured among Hispanics	KFF	25 th 2007	B 2001	34.9% 2007	B 2001	HI 13.1%	LA 56.7%
mothers beginning prenatal care in first trimester among Blacks	KFF	33 rd 2005	B 2002	62.5% 2005	B 2002	WY 88.5%	NY 48.9%
mothers beginning prenatal care in first trimester among Hispanics	KFF	36 th 2005	B 2002	58.4% 2005	B 2002	CA 83.8%	NY 50.9%
preterm births among Blacks		41 st 2006	W 2001	20.1 2006	W 2001	OR 11.4%	ID 23.3%
preterm births among Hispanics		40 th 2006	W 2001	13.5 2006	W 2001	MN 9.2%	MS 16.6
diabetes death rate among Blacks (per 100,000)	KFF	1 st 2005	N 2000	24.6 2005	W 2000	NV	NB 89.6
AIDS rate among Blacks (per 100,000)	KFF	31 st 2006	B 2002	48.8 2006	B 2002	ND 0.0	DC 277.5
AIDS rate among Hispanics (per 100,000)	KFF	26 th 2006	B 2002	16.1 2006	B 2002	MT/ND/SD /WV/WY 0.0	DC 109.2

HEALTH & WELL-BEING		RANK		SCORE		STATE		
MORTALITY		<i>nth</i>	Δ	value	Δ	best	worst	
age-adjusted death rate (per 100,000) [r/e]	CQP	37 th 2004	B 2000	877.9 2004	B 2000	HI	623.6	MS 998.2
years of life lost ^{II} due to premature death (per 100,000)	UHF	41 st 2005	W 2003	8,610 2005	W 2003	MN	5,407	MS 11,308
death rate due to motor vehicle accidents (per 100,000)	KFF	33 rd 2005	-	19.3 2005	-	DC	6.9	MS 32.9
firearm death rate (per 100,000) [r/e]	KFF	47 th 2005	B 2000	16.3 2005	B 2000	HI	2.2	DC 23.8
occupational fatalities rate (per 100,000 workers ^{II})	UHF	3 nd 2007	W 2003	6.7 2007	W 2003	MA	3.3	WY 14.3
age-adjusted death rate by suicide (per 100,000)	CQP	48 th 2003	B 2000	20.1 2003	B 2000	NY	5.9	WY 21.8
cardiovascular death rate (per 100,000)	UHF	38 th 2005	W 2007	320.3 2005	B 2003	MN	219.4	MS 387.0
heart disease death rate (per 100,000) [r/e]	KFF	42 nd 2005	W 2000	242.1 2005	B 2000	MN	141.5	MS 306.8%
age-adjusted death rate by malignant neoplasm (per 100,000)	CQP	39 th 2003	B 2000	202.6 2003	B 2000	UT	144.1	KY 223.6
cancer death rate (per 100,000) [r/e]	CQP	18 th 2007	B 2003	186.7 2007	B 2003	UT	105.5	WV 253.5
breast cancer death rate (per 100,000 women) [r/e]	KFF	31 st 2005	B 2003	24.0 2005	B 2003	AK	17.9	LA 29.9
colorectal cancer death rate (per 100,000)	KFF	50 th 2004	W 2003	21.4 2004	W 2003	UT	12.4	WV 22.2

MORBIDITY									
infectious disease rate (per 100,000)									
UHF	33 rd 2007	B 2003	17.3 2007	B 2003	ND/WY	2.5	NY	39.3	
STD rate (per 100,000)									
CQP	28 th 2005	W 2001	441.7 2005	W 2001	NH	156.5	MS	981.3	
AIDs rate (per 100,000) [r/e]									
CQP	37 th 2005	B 2002	12.3 2005	B 2002	VT	1.0	NY	32.7	
state and federal prison inmates infected with HIV									
KFF	27 th 2006	W 2003	1.0% 2006	N 2003	ND	0.2%	NY	6.3%	
adults who have ever been told they have diabetes [r/e]									
KFF	25 th 2007		8.0% 2007		CO	5.3%	TN	11.9%	
estimated rate of new cancer cases (per 100,000) [r/e]									
CQP	12 th 2007	B 2003	442.0 2007	B 2003	ME	631.1	UT	300.4	
hospital admissions for pediatric asthma (per 100,000 children)									
CWF	9 th 2002	-	141.7 2002	-	VT	54.9	SC	314.2	
BEHAVIOR									
motorists using safety belts									
CQP	3 rd 2005	B 2001	94.8% 2005	B 2001	HI	95.3%	MS	60.8%	
adults who smoke [r/e]									
UHF	35 th 2007	B 2003	21.5% 2007	B 2003	UT	11.7%	KY	28.2%	
adults who binge drink									
CQP	45 th 2005	W 2001	17.6% 2005	W 2001	UT	8.3%	WI	22.1%	
adults who do not exercise									
CQP	36 th 2005	W 2004	26.8% 2005	W 2004	MN	16.2%	LA	33.4%	
adults who are obese [r/e]									
UHF	13 th 2007	B 2003	24.6% 2007	W 2003	CO	19.3%	MS	32.6%	

children ^{mm} who are overweight	KFF	16 th 2003	-	12% 2003	-	UT	9%	DC	23%
adults who had their teeth cleaned	KFF	43 rd 2004	B 1999	63.2% 2004	B 1999	CT	79.1%	MS	56.6%
WELL-BEING									
average poor physical health days (per month)	UHF	36 th 2007	B 2003	3.7 2007	W 2003	ND	2.7	WV	5.1
average poor mental health days (per month) [r/e]	UHF	45 th 2007	B 2003	3.8 2007	B 2003	ND/SD	2.4	WV	4.2
adults reporting poor mental health	KFF	51 st 2007	N 2003	38.5% 2007	B 2003	LA	23.4%	NV	
adults ^{oo} limited due to a physical, mental, or emotional issue	CWF	18 th 2004	-	21.2% 2004	-	DC	10.8%	WV	22.8%
high school graduation (of 9th graders)	UHF	50 th 2005	W 2003	55.8% 2005	W 2003	NE	87.8%	NV	
violent crime rate (per 100,000)	UHF	48 th 2007	W 2003	751 2007	W 2003	ME	118	SC	788
air pollution (per m ³)	UHF	14 th 2007	B 2003	9.6 µg 2007	B 2003	AK	7.6 µg	GA	15.9 µg

DEMOGRAPHICS*

	population 2008
Carson City	-
Carson City ★	57,600
Churchill	26,981
Fallon ★	9,258
Clark	1,967,716
Enterprise	149,713
Henderson	269,538
Las Vegas ★	593,528
North Las Vegas	214,661
Paradise	182,264
Spring Valley	176,910
Sunrise Manor	185,745
Douglas	52,131
Gardnerville	5,412
Minden ★	3,261
Elko	50,561
Elko ★	18,424
Esmeralda	1,240
Goldfield ★	415
Eureka	1,553
Eureka ★	473
Humboldt	18,014
Winnemucca ★	7,659

	population 2008
Lander	5,891
Battle Mountain ★	2,922
Lincoln	4,352
Caliente	1,077
Pioche ★	785
Lyon	55,820
Fernley	19,609
Yerington ★	3,324
Mineral	4,401
Hawthorne ★	2,970
Nye	47,370
Pahrump	38,882
Tonopah ★	2,628
Pershing	7,192
Lovelock ★	- 2,458
Storey	4,384
Virginia City ★	1,027
Washoe	423,833
Reno ★	223,012
Sparks	91,684
White Pine	9,694
Ely ★	4,352
Nevada	2,783,733

DEMOGRAPHICS

	population	percent
	2005	2005
<i>0 to 5 years</i>	34,633	1.38
<i>6 to 18 years</i>	454,285	18.07
<i>19 to 64 years</i>	1,563,853	62.22
<i>65 years and older</i>	280,885	11.18

<i>males</i>	1,276,344	50.78
<i>females</i>	1,237,085	49.22

<i>White</i>	1,561,549	62.13
<i>Black</i>	172,945	6.88
<i>American Indian, Eskimo, or Aleut</i>	33,552	1.33
<i>Asian or Pacific Islander</i>	159,416	6.34
<i>Hispanic</i>	585,966	23.31

ENDNOTES

^a less than 18 years old, unless otherwise specified

^b of 50 states not including DC

^c age 18 to 64

^d of 44 states and DC

^e non-federal short-term general and other special hospitals, including those in hospitals and nursing home units

^f the difference between counties having the highest and lowest mortality rates

^g at least one person thought of as a one's personal doctor or health care provider

^h having at least one preventive medical care visit in the past year, access to specialist care and services, and a personal doctor or nurse

ⁱ age 50 and older

^j age 1 to 17

^k cases considered partially treatable or preventable with timely and appropriate medical care

^l cases for which appropriate and timely treatment by a primary health care provider would have avoided hospitalization

^m of 47 states

ⁿ of 48 states

^o of 48 states

^p of 41 states

^q unrankable due to old and new birth certification standards; Nevada ranked 10% below its respective peer group of states using the same standard.

^r less than 1 year old

^s For further information, see the methods section of the [Morbidity and Mortality Weekly Report](#), v 57, n SS-13.

^t age 15 to 44

^u of 46 states and DC

^v age 15 to 19

^w born in 2005

^x age 19 to 35 months

^y of 36 states and DC

^z of 41 states and DC

^{aa} of 32 states and DC

^{bb} of 45 states and DC

^{cc} of 38 states and DC

^{dd} of 38 states and DC

^{ee} of 47 states and DC

^{ff} of 50 states and DC

^{gg} of 39 states and DC

^{hh} of 47 states

ⁱⁱ the number of years of potential life lost prior to age 75

^{jj} number of fatalities for KFF

^{kk} of 33 states

^{ll} of 48 states

^{mm} age 10 to 17

ⁿⁿ of 49 states and DC

^{oo} less than 65 years old

^{*} estimates provided by SND