

LTC Stats:

Nursing Facility

Patient Characteristics Report

March 2015 Update

Prepared By

Research Department
American Health Care Association



© American Health Care Association, 2015

LTC Stats: Nursing Facility Patient Characteristics Report

Table of Contents

Table 1: Nursing Facility Patient Overview	3
Table 2: Patients by Payor – Number of Patients	4
Table 3: Patients by Payor – Percentage of Patients	5
Table 4: Activities of Daily Living – Bathing – Percent of Patients and Dependency	6
Table 5: Activities of Daily Living – Dressing – Percent of Patients and Dependency	7
Table 6: Activities of Daily Living – Eating – Percent of Patients and Dependency	8
Table 7: Activities of Daily Living – Toileting – Percent of Patients and Dependency	9
Table 8: Activities of Daily Living – Transferring – Percent of Patients and Dependency	10
Table 9: Medical Condition – Bladder and Bowel Status	11
Table 10: Medical Condition – Medications	12
Table 11: Medical Condition – Mobility	13
Table 12: Medical Condition – Mental Status	14
Table 13: Medical Condition – Weight Loss and Communication	15
Table 14: Medical Condition – Advance Directives and Vaccinations	16
Table 15: Medical Condition – Skin Integrity	17
Table 16: Medical Condition – Special Care	18
Glossary of Terms	21
Contact Information	23

Source: Center for Medicare & Medicaid Services Certification and Survey Provider Enhanced Reporting (CMS-CASPER) formerly OSCAR data as of March 2015

Table 1: Nursing Facility Patient Overview, March 2015

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,639	1,368,896	87.5	80.0	4.21
AK	18	624	34.7	19.0	4.18
AL	226	22,772	100.8	95.0	4.16
AR	229	17,719	77.4	75.0	3.99
AZ	146	11,487	78.7	75.0	4.19
CA	1,216	102,617	84.4	81.0	4.37
CO	214	16,355	76.4	73.0	4.07
CT	229	24,176	105.6	104.0	3.92
DC	19	2,521	132.7	114.0	4.09
DE	46	4,279	93.0	96.5	4.09
FL	688	73,492	106.8	108.0	4.27
GA	356	33,930	95.3	89.0	4.34
HI	46	3,643	79.2	78.5	4.62
IA	443	24,908	56.2	51.0	3.84
ID	78	3,918	50.2	44.0	4.21
IL	761	72,523	95.3	83.0	3.98
IN	528	39,043	73.9	68.0	4.33
KS	345	18,405	53.3	47.0	3.79
KY	288	23,319	81.0	82.0	4.28
LA	280	25,859	92.4	93.0	4.35
MA	414	41,055	99.2	102.5	4.09
MD	228	24,487	107.4	104.0	4.27
ME	103	6,176	60.0	56.0	4.35
MI	434	39,553	91.1	87.0	4.24
MN	378	26,586	70.3	57.5	3.96
MO	512	38,329	74.9	67.5	3.74
MS	205	16,124	78.7	74.0	4.30
MT	83	4,566	55.0	48.0	4.13
NC	421	36,887	87.6	89.0	4.41
ND	81	5,648	69.7	52.0	3.97
NE	219	12,038	55.0	45.0	4.09
NH	76	6,773	89.1	80.5	3.97
NJ	363	45,234	124.6	115.0	4.13
NM	71	5,431	76.5	79.0	4.29
NV	53	4,807	90.7	87.0	4.24
NY	629	105,167	167.2	145.0	4.35
OH	952	76,269	80.1	77.5	4.29
OK	308	18,958	61.6	57.0	3.73
OR	138	7,366	53.4	49.5	4.18
PA	698	79,449	113.8	104.5	4.25
RI	84	8,026	95.5	92.0	3.99
SC	188	16,772	89.2	85.5	4.47
SD	111	6,352	57.2	49.0	3.98
TN	322	28,961	89.9	86.0	4.47
TX	1,213	93,201	76.8	77.0	4.30
UT	99	5,541	56.0	51.0	4.50
VA	287	28,445	99.1	100.0	4.32
VT	37	2,685	72.6	69.0	4.11
WA	221	17,118	77.5	77.0	4.24
WI	389	27,412	70.5	61.0	4.03
WV	127	9,549	75.2	68.0	4.17
WY	39	2,341	60.0	52.0	3.93

Source: CMS Form 672: F78 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 2: Nursing Facility Patients by Payor - Number of Patients, March 2015

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,368,896	194,299	856,980	317,617
AK	624	55	499	70
AL	22,772	2,857	15,555	4,360
AR	17,719	2,082	11,878	3,759
AZ	11,487	1,779	6,821	2,887
CA	102,617	15,355	68,086	19,176
CO	16,355	1,977	9,771	4,607
CT	24,176	3,227	16,418	4,531
DC	2,521	286	2,053	182
DE	4,279	754	2,576	949
FL	73,492	15,211	41,861	16,420
GA	33,930	4,367	24,276	5,287
HI	3,643	384	2,222	1,037
IA	24,908	1,968	11,833	11,107
ID	3,918	675	2,464	779
IL	72,523	11,009	43,233	18,281
IN	39,043	6,317	24,366	8,360
KS	18,405	2,097	9,767	6,541
KY	23,319	3,499	15,368	4,452
LA	25,859	2,854	19,033	3,972
MA	41,055	5,185	25,020	10,850
MD	24,487	4,627	14,938	4,922
ME	6,176	909	4,021	1,246
MI	39,553	7,466	24,094	7,993
MN	26,586	2,873	14,251	9,462
MO	38,329	4,124	24,037	10,168
MS	16,124	2,359	12,180	1,585
MT	4,566	540	2,669	1,357
NC	36,887	5,881	23,945	7,061
ND	5,648	406	2,914	2,328
NE	12,038	1,497	6,307	4,234
NH	6,773	958	4,407	1,408
NJ	45,234	8,477	27,731	9,026
NM	5,431	649	3,469	1,313
NV	4,807	894	2,655	1,258
NY	105,167	12,461	72,947	19,759
OH	76,269	8,934	47,255	20,080
OK	18,958	2,226	12,517	4,215
OR	7,366	1,118	4,208	2,040
PA	79,449	8,464	49,526	21,459
RI	8,026	727	5,050	2,249
SC	16,772	3,014	10,270	3,488
SD	6,352	584	3,268	2,500
TN	28,961	5,077	17,688	6,196
TX	93,201	13,352	57,447	22,402
UT	5,541	1,006	2,863	1,672
VA	28,445	5,224	17,073	6,148
VT	2,685	461	1,716	508
WA	17,118	3,106	9,983	4,029
WI	27,412	3,559	15,787	8,066
WV	9,549	1,110	7,213	1,226
WY	2,341	278	1,451	612

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 3: Nursing Facility Patients by Payor - Percentage of Patients, March 2015

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,368,896	14.2%	62.6%	23.2%
AK	624	8.8%	80.0%	11.2%
AL	22,772	12.5%	68.3%	19.1%
AR	17,719	11.8%	67.0%	21.2%
AZ	11,487	15.5%	59.4%	25.1%
CA	102,617	15.0%	66.3%	18.7%
CO	16,355	12.1%	59.7%	28.2%
CT	24,176	13.3%	67.9%	18.7%
DC	2,521	11.3%	81.4%	7.2%
DE	4,279	17.6%	60.2%	22.2%
FL	73,492	20.7%	57.0%	22.3%
GA	33,930	12.9%	71.5%	15.6%
HI	3,643	10.5%	61.0%	28.5%
IA	24,908	7.9%	47.5%	44.6%
ID	3,918	17.2%	62.9%	19.9%
IL	72,523	15.2%	59.6%	25.2%
IN	39,043	16.2%	62.4%	21.4%
KS	18,405	11.4%	53.1%	35.5%
KY	23,319	15.0%	65.9%	19.1%
LA	25,859	11.0%	73.6%	15.4%
MA	41,055	12.6%	60.9%	26.4%
MD	24,487	18.9%	61.0%	20.1%
ME	6,176	14.7%	65.1%	20.2%
MI	39,553	18.9%	60.9%	20.2%
MN	26,586	10.8%	53.6%	35.6%
MO	38,329	10.8%	62.7%	26.5%
MS	16,124	14.6%	75.5%	9.8%
MT	4,566	11.8%	58.5%	29.7%
NC	36,887	15.9%	64.9%	19.1%
ND	5,648	7.2%	51.6%	41.2%
NE	12,038	12.4%	52.4%	35.2%
NH	6,773	14.1%	65.1%	20.8%
NJ	45,234	18.7%	61.3%	20.0%
NM	5,431	11.9%	63.9%	24.2%
NV	4,807	18.6%	55.2%	26.2%
NY	105,167	11.8%	69.4%	18.8%
OH	76,269	11.7%	62.0%	26.3%
OK	18,958	11.7%	66.0%	22.2%
OR	7,366	15.2%	57.1%	27.7%
PA	79,449	10.7%	62.3%	27.0%
RI	8,026	9.1%	62.9%	28.0%
SC	16,772	18.0%	61.2%	20.8%
SD	6,352	9.2%	51.4%	39.4%
TN	28,961	17.5%	61.1%	21.4%
TX	93,201	14.3%	61.6%	24.0%
UT	5,541	18.2%	51.7%	30.2%
VA	28,445	18.4%	60.0%	21.6%
VT	2,685	17.2%	63.9%	18.9%
WA	17,118	18.1%	58.3%	23.5%
WI	27,412	13.0%	57.6%	29.4%
WV	9,549	11.6%	75.5%	12.8%
WY	2,341	11.9%	62.0%	26.1%

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 4: Activities of Daily Living - Bathing - Percent of Patients and Dependency, March 2015

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	3.55%	63.74%	32.70%	96.45%
AK	4.01%	59.29%	36.70%	95.99%
AL	2.53%	60.44%	37.04%	97.47%
AR	3.26%	67.96%	28.78%	96.74%
AZ	3.99%	64.22%	31.79%	96.01%
CA	3.52%	58.05%	38.43%	96.48%
CO	4.08%	68.75%	27.17%	95.92%
CT	5.72%	59.97%	34.31%	94.28%
DC	6.70%	36.49%	56.80%	93.30%
DE	5.21%	50.48%	44.31%	94.79%
FL	2.71%	63.90%	33.40%	97.29%
GA	2.61%	52.61%	44.78%	97.39%
HI	0.82%	55.15%	44.03%	99.18%
IA	1.17%	81.73%	17.10%	98.83%
ID	1.66%	74.73%	23.61%	98.34%
IL	8.15%	71.93%	19.92%	91.85%
IN	2.84%	64.38%	32.79%	97.16%
KS	5.35%	71.42%	23.23%	94.65%
KY	1.59%	61.58%	36.83%	98.41%
LA	3.45%	65.73%	30.82%	96.55%
MA	3.98%	59.07%	36.95%	96.02%
MD	3.97%	45.32%	50.72%	96.03%
ME	2.17%	62.84%	34.99%	97.83%
MI	1.55%	74.09%	24.36%	98.45%
MN	3.56%	76.31%	20.13%	96.44%
MO	6.17%	71.34%	22.49%	93.83%
MS	2.88%	63.61%	33.51%	97.12%
MT	3.15%	79.17%	17.67%	96.85%
NC	3.06%	50.25%	46.69%	96.94%
ND	1.93%	77.16%	20.91%	98.07%
NE	1.71%	73.33%	24.95%	98.29%
NH	3.63%	72.38%	23.99%	96.37%
NJ	4.41%	59.97%	35.62%	95.59%
NM	3.09%	70.56%	26.35%	96.91%
NV	5.08%	62.12%	32.81%	94.92%
NY	3.28%	64.00%	32.72%	96.72%
OH	3.38%	69.63%	26.98%	96.62%
OK	4.96%	72.22%	22.82%	95.04%
OR	2.91%	72.66%	24.44%	97.09%
PA	3.90%	57.91%	38.19%	96.10%
RI	4.00%	66.91%	29.09%	96.00%
SC	1.07%	55.34%	43.59%	98.93%
SD	1.94%	78.68%	19.38%	98.06%
TN	1.70%	57.38%	40.92%	98.30%
TX	2.95%	61.05%	36.00%	97.05%
UT	2.65%	70.98%	26.37%	97.35%
VA	3.64%	51.64%	44.72%	96.36%
VT	3.13%	65.77%	31.10%	96.87%
WA	2.64%	74.68%	22.68%	97.36%
WI	2.79%	72.71%	24.50%	97.21%
WV	3.53%	47.98%	48.49%	96.47%
WY	2.69%	77.45%	19.86%	97.31%

Source: CMS Form 672: F78 - F81

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 5: Activities of Daily Living - Dressing - Percent of Patients and Dependency, March 2015

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	7.99%	72.87%	19.14%	92.01%
AK	8.01%	78.37%	13.62%	91.99%
AL	6.87%	68.19%	24.94%	93.13%
AR	10.63%	69.58%	19.79%	89.37%
AZ	9.36%	71.37%	19.27%	90.64%
CA	6.22%	69.89%	23.89%	93.78%
CO	11.23%	76.73%	12.04%	88.77%
CT	10.11%	65.48%	24.40%	89.89%
DC	9.52%	51.41%	39.07%	90.48%
DE	8.90%	67.35%	23.74%	91.10%
FL	6.57%	69.90%	23.53%	93.43%
GA	6.39%	67.20%	26.41%	93.61%
HI	1.43%	71.01%	27.56%	98.57%
IA	11.77%	78.96%	9.27%	88.23%
ID	7.86%	80.50%	11.64%	92.14%
IL	12.53%	76.59%	10.88%	87.47%
IN	6.74%	80.14%	13.12%	93.26%
KS	15.45%	72.88%	11.67%	84.55%
KY	5.07%	73.12%	21.81%	94.93%
LA	9.39%	74.41%	16.21%	90.61%
MA	5.77%	64.93%	29.30%	94.23%
MD	6.17%	60.64%	33.19%	93.83%
ME	2.96%	81.19%	15.85%	97.04%
MI	5.76%	80.67%	13.57%	94.24%
MN	10.65%	81.28%	8.07%	89.35%
MO	17.47%	67.89%	14.64%	82.53%
MS	7.89%	76.80%	15.31%	92.11%
MT	11.63%	79.22%	9.15%	88.37%
NC	5.13%	71.84%	23.03%	94.87%
ND	9.26%	84.90%	5.84%	90.74%
NE	10.64%	78.25%	11.11%	89.36%
NH	8.12%	79.05%	12.83%	91.88%
NJ	8.48%	64.09%	27.43%	91.52%
NM	7.70%	79.62%	12.69%	92.30%
NV	8.59%	73.00%	18.41%	91.41%
NY	6.40%	70.91%	22.69%	93.60%
OH	7.06%	79.64%	13.31%	92.94%
OK	17.63%	66.61%	15.76%	82.37%
OR	6.01%	81.47%	12.52%	93.99%
PA	6.49%	74.09%	19.42%	93.51%
RI	8.09%	74.05%	17.87%	91.91%
SC	2.44%	72.49%	25.07%	97.56%
SD	11.68%	81.83%	6.49%	88.32%
TN	3.75%	72.95%	23.29%	96.25%
TX	8.20%	73.65%	18.14%	91.80%
UT	4.66%	82.46%	12.89%	95.34%
VA	6.83%	66.19%	26.97%	93.17%
VT	6.74%	74.15%	19.11%	93.26%
WA	6.90%	80.15%	12.95%	93.10%
WI	8.34%	79.78%	11.87%	91.66%
WV	8.22%	72.61%	19.16%	91.78%
WY	12.17%	77.92%	9.91%	87.83%

Source: CMS Form 672: F78, F82 - F84

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 6: Activities of Daily Living - Eating - Percent of Patients and Dependency, March 2015

State	Independent	Assisted	Dependent	Total Eating Dependence
US	41.65%	45.97%	12.38%	58.35%
AK	43.59%	44.39%	12.02%	56.41%
AL	48.00%	34.81%	17.20%	52.00%
AR	47.85%	39.61%	12.54%	52.15%
AZ	42.95%	45.45%	11.60%	57.05%
CA	33.37%	47.83%	18.81%	66.63%
CO	45.70%	48.08%	6.22%	54.30%
CT	54.72%	30.89%	14.39%	45.28%
DC	42.76%	36.89%	20.35%	57.24%
DE	49.71%	36.50%	13.79%	50.29%
FL	41.88%	43.17%	14.95%	58.12%
GA	33.96%	49.41%	16.63%	66.04%
HI	29.45%	45.32%	25.23%	70.55%
IA	61.25%	33.15%	5.60%	38.75%
ID	46.45%	45.97%	7.58%	53.55%
IL	43.27%	48.25%	8.48%	56.73%
IN	34.24%	57.29%	8.47%	65.76%
KS	54.80%	38.51%	6.69%	45.20%
KY	45.19%	40.15%	14.66%	54.81%
LA	24.00%	66.06%	9.93%	76.00%
MA	53.43%	34.10%	12.47%	46.57%
MD	41.69%	41.34%	16.98%	58.31%
ME	46.47%	43.72%	9.81%	53.53%
MI	49.21%	41.27%	9.52%	50.79%
MN	55.33%	38.40%	6.27%	44.67%
MO	51.86%	39.86%	8.28%	48.14%
MS	34.67%	51.60%	13.73%	65.33%
MT	38.87%	54.93%	6.20%	61.13%
NC	35.32%	51.50%	13.18%	64.68%
ND	55.08%	39.94%	4.98%	44.92%
NE	47.67%	45.36%	6.97%	52.33%
NH	55.13%	37.04%	7.83%	44.87%
NJ	44.47%	39.29%	16.24%	55.53%
NM	35.26%	57.06%	7.68%	64.74%
NV	38.61%	47.45%	13.94%	61.39%
NY	33.51%	50.27%	16.21%	66.49%
OH	38.53%	52.54%	8.93%	61.47%
OK	53.14%	37.03%	9.83%	46.86%
OR	53.33%	37.54%	9.14%	46.67%
PA	43.26%	45.54%	11.19%	56.74%
RI	55.53%	35.42%	9.05%	44.47%
SC	38.34%	44.64%	17.02%	61.66%
SD	52.76%	42.52%	4.72%	47.24%
TN	33.74%	49.75%	16.52%	66.26%
TX	33.16%	54.96%	11.88%	66.84%
UT	26.66%	65.31%	8.03%	73.34%
VA	35.04%	49.48%	15.48%	64.96%
VT	52.55%	35.31%	12.14%	47.45%
WA	45.29%	44.73%	9.98%	54.71%
WI	55.98%	36.49%	7.52%	44.02%
WV	44.83%	43.94%	11.23%	55.17%
WY	51.69%	42.63%	5.68%	48.31%

Source: CMS Form 672: F78, F91 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 7: Activities of Daily Living - Toileting - Percent of Patients and Dependency, March 2015

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	11.77%	65.72%	22.51%	88.23%
AK	11.70%	65.06%	23.24%	88.30%
AL	12.41%	55.09%	32.50%	87.59%
AR	17.16%	58.72%	24.12%	82.84%
AZ	11.11%	64.89%	24.00%	88.89%
CA	9.10%	61.01%	29.89%	90.90%
CO	14.23%	70.88%	14.89%	85.77%
CT	16.61%	57.41%	25.98%	83.39%
DC	14.60%	42.40%	43.00%	85.40%
DE	11.92%	61.07%	27.02%	88.08%
FL	9.93%	63.04%	27.03%	90.07%
GA	10.30%	55.97%	33.73%	89.70%
HI	2.77%	59.04%	38.18%	97.23%
IA	18.07%	69.78%	12.16%	81.93%
ID	10.31%	71.64%	18.04%	89.69%
IL	17.97%	67.49%	14.54%	82.03%
IN	9.89%	75.47%	14.64%	90.11%
KS	20.64%	65.12%	14.25%	79.36%
KY	8.88%	66.68%	24.44%	91.12%
LA	13.09%	68.59%	18.32%	86.91%
MA	12.33%	61.74%	25.93%	87.67%
MD	9.32%	55.07%	35.61%	90.68%
ME	4.91%	77.53%	17.57%	95.09%
MI	8.32%	74.66%	17.02%	91.68%
MN	14.73%	74.67%	10.60%	85.27%
MO	23.05%	59.35%	17.60%	76.95%
MS	11.01%	67.58%	21.41%	88.99%
MT	14.59%	72.16%	13.25%	85.41%
NC	7.06%	67.52%	25.42%	92.94%
ND	15.47%	76.31%	8.22%	84.53%
NE	13.18%	72.82%	14.00%	86.82%
NH	15.21%	69.35%	15.44%	84.79%
NJ	13.47%	57.51%	29.02%	86.53%
NM	10.90%	74.48%	14.62%	89.10%
NV	10.38%	67.76%	21.86%	89.62%
NY	9.40%	64.54%	26.06%	90.60%
OH	9.99%	73.44%	16.57%	90.01%
OK	23.79%	56.74%	19.47%	76.21%
OR	8.73%	69.96%	21.31%	91.27%
PA	9.59%	69.14%	21.27%	90.41%
RI	13.71%	67.07%	19.23%	86.29%
SC	4.48%	62.78%	32.74%	95.52%
SD	15.66%	77.16%	7.18%	84.34%
TN	6.08%	66.44%	27.47%	93.92%
TX	11.73%	66.10%	22.17%	88.27%
UT	6.53%	78.51%	14.96%	93.47%
VA	9.85%	60.61%	29.54%	90.15%
VT	10.17%	65.18%	24.66%	89.83%
WA	9.69%	73.24%	17.07%	90.31%
WI	13.23%	71.43%	15.34%	86.77%
WV	11.71%	66.20%	22.10%	88.29%
WY	16.83%	68.52%	14.65%	83.17%

Source: CMS Form 672: F78, F88 - F90

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 8: Activities of Daily Living - Transferring - Percent of Patients and Dependency, March 2015

State	Independent	Assisted	Dependent	Total Transferring Dependent
US	14.47%	65.27%	20.26%	85.53%
AK	14.74%	56.09%	29.17%	85.26%
AL	14.43%	56.35%	29.22%	85.57%
AR	21.63%	57.46%	20.91%	78.37%
AZ	13.10%	64.98%	21.92%	86.90%
CA	10.90%	63.17%	25.94%	89.10%
CO	17.52%	68.94%	13.54%	82.48%
CT	20.41%	56.39%	23.19%	79.59%
DC	17.10%	46.01%	36.89%	82.90%
DE	15.40%	59.64%	24.96%	84.60%
FL	11.46%	64.67%	23.87%	88.54%
GA	12.80%	59.91%	27.30%	87.20%
HI	3.43%	64.81%	31.76%	96.57%
IA	24.12%	64.09%	11.79%	75.88%
ID	12.79%	70.27%	16.95%	87.21%
IL	20.01%	66.17%	13.82%	79.99%
IN	12.81%	72.99%	14.19%	87.19%
KS	24.74%	62.01%	13.25%	75.26%
KY	11.51%	65.97%	22.52%	88.49%
LA	14.94%	69.73%	15.33%	85.06%
MA	15.47%	63.19%	21.34%	84.53%
MD	11.77%	57.73%	30.50%	88.23%
ME	8.23%	75.28%	16.50%	91.77%
MI	11.12%	71.38%	17.50%	88.88%
MN	19.24%	67.84%	12.92%	80.76%
MO	27.41%	57.14%	15.45%	72.59%
MS	13.45%	65.39%	21.17%	86.55%
MT	19.21%	70.35%	10.45%	80.79%
NC	8.91%	68.08%	23.00%	91.09%
ND	20.89%	68.80%	10.30%	79.11%
NE	17.92%	68.44%	13.64%	82.08%
NH	21.16%	63.68%	15.16%	78.84%
NJ	15.92%	59.27%	24.81%	84.08%
NM	14.47%	72.49%	13.04%	85.53%
NV	12.96%	67.05%	19.99%	87.04%
NY	12.22%	63.82%	23.95%	87.78%
OH	12.23%	71.59%	16.18%	87.77%
OK	27.82%	55.45%	16.73%	72.18%
OR	11.11%	69.59%	19.30%	88.89%
PA	12.00%	67.84%	20.17%	88.00%
RI	19.21%	64.98%	15.81%	80.79%
SC	6.24%	67.01%	26.75%	93.76%
SD	19.82%	72.02%	8.15%	80.18%
TN	7.71%	68.01%	24.28%	92.29%
TX	13.89%	67.38%	18.73%	86.11%
UT	9.02%	77.42%	13.55%	90.98%
VA	12.29%	61.95%	25.77%	87.71%
VT	16.61%	61.79%	21.60%	83.39%
WA	11.36%	72.57%	16.08%	88.64%
WI	16.95%	66.76%	16.28%	83.05%
WV	15.00%	64.51%	20.49%	85.00%
WY	23.79%	63.56%	12.64%	76.21%

Source: CMS Form 672: F78, F85 - F87

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 9: Medical Condition - Bladder and Bowel Status, March 2015

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.67%	4.27%	62.36%	45.66%	38.52%
AK	11.06%	7.85%	58.65%	43.91%	38.62%
AL	4.76%	3.57%	65.20%	51.75%	30.74%
AR	5.20%	3.60%	63.19%	47.34%	13.80%
AZ	9.31%	8.06%	58.33%	47.27%	24.88%
CA	6.23%	5.21%	53.59%	45.99%	39.43%
CO	7.62%	5.86%	61.86%	39.52%	39.08%
CT	4.35%	3.21%	59.60%	44.06%	40.90%
DC	2.90%	2.58%	72.51%	63.19%	16.62%
DE	6.96%	3.62%	65.25%	47.44%	61.23%
FL	5.66%	4.76%	59.76%	50.25%	34.32%
GA	4.54%	3.32%	68.64%	56.21%	36.76%
HI	3.57%	2.64%	71.01%	56.52%	34.26%
IA	6.05%	3.85%	65.14%	30.46%	25.16%
ID	8.37%	6.89%	59.75%	35.07%	56.10%
IL	5.14%	3.89%	54.19%	34.74%	41.02%
IN	5.16%	3.88%	65.78%	45.03%	61.28%
KS	5.02%	3.78%	63.32%	35.14%	70.56%
KY	6.39%	4.63%	63.18%	48.30%	34.99%
LA	4.89%	2.65%	64.70%	47.77%	20.95%
MA	5.03%	3.84%	62.38%	46.94%	31.75%
MD	5.27%	3.97%	66.20%	54.96%	63.35%
ME	6.23%	4.71%	69.06%	43.35%	67.33%
MI	6.55%	4.88%	60.29%	42.13%	44.96%
MN	5.91%	4.33%	65.35%	37.93%	56.22%
MO	4.75%	3.48%	59.25%	35.40%	32.34%
MS	4.46%	2.60%	70.14%	53.57%	15.86%
MT	6.90%	5.06%	60.29%	31.32%	62.97%
NC	5.48%	4.04%	68.74%	55.20%	27.00%
ND	6.53%	4.60%	66.63%	35.48%	38.99%
NE	7.52%	4.95%	66.01%	31.96%	47.52%
NH	6.05%	4.53%	62.69%	35.23%	62.41%
NJ	5.34%	4.42%	56.29%	45.84%	26.88%
NM	5.80%	4.77%	62.59%	46.47%	45.28%
NV	8.76%	7.74%	58.10%	47.85%	10.78%
NY	5.14%	3.74%	63.86%	50.50%	26.73%
OH	5.47%	4.23%	58.59%	37.41%	46.79%
OK	5.77%	4.37%	57.96%	39.76%	38.65%
OR	9.84%	7.72%	59.46%	42.94%	37.89%
PA	6.19%	4.51%	66.42%	48.63%	45.70%
RI	3.97%	2.69%	61.54%	41.49%	57.29%
SC	4.55%	3.15%	70.07%	58.42%	25.78%
SD	6.45%	4.31%	68.56%	31.64%	64.61%
TN	6.49%	4.24%	66.25%	51.77%	46.93%
TX	5.31%	4.01%	68.12%	52.51%	24.64%
UT	7.20%	5.76%	62.19%	41.58%	29.80%
VA	5.49%	4.13%	65.33%	53.33%	30.86%
VT	6.52%	5.33%	65.96%	44.51%	40.74%
WA	8.47%	6.51%	62.47%	46.45%	33.39%
WI	6.62%	5.05%	62.05%	35.43%	74.88%
WV	5.97%	4.60%	64.78%	45.07%	76.03%
WY	6.88%	5.17%	62.45%	32.25%	87.78%

Source: CMS Form 672: F78, F94 - F99. *As a percentage of those patients with a catheter at the time of the survey. **Total patients in bladder and/or bowel training.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 10: Medical Condition - Medications, March 2015

State	Psychoactive Medication*	Antibiotics	Pain Management
US	63.94%	9.15%	47.13%
AK	56.57%	9.13%	67.79%
AL	71.36%	8.92%	53.63%
AR	66.18%	9.20%	33.20%
AZ	62.69%	13.76%	53.21%
CA	54.19%	8.74%	39.22%
CO	60.00%	8.77%	59.71%
CT	70.07%	7.63%	37.31%
DC	53.51%	4.64%	39.79%
DE	58.21%	9.58%	48.82%
FL	64.43%	10.55%	40.36%
GA	67.62%	8.50%	45.19%
HI	44.44%	7.77%	42.99%
IA	65.58%	8.65%	62.31%
ID	66.95%	11.33%	66.18%
IL	64.78%	8.70%	40.85%
IN	65.95%	10.07%	50.58%
KS	68.57%	10.46%	58.56%
KY	68.94%	9.68%	43.43%
LA	68.40%	10.56%	36.75%
MA	71.22%	7.01%	46.45%
MD	59.26%	9.94%	43.91%
ME	66.92%	9.00%	61.90%
MI	61.36%	9.03%	57.08%
MN	60.51%	8.21%	65.95%
MO	70.31%	8.79%	47.23%
MS	66.59%	9.63%	45.08%
MT	63.58%	8.67%	61.04%
NC	65.60%	10.81%	47.06%
ND	65.72%	8.37%	67.78%
NE	66.61%	10.59%	63.80%
NH	66.34%	6.82%	59.01%
NJ	56.81%	7.87%	39.32%
NM	59.36%	8.73%	44.19%
NV	54.63%	13.13%	43.52%
NY	56.75%	7.63%	45.07%
OH	66.46%	9.98%	46.21%
OK	70.84%	8.52%	55.46%
OR	63.09%	10.64%	61.35%
PA	64.56%	8.21%	46.90%
RI	68.65%	7.74%	52.54%
SC	63.29%	9.66%	47.82%
SD	63.18%	9.73%	64.48%
TN	71.68%	10.55%	51.39%
TX	67.49%	9.90%	43.50%
UT	67.42%	12.62%	60.04%
VA	64.03%	10.93%	42.98%
VT	66.93%	7.23%	63.31%
WA	61.65%	10.25%	53.28%
WI	62.79%	7.06%	61.92%
WV	64.57%	10.84%	56.53%
WY	65.01%	10.38%	61.77%

Source: CMS Form 672: F78, F133 - F139. *Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 11: Medical Condition - Mobility, March 2015

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.63%	65.69%	39.07%	1.74%	0.45%	23.63%
AK	8.97%	65.06%	35.58%	1.44%	1.28%	39.10%
AL	7.37%	69.99%	24.43%	1.69%	0.47%	35.38%
AR	4.97%	65.89%	30.26%	1.51%	0.29%	17.17%
AZ	6.13%	67.04%	36.23%	0.69%	0.13%	19.27%
CA	4.72%	66.89%	41.15%	2.57%	1.17%	26.00%
CO	2.16%	62.45%	35.45%	1.12%	0.15%	18.79%
CT	1.69%	59.30%	51.89%	1.01%	0.20%	15.37%
DC	6.39%	64.97%	28.32%	1.55%	0.12%	16.86%
DE	4.21%	67.31%	35.08%	0.84%	0.14%	30.40%
FL	3.58%	71.79%	32.17%	1.57%	0.34%	18.27%
GA	6.23%	67.59%	27.25%	1.24%	0.23%	30.88%
HI	6.56%	72.25%	34.86%	2.11%	0.77%	33.71%
IA	1.18%	52.36%	55.90%	1.44%	0.29%	24.75%
ID	3.85%	73.33%	43.82%	3.06%	1.58%	30.14%
IL	1.60%	59.06%	50.99%	1.75%	0.53%	22.31%
IN	2.57%	68.29%	45.78%	0.90%	0.18%	18.84%
KS	2.11%	55.07%	42.84%	0.66%	0.28%	19.05%
KY	5.67%	64.52%	30.41%	2.55%	0.40%	24.07%
LA	4.37%	69.02%	27.46%	2.76%	0.39%	25.36%
MA	1.94%	56.68%	51.40%	1.41%	0.23%	19.37%
MD	5.72%	66.51%	30.87%	1.23%	0.18%	22.26%
ME	3.84%	59.03%	50.10%	0.52%	0.15%	23.59%
MI	3.30%	70.13%	38.16%	1.86%	0.54%	19.97%
MN	1.18%	65.18%	55.88%	0.68%	0.12%	18.36%
MO	1.91%	61.55%	43.78%	2.06%	0.73%	19.72%
MS	6.08%	71.99%	22.42%	3.91%	0.38%	40.77%
MT	1.23%	63.36%	48.62%	1.91%	0.42%	36.14%
NC	5.09%	72.57%	27.68%	1.34%	0.16%	23.43%
ND	1.54%	68.27%	57.74%	0.64%	0.09%	35.82%
NE	1.22%	65.40%	54.60%	1.20%	0.20%	20.34%
NH	4.30%	57.76%	56.33%	0.75%	0.30%	28.61%
NJ	3.79%	67.74%	34.93%	2.32%	0.74%	16.70%
NM	1.80%	69.64%	36.84%	0.70%	0.11%	20.95%
NV	9.59%	68.19%	35.41%	1.89%	0.48%	21.14%
NY	2.04%	65.07%	41.75%	2.50%	0.72%	30.71%
OH	2.95%	64.45%	50.00%	1.34%	0.25%	24.08%
OK	4.97%	59.23%	38.51%	0.98%	0.21%	20.18%
OR	5.99%	63.66%	32.24%	0.80%	0.14%	23.78%
PA	3.89%	61.88%	34.49%	1.34%	0.23%	21.32%
RI	1.30%	58.66%	64.14%	0.45%	0.21%	23.52%
SC	6.60%	74.68%	20.95%	2.99%	0.46%	30.63%
SD	0.98%	65.88%	55.24%	1.29%	0.35%	35.25%
TN	6.04%	72.33%	33.02%	3.11%	0.39%	24.57%
TX	4.27%	69.98%	26.63%	2.04%	0.60%	24.11%
UT	2.76%	63.54%	48.10%	2.44%	0.54%	19.85%
VA	5.24%	68.87%	26.33%	0.95%	0.23%	25.78%
VT	3.76%	60.71%	55.08%	0.26%	0.04%	23.46%
WA	4.32%	69.57%	40.30%	1.22%	0.55%	22.41%
WI	2.24%	65.42%	47.62%	0.65%	0.14%	22.39%
WV	5.28%	66.75%	40.38%	2.95%	0.38%	34.63%
WY	2.35%	59.25%	51.69%	1.75%	0.60%	22.13%

Source: CMS Form 672: F78, F100 - F106. *Percentage of patients that ambulate independently or w/assistive devices. **As a percentage of patients physically restrained.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 12: Medical Condition - Mental Status, March 2015

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	2.14%	41.75%	31.74%	47.01%	23.61%
AK	2.24%	35.10%	15.54%	37.66%	24.52%
AL	4.92%	37.49%	33.51%	55.06%	22.38%
AR	3.41%	34.59%	33.44%	50.09%	20.67%
AZ	0.77%	39.66%	25.71%	38.10%	23.71%
CA	2.03%	28.48%	28.15%	36.45%	19.87%
CO	1.42%	48.65%	23.30%	46.82%	26.84%
CT	2.11%	39.87%	26.13%	50.66%	20.07%
DC	0.75%	21.22%	23.84%	47.32%	18.13%
DE	1.71%	37.60%	29.35%	49.50%	34.42%
FL	1.23%	39.28%	30.89%	45.82%	21.81%
GA	3.62%	48.04%	36.39%	50.83%	28.56%
HI	1.43%	33.27%	8.92%	54.30%	21.77%
IA	2.85%	53.14%	28.18%	47.95%	25.02%
ID	3.29%	50.23%	29.63%	37.47%	28.59%
IL	1.28%	49.51%	33.98%	41.25%	26.80%
IN	2.89%	39.97%	29.21%	50.26%	21.57%
KS	1.28%	49.73%	36.03%	47.60%	28.22%
KY	2.91%	40.98%	35.70%	49.74%	23.08%
LA	1.61%	33.20%	43.97%	39.46%	23.64%
MA	1.16%	42.50%	34.62%	54.85%	29.97%
MD	1.42%	36.93%	24.29%	42.92%	17.94%
ME	1.20%	50.86%	27.43%	54.86%	32.89%
MI	1.54%	38.52%	27.69%	52.97%	22.07%
MN	0.73%	47.51%	28.88%	46.32%	30.76%
MO	2.93%	41.31%	36.15%	43.95%	23.24%
MS	2.49%	32.90%	41.48%	47.26%	23.21%
MT	2.61%	47.42%	26.70%	45.47%	21.81%
NC	2.09%	37.90%	29.90%	44.96%	23.34%
ND	1.74%	57.83%	34.05%	52.83%	27.71%
NE	2.18%	51.23%	33.14%	44.01%	29.37%
NH	1.40%	46.92%	37.62%	56.08%	28.73%
NJ	3.07%	29.93%	24.20%	42.74%	19.28%
NM	1.60%	35.06%	25.69%	44.12%	26.57%
NV	1.93%	34.43%	27.61%	33.20%	17.14%
NY	1.90%	41.14%	25.15%	49.59%	19.43%
OH	1.98%	54.53%	39.85%	47.73%	28.18%
OK	2.85%	46.32%	34.11%	41.34%	22.41%
OR	1.82%	39.59%	23.42%	35.30%	23.00%
PA	2.76%	39.70%	31.81%	46.98%	21.59%
RI	0.80%	42.96%	30.61%	52.75%	19.49%
SC	2.59%	38.56%	30.18%	53.20%	24.95%
SD	1.81%	56.12%	31.19%	48.65%	29.90%
TN	2.25%	42.39%	42.67%	52.86%	25.54%
TX	2.37%	45.74%	38.37%	55.49%	25.10%
UT	2.78%	49.90%	27.16%	35.17%	31.89%
VA	2.88%	38.14%	29.47%	44.31%	20.99%
VT	1.42%	56.20%	31.99%	53.04%	31.17%
WA	3.17%	48.57%	25.48%	42.13%	24.41%
WI	1.20%	45.85%	29.84%	47.49%	23.18%
WV	2.86%	46.74%	40.25%	54.75%	25.86%
WY	1.28%	57.24%	26.48%	50.02%	25.54%

Source: CMS Form 672: F78, F108 - F114

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 13: Medical Condition - Weight Loss and Communication, March 2015

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.82%	3.38%	1.37%
AK	10.10%	3.04%	4.33%
AL	10.68%	0.22%	1.11%
AR	9.28%	0.36%	1.00%
AZ	7.31%	5.60%	2.77%
CA	6.93%	13.75%	4.69%
CO	7.91%	2.18%	1.31%
CT	4.97%	3.94%	0.73%
DC	5.20%	1.31%	0.36%
DE	7.10%	1.10%	0.91%
FL	4.91%	4.43%	0.93%
GA	9.23%	0.93%	0.81%
HI	7.82%	6.97%	3.71%
IA	9.39%	0.39%	1.18%
ID	7.89%	1.38%	1.28%
IL	8.73%	3.22%	1.74%
IN	8.97%	0.37%	0.80%
KS	8.60%	0.81%	0.85%
KY	7.89%	0.35%	0.86%
LA	10.19%	0.50%	0.97%
MA	5.12%	5.30%	1.28%
MD	7.35%	2.61%	0.96%
ME	9.38%	0.37%	0.65%
MI	8.15%	1.14%	1.48%
MN	7.42%	0.98%	0.79%
MO	8.61%	0.48%	0.65%
MS	9.97%	0.23%	1.07%
MT	9.31%	0.39%	0.74%
NC	10.24%	0.48%	0.74%
ND	9.42%	0.19%	1.04%
NE	8.50%	0.75%	0.83%
NH	9.36%	0.93%	0.72%
NJ	5.71%	7.48%	2.42%
NM	7.38%	6.83%	0.57%
NV	6.66%	3.60%	1.73%
NY	5.77%	7.78%	1.23%
OH	8.94%	0.72%	0.66%
OK	10.62%	0.62%	0.78%
OR	8.77%	1.81%	1.36%
PA	8.52%	1.55%	0.93%
RI	6.78%	4.25%	0.88%
SC	10.82%	0.25%	0.87%
SD	9.79%	0.33%	1.01%
TN	7.78%	0.37%	1.08%
TX	7.12%	3.40%	1.02%
UT	7.58%	2.44%	1.06%
VA	8.36%	1.18%	0.89%
VT	7.26%	0.34%	1.01%
WA	7.54%	2.72%	1.28%
WI	8.54%	0.56%	0.96%
WV	11.60%	0.66%	1.30%
WY	9.35%	0.47%	0.94%

Source: CMS Form 672: F78, F140 - F142

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 14: Medical Condition - Advance Directives and Vaccinations, March 2015

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	54.41%	68.21%	64.86%
AK	67.15%	74.04%	79.65%
AL	35.50%	66.07%	59.63%
AR	70.33%	83.16%	81.90%
AZ	74.63%	62.72%	60.10%
CA	46.42%	67.35%	63.45%
CO	79.17%	64.41%	63.52%
CT	69.37%	75.00%	69.95%
DC	40.94%	64.14%	55.22%
DE	43.94%	70.41%	73.66%
FL	57.37%	54.01%	42.78%
GA	40.31%	64.80%	62.75%
HI	67.28%	81.94%	84.98%
IA	63.55%	79.12%	81.40%
ID	66.05%	64.68%	69.24%
IL	50.84%	62.32%	57.08%
IN	57.04%	66.40%	61.55%
KS	72.22%	73.40%	69.48%
KY	52.86%	70.64%	65.25%
LA	30.28%	67.68%	70.40%
MA	73.60%	76.49%	69.44%
MD	55.70%	66.69%	59.33%
ME	63.12%	74.74%	75.19%
MI	74.52%	64.20%	65.66%
MN	60.09%	75.29%	79.61%
MO	53.71%	68.02%	62.32%
MS	32.54%	65.91%	70.36%
MT	68.48%	71.07%	70.00%
NC	46.23%	65.15%	62.38%
ND	58.82%	77.53%	81.80%
NE	62.28%	74.85%	76.02%
NH	83.01%	77.91%	81.69%
NJ	37.79%	70.17%	65.54%
NM	42.99%	56.09%	55.22%
NV	36.38%	49.91%	39.75%
NY	62.65%	77.74%	73.70%
OH	53.96%	62.84%	60.01%
OK	31.61%	67.69%	56.27%
OR	38.58%	63.33%	67.20%
PA	59.04%	72.88%	68.04%
RI	61.81%	73.15%	73.54%
SC	48.62%	68.85%	77.22%
SD	58.44%	79.77%	84.56%
TN	67.86%	66.09%	62.56%
TX	34.54%	60.31%	56.69%
UT	64.93%	63.63%	61.70%
VA	41.57%	70.30%	64.06%
VT	63.87%	76.57%	78.21%
WA	70.32%	68.17%	66.16%
WI	79.60%	82.70%	85.43%
WV	50.69%	65.24%	68.80%
WY	65.95%	70.61%	71.59%

Source: CMS Form 672: F78, F143 - F145

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 15: Medical Condition - Skin Integrity, March 2015

State	Pressure Sores	Pressure Sores at Admission	Preventative Skin Care	Rashes
US	6.25%	3.62%	76.99%	2.63%
AK	5.61%	3.04%	73.24%	4.17%
AL	5.94%	3.68%	82.66%	2.60%
AR	5.44%	2.89%	27.59%	2.47%
AZ	7.83%	4.87%	69.84%	3.19%
CA	6.61%	4.70%	64.35%	3.23%
CO	4.89%	2.60%	82.95%	1.65%
CT	4.52%	2.27%	69.48%	3.95%
DC	6.90%	4.40%	80.01%	1.03%
DE	5.14%	2.94%	83.03%	5.73%
FL	7.07%	4.93%	81.82%	3.32%
GA	6.84%	4.21%	79.35%	2.25%
HI	4.20%	2.74%	76.64%	5.46%
IA	3.89%	1.39%	77.54%	1.90%
ID	4.85%	3.37%	84.46%	3.27%
IL	5.81%	3.40%	76.88%	2.26%
IN	6.10%	2.86%	80.78%	1.30%
KS	4.49%	2.06%	70.10%	2.96%
KY	6.61%	3.15%	81.97%	1.45%
LA	8.53%	3.92%	80.85%	2.11%
MA	4.62%	2.19%	84.40%	1.81%
MD	7.27%	4.68%	81.20%	2.52%
ME	5.05%	2.51%	74.11%	3.35%
MI	6.13%	4.09%	81.34%	2.48%
MN	4.29%	2.02%	73.08%	2.57%
MO	4.98%	2.21%	70.55%	1.88%
MS	7.50%	3.77%	76.89%	1.85%
MT	4.64%	2.30%	87.28%	2.96%
NC	7.91%	4.18%	77.91%	2.19%
ND	3.98%	1.74%	84.31%	2.90%
NE	3.94%	1.70%	81.41%	2.46%
NH	3.96%	1.88%	89.07%	5.05%
NJ	6.59%	4.39%	74.74%	2.35%
NM	6.55%	3.70%	74.98%	1.14%
NV	9.44%	7.41%	63.93%	3.43%
NY	7.37%	4.78%	77.55%	4.72%
OH	5.61%	3.16%	86.01%	2.18%
OK	6.11%	3.14%	63.25%	1.42%
OR	7.13%	4.28%	77.19%	4.15%
PA	5.79%	3.15%	86.11%	2.61%
RI	5.28%	2.88%	84.86%	2.78%
SC	7.64%	4.42%	83.43%	1.99%
SD	4.69%	1.86%	76.62%	2.44%
TN	7.18%	4.49%	82.73%	2.39%
TX	7.17%	3.73%	70.96%	1.43%
UT	6.59%	3.86%	80.45%	2.65%
VA	6.80%	4.03%	78.25%	3.26%
VT	4.32%	2.16%	84.69%	3.76%
WA	6.51%	3.49%	76.57%	3.95%
WI	4.59%	2.34%	79.47%	3.07%
WV	7.12%	4.50%	81.56%	2.09%
WY	3.80%	1.71%	82.19%	1.54%

Source: CMS Form 672: F78, F115 - F118

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, March 2015

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.69%	0.10%	0.37%	2.10%	1.41%
AK	0.00%	0.00%	0.32%	1.92%	1.60%
AL	5.60%	0.04%	0.22%	1.82%	0.65%
AR	4.74%	0.02%	0.19%	1.30%	0.52%
AZ	5.03%	0.08%	0.17%	2.93%	4.38%
CA	3.20%	0.09%	0.23%	3.02%	2.34%
CO	5.43%	0.07%	0.29%	1.39%	1.24%
CT	2.57%	0.10%	0.30%	1.58%	1.17%
DC	3.01%	0.08%	0.52%	3.85%	0.48%
DE	6.59%	0.12%	0.21%	2.69%	1.31%
FL	6.04%	0.12%	0.15%	2.12%	1.85%
GA	5.21%	0.09%	0.32%	2.90%	0.96%
HI	5.05%	0.08%	0.33%	2.03%	1.98%
IA	5.46%	0.06%	0.36%	0.99%	0.60%
ID	3.39%	0.18%	0.46%	2.07%	2.04%
IL	4.27%	0.12%	0.33%	2.01%	1.33%
IN	5.23%	0.10%	0.47%	1.91%	1.61%
KS	5.60%	0.28%	0.36%	1.12%	0.74%
KY	2.08%	0.05%	0.29%	1.75%	1.56%
LA	5.43%	0.09%	0.46%	2.42%	0.84%
MA	4.88%	0.12%	0.34%	1.33%	1.06%
MD	2.79%	0.13%	0.28%	3.37%	1.87%
ME	5.72%	0.08%	0.42%	0.96%	1.08%
MI	5.12%	0.14%	0.31%	2.30%	1.62%
MN	4.69%	0.32%	0.75%	1.19%	0.97%
MO	6.95%	0.06%	0.27%	1.54%	0.69%
MS	3.93%	0.03%	0.65%	2.53%	0.63%
MT	2.19%	0.04%	0.26%	1.18%	0.57%
NC	3.79%	0.09%	0.33%	2.39%	1.22%
ND	2.89%	0.04%	0.53%	1.33%	0.57%
NE	5.71%	0.08%	0.46%	1.05%	1.08%
NH	4.06%	0.07%	0.21%	1.02%	1.06%
NJ	3.45%	0.12%	0.38%	2.54%	1.74%
NM	5.14%	0.06%	0.20%	1.53%	0.94%
NV	3.20%	0.10%	0.23%	2.37%	4.56%
NY	1.49%	0.09%	0.72%	2.41%	1.07%
OH	6.55%	0.11%	0.53%	2.22%	1.68%
OK	9.64%	0.06%	0.20%	1.53%	0.63%
OR	4.18%	0.19%	0.18%	2.16%	2.25%
PA	4.57%	0.10%	0.49%	1.80%	1.56%
RI	6.06%	0.06%	0.35%	1.32%	1.21%
SC	6.19%	0.04%	0.27%	2.25%	0.66%
SD	2.93%	0.02%	0.46%	1.02%	0.94%
TN	5.31%	0.06%	0.15%	1.81%	1.44%
TX	7.56%	0.06%	0.20%	2.45%	1.39%
UT	8.12%	0.04%	0.18%	1.89%	2.69%
VA	3.24%	0.08%	0.43%	2.34%	1.41%
VT	1.86%	0.07%	0.22%	1.15%	0.86%
WA	2.70%	0.14%	0.46%	2.08%	1.77%
WI	4.52%	0.09%	0.45%	1.55%	0.91%
WV	3.76%	0.10%	0.49%	1.46%	1.92%
WY	1.15%	0.21%	0.21%	0.85%	1.11%

Source: CMS Form 672: F78, F119 - F123

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, March 2015

State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	15.08%	1.31%	2.71%	1.54%	21.91%
AK	13.30%	1.76%	6.73%	3.37%	22.44%
AL	17.00%	0.51%	3.83%	1.04%	22.40%
AR	19.24%	0.39%	3.76%	1.02%	17.64%
AZ	21.12%	2.63%	2.70%	2.71%	26.21%
CA	14.05%	4.15%	3.83%	4.75%	24.92%
CO	29.78%	0.56%	1.94%	0.54%	17.14%
CT	13.60%	0.49%	2.06%	0.64%	18.16%
DC	11.74%	1.82%	3.29%	3.21%	25.03%
DE	13.39%	1.47%	2.22%	2.08%	19.51%
FL	17.61%	0.95%	3.41%	1.27%	24.77%
GA	13.40%	0.78%	3.08%	1.16%	23.25%
HI	9.28%	3.02%	4.94%	3.84%	13.48%
IA	14.28%	0.54%	1.92%	0.56%	16.11%
ID	25.11%	1.15%	2.81%	1.30%	24.89%
IL	13.19%	1.08%	2.36%	1.24%	23.76%
IN	14.57%	0.95%	2.30%	0.97%	21.07%
KS	15.85%	0.47%	1.80%	0.46%	19.17%
KY	19.11%	1.24%	3.50%	1.98%	23.46%
LA	10.58%	1.07%	2.70%	1.16%	22.15%
MA	11.13%	0.72%	1.82%	0.75%	17.27%
MD	13.69%	1.89%	2.70%	2.15%	24.49%
ME	12.82%	0.19%	1.76%	0.28%	18.23%
MI	15.66%	1.18%	2.54%	1.31%	23.29%
MN	13.33%	0.66%	1.85%	0.59%	17.59%
MO	14.33%	0.33%	1.96%	0.37%	20.65%
MS	11.36%	0.83%	3.93%	0.79%	23.77%
MT	20.61%	0.26%	2.12%	0.26%	17.54%
NC	15.11%	0.81%	2.37%	0.91%	24.18%
ND	14.31%	0.28%	2.34%	0.25%	19.10%
NE	16.93%	0.91%	2.11%	1.01%	17.74%
NH	14.54%	0.46%	1.45%	0.46%	17.39%
NJ	14.02%	1.74%	3.44%	1.97%	21.19%
NM	22.89%	0.35%	1.68%	1.64%	18.67%
NV	25.13%	3.72%	4.31%	3.70%	28.29%
NY	12.95%	2.24%	3.14%	2.60%	20.88%
OH	15.69%	1.11%	2.48%	1.21%	24.79%
OK	17.18%	0.88%	2.47%	1.27%	19.99%
OR	14.65%	0.60%	2.82%	0.65%	24.04%
PA	17.12%	1.30%	2.31%	1.47%	21.70%
RI	10.02%	0.37%	2.33%	0.45%	19.89%
SC	12.97%	0.61%	3.48%	0.75%	22.08%
SD	16.29%	0.19%	2.36%	0.22%	17.62%
TN	18.37%	1.15%	2.55%	1.61%	22.28%
TX	12.62%	0.96%	2.52%	1.09%	21.88%
UT	29.31%	1.88%	2.22%	1.75%	23.97%
VA	16.70%	0.86%	2.49%	1.27%	22.56%
VT	14.23%	0.67%	2.35%	0.78%	15.49%
WA	15.52%	1.30%	2.56%	1.51%	23.06%
WI	15.29%	0.69%	1.99%	0.69%	18.38%
WV	16.48%	0.46%	2.39%	0.53%	22.79%
WY	31.57%	0.00%	2.05%	0.00%	16.36%

Source: CMS Form 672: F78, F124 - F128

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, March 2015

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.28%	32.41%	30.10%	8.51%
AK	7.37%	39.42%	15.71%	8.97%
AL	7.25%	37.21%	26.35%	8.12%
AR	4.41%	33.15%	19.61%	7.62%
AZ	5.21%	30.72%	33.03%	7.05%
CA	10.63%	40.56%	26.61%	5.61%
CO	1.96%	25.85%	28.71%	9.67%
CT	2.66%	35.10%	27.32%	9.03%
DC	10.04%	31.65%	18.68%	2.98%
DE	4.91%	32.88%	31.90%	6.75%
FL	6.50%	34.25%	35.07%	8.73%
GA	6.68%	37.88%	28.40%	7.82%
HI	9.61%	56.03%	20.72%	8.10%
IA	1.72%	24.90%	21.90%	14.24%
ID	3.24%	28.99%	34.94%	13.32%
IL	4.29%	26.05%	28.02%	5.97%
IN	3.64%	27.60%	39.63%	10.36%
KS	2.11%	25.30%	22.27%	10.77%
KY	6.27%	36.20%	31.28%	12.81%
LA	6.84%	28.77%	34.38%	2.85%
MA	2.75%	34.16%	26.37%	12.01%
MD	7.02%	30.76%	30.62%	4.40%
ME	1.30%	35.22%	26.83%	12.40%
MI	5.11%	27.90%	31.92%	12.44%
MN	2.10%	22.11%	23.36%	10.52%
MO	2.80%	25.16%	22.32%	7.50%
MS	9.12%	35.83%	33.78%	4.58%
MT	1.49%	25.49%	21.35%	9.26%
NC	5.52%	38.12%	35.55%	10.32%
ND	2.02%	24.47%	15.42%	18.77%
NE	2.64%	24.51%	26.09%	13.21%
NH	1.43%	32.30%	31.68%	12.61%
NJ	6.48%	34.24%	29.60%	4.50%
NM	3.81%	35.87%	28.12%	9.02%
NV	9.11%	28.25%	33.49%	5.68%
NY	6.37%	33.41%	26.72%	7.23%
OH	4.30%	28.53%	32.42%	10.00%
OK	3.96%	28.47%	16.45%	3.78%
OR	3.46%	30.71%	34.43%	8.54%
PA	4.16%	34.42%	36.65%	13.45%
RI	1.99%	29.90%	27.98%	5.06%
SC	6.27%	39.58%	29.47%	7.10%
SD	1.20%	25.22%	18.89%	10.06%
TN	5.56%	39.41%	32.20%	8.87%
TX	6.10%	34.12%	37.77%	4.46%
UT	3.36%	29.89%	37.23%	8.30%
VA	5.61%	33.29%	31.11%	6.48%
VT	2.01%	38.96%	29.72%	15.49%
WA	4.45%	31.58%	34.71%	11.69%
WI	2.21%	26.44%	28.50%	15.80%
WV	3.50%	37.76%	32.86%	9.11%
WY	1.20%	25.93%	20.08%	11.28%

Source: CMS Form 672: F78, F129 - F132

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with CASPER data

Activities of Daily Living (ADL) are activities done during a normal day such as getting in and out of bed, dressing, bathing, eating, and using the bathroom. Patients are considered to be *independent* if they can execute an activity of daily living independent of direct care staff or with only “set up” assistance. Patients needing *assistance* can partially execute the activity of daily living but must have considerable assistance from direct care staff to successfully complete the activity. Patients who are *dependent* for an activity of daily living are not at all capable of executing the activity of daily living.

Advance Directive (Health Care) is a written health care directive prepared by patients in advance of needing to apply its contents which documents how a patient wants medical decisions to be made on their behalf in the event they become disabled and are unable to make their own health related decisions. A health care advance directive may include a Living Will and a Durable Power of Attorney for health care.

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Certified beds refer to those beds certified for use under the Medicare and/or Medicaid programs.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is the joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources.



Multifacility - Multi-nursing home chains have two or more homes under one ownership or operation

Occupancy This measure indicates the percentage of certified beds occupied by patients at the time of the inspection. It is obtained by taking the number of patients occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership - Nursing homes can be run by private for-profit corporations, non-profit corporations or government entities.

Patients in Certified Beds This number tells you how many patients in certified beds were living in the nursing home at the time of the inspection

Primary Payor is an insurance policy, plan, or program that pays first on a claim for medical care. This could be Medicare, Medicaid or other health insurance.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

Restraint is any physical or chemical way to stop a patient from being free to move. These restraints are used to prevent patient injury and are not used for treating medical symptoms.



1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org