RICHARD "SKIP" DALY

SENATOR
District No. 13



LEGISLATIVE BUILDING:

401 S. Carson Street
Carson City, Nevada 89701-4747
Office: (775) 684-1433 or
(775) 684-1400
Fax: (775) 684-6522
Skip.Dalv@sen.state.nv.us

www.leg.state.nv.us

DISTRICT OFFICE:

2180 4th Street Sparks, Nevada 89431-2201 Office: (775) 722-6534 skipd@sbcglobal.net

State of Nevada Senate

October 23, 2024

The Honorable Joe Lombardo Governor of the State of Nevada State Capitol Building 101 North Carson Street Carson City, Nevada 89701

Incoming Chair Senate Committee on Finance

Incoming Chair Assembly Committee on Ways and Means

Dear Governor Lombardo and the Incoming Chairs of the Senate Committee on Finance and the Assembly Committee on Ways and Means:

The Legislative Committee for the Review and Oversight of the Tahoe Regional Planning Agency (TRPA) and the Marlette Lake Water System (MLWS) meets every interim between legislative sessions to review the budget, programs, activities, responsiveness, and accountability of the TRPA and the MLWS in the Lake Tahoe Basin.

This interim, testimony received at several meetings and a written recommendation received from the TRPA on July 22, 2024, indicated the importance of maintaining the historic State funding ratio for the TRPA of one-third/two-thirds for Nevada and California, respectively, in order to enable the Agency to progress in its mission to protect Lake Tahoe and address emerging issues.

At its final meeting and Work Session on August 16, 2024, the Committee voted unanimously to send a letter to the Governor, the Senate Committee on Finance, and the Assembly Committee on Ways and Means expressing the Committee's support for a State General Fund appropriation to maintain the State of Nevada's one-third share of operating funding for the TRPA for the 2025–2027 Biennium.

Thank you for your consideration of this request.

Sincerely,

Senator Skip Daly, Chair

Richard Daley

Legislative Committee for the Review and Oversight of the Tahoe Regional Planning Agency and the Marlette Lake Water System

RD/Ic:W242733