

LTC Stats:

Nursing Facility Operational Characteristics Report

March 2013 Update

Prepared By

Research Department
American Health Care Association



© American Health Care Association, 2013

EXHIBIT K - SENIORVETSPECIAL
Document consists of 74 pages.
Entire exhibit provided.
Meeting Date: 07-09-14

LTC Stats: Nursing Facility Operational Characteristics Report

Table of Contents

Table 1: Nursing Facility Control.....	3
Table 2: Nursing Facility Ownership.....	4
Table 3: Nursing Facility Certification.....	5
Table 4: Nursing Facility State and Median Occupancy Rate for Certified Beds	6
Table 5: Nursing Facility Beds in Dedicated Special Care Units	7
Table 6: Nursing Facility Beds by Certification Type.....	8
Table 7: Average Full-Time Equivalent Direct Care Staff per Facility by State.....	9
Table 8: Average Direct Care Staff Hours per Patient Day by State.....	10
Glossary of Terms.....	11
Contact Information.....	13

Source: Center for Medicare & Medicaid Services Certification and Survey Provider Enhanced Reporting (CMS-CASPER) formerly OSCAR data as of March 2013

Table 1: Nursing Facility Control, March 2013

State	Facilities	Multifacilities	Independent	Hospital-based
US	15,681	54.8%	45.2%	6.2%
AK	17	35.3%	64.7%	70.6%
AL	228	60.5%	39.5%	5.7%
AR	231	15.6%	84.4%	3.9%
AZ	146	54.1%	45.9%	0.7%
CA	1,230	51.2%	48.8%	8.9%
CO	215	62.3%	37.7%	7.0%
CT	231	49.4%	50.6%	1.7%
DC	19	36.8%	63.2%	26.3%
DE	46	60.9%	39.1%	2.2%
FL	684	59.2%	40.8%	1.3%
GA	360	75.3%	24.7%	13.6%
HI	48	56.3%	43.8%	31.3%
IA	444	53.6%	46.4%	7.2%
ID	76	68.4%	31.6%	18.4%
IL	773	49.5%	50.5%	5.4%
IN	516	68.4%	31.6%	1.9%
KS	345	51.0%	49.0%	12.5%
KY	285	62.5%	37.5%	8.4%
LA	280	52.1%	47.9%	4.6%
MA	422	56.6%	43.4%	1.4%
MD	230	55.2%	44.8%	5.2%
ME	107	61.7%	38.3%	6.5%
MI	427	56.4%	43.6%	5.9%
MN	381	53.5%	46.5%	11.8%
MO	513	50.7%	49.3%	2.7%
MS	204	49.0%	51.0%	8.3%
MT	85	34.1%	65.9%	29.4%
NC	421	71.3%	28.7%	7.1%
ND	83	43.4%	56.6%	15.7%
NE	218	53.2%	46.8%	8.7%
NH	76	53.9%	46.1%	1.3%
NJ	366	32.5%	67.5%	4.6%
NM	72	63.9%	36.1%	6.9%
NV	51	70.6%	29.4%	17.6%
NY	632	13.8%	86.2%	8.9%
OH	954	62.9%	37.1%	2.7%
OK	310	32.9%	67.1%	2.9%
OR	139	72.7%	27.3%	2.9%
PA	707	58.4%	41.6%	6.4%
RI	84	32.1%	67.9%	0.0%
SC	189	73.0%	27.0%	7.4%
SD	112	59.8%	40.2%	14.3%
TN	320	65.9%	34.1%	5.9%
TX	1,202	65.1%	34.9%	2.3%
UT	98	68.4%	31.6%	4.1%
VA	285	70.5%	29.5%	5.6%
VT	38	36.8%	63.2%	7.9%
WA	226	63.3%	36.7%	4.0%
WI	390	48.7%	51.3%	4.4%
WV	126	58.7%	41.3%	16.7%
WY	39	35.9%	64.1%	33.3%

Source: CMS Form 671:F10, F13. Fields are not mutually exclusive *Multifacility ownership is two or more facilities owned or operated by the same organization.

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 2: Nursing Facility Ownership, March 2013

State	Facilities	For Profit	Nonprofit	Government
US	15,681	69.1%	25.1%	5.8%
AK	17	5.9%	52.9%	41.2%
AL	228	80.3%	12.7%	7.0%
AR	231	82.3%	13.4%	4.3%
AZ	146	80.1%	18.5%	1.4%
CA	1,230	82.2%	14.7%	3.1%
CO	215	73.5%	18.1%	8.4%
CT	231	79.7%	19.0%	1.3%
DC	19	47.4%	52.6%	.
DE	46	58.7%	32.6%	8.7%
FL	684	71.9%	26.0%	2.0%
GA	360	65.0%	29.4%	5.6%
HI	48	50.0%	29.2%	20.8%
IA	444	55.2%	40.3%	4.5%
ID	76	69.7%	13.2%	17.1%
IL	773	71.3%	25.0%	3.8%
IN	516	54.3%	27.1%	18.6%
KS	345	51.9%	36.5%	11.6%
KY	285	73.0%	24.9%	2.1%
LA	280	80.0%	15.4%	4.6%
MA	422	70.9%	28.0%	1.2%
MD	230	70.0%	27.4%	2.6%
ME	107	69.2%	29.9%	0.9%
MI	427	68.4%	22.7%	8.9%
MN	381	29.7%	61.2%	9.2%
MO	513	74.7%	19.1%	6.2%
MS	204	76.5%	9.8%	13.7%
MT	85	43.5%	40.0%	16.5%
NC	421	76.5%	21.1%	2.4%
ND	83	3.6%	94.0%	2.4%
NE	218	49.1%	28.4%	22.5%
NH	76	53.9%	30.3%	15.8%
NJ	366	70.8%	24.0%	5.2%
NM	72	72.2%	20.8%	6.9%
NV	51	74.5%	13.7%	11.8%
NY	632	53.2%	39.9%	7.0%
OH	954	78.1%	19.7%	2.2%
OK	310	85.2%	12.3%	2.6%
OR	139	81.3%	15.1%	3.6%
PA	707	51.5%	43.4%	5.1%
RI	84	81.0%	19.0%	.
SC	189	75.7%	18.0%	6.3%
SD	112	34.8%	59.8%	5.4%
TN	320	77.2%	17.8%	5.0%
TX	1,202	86.6%	10.7%	2.7%
UT	98	80.6%	14.3%	5.1%
VA	285	67.7%	28.4%	3.9%
VT	38	65.8%	31.6%	2.6%
WA	226	75.7%	18.1%	6.2%
WI	390	51.3%	34.9%	13.8%
WV	126	69.8%	22.2%	7.9%
WY	39	41.0%	17.9%	41.0%

Source: CMS Form 671:F12

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 3: Nursing Facility Certification, March 2013

State	Facilities	Medicare Only	Medicaid Only	Medicare and Medicaid
US	15,681	5.0%	3.4%	91.6%
AK	17	0.0%	0.0%	100.0%
AL	228	3.9%	0.9%	95.2%
AR	231	3.0%	3.0%	93.9%
AZ	146	19.9%	0.0%	80.1%
CA	1,230	5.4%	4.6%	90.0%
CO	215	10.7%	6.5%	82.8%
CT	231	4.8%	0.0%	95.2%
DC	19	0.0%	5.3%	94.7%
DE	46	6.5%	10.9%	82.6%
FL	684	4.1%	0.4%	95.5%
GA	360	3.6%	1.1%	95.3%
HI	48	2.1%	2.1%	95.8%
IA	444	2.3%	5.4%	92.3%
ID	76	6.6%	0.0%	93.4%
IL	773	5.8%	8.7%	85.5%
IN	516	5.0%	2.7%	92.2%
KS	345	3.5%	18.6%	78.0%
KY	285	6.7%	0.0%	93.3%
LA	280	7.5%	0.0%	92.5%
MA	422	3.3%	1.4%	95.3%
MD	230	4.3%	1.7%	93.9%
ME	107	0.9%	0.0%	99.1%
MI	427	4.0%	2.1%	93.9%
MN	381	2.1%	2.6%	95.3%
MO	513	1.9%	4.5%	93.6%
MS	204	3.9%	13.2%	82.8%
MT	85	3.5%	1.2%	95.3%
NC	421	3.8%	0.5%	95.7%
ND	83	2.4%	0.0%	97.6%
NE	218	0.5%	10.1%	89.4%
NH	76	2.6%	5.3%	92.1%
NJ	366	8.7%	0.0%	91.3%
NM	72	5.6%	2.8%	91.7%
NV	51	5.9%	3.9%	90.2%
NY	632	0.9%	0.3%	98.7%
OH	954	2.7%	0.0%	97.3%
OK	310	4.5%	5.8%	89.7%
OR	139	5.0%	11.5%	83.5%
PA	707	11.3%	1.0%	87.7%
RI	84	1.2%	0.0%	98.8%
SC	189	18.0%	0.0%	82.0%
SD	112	0.9%	13.4%	85.7%
TN	320	8.8%	4.1%	87.2%
TX	1,202	6.0%	2.9%	91.1%
UT	98	17.3%	7.1%	75.5%
VA	285	4.2%	5.6%	90.2%
VT	38	2.6%	0.0%	97.4%
WA	226	2.7%	2.7%	94.7%
WI	390	2.8%	4.1%	93.1%
WV	126	4.8%	7.9%	87.3%
WY	39	5.1%	10.3%	84.6%

Source: CMS Form 671:F9

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 4: Nursing Facility State and Median Occupancy Rate for Certified Beds, March 2013

State	Facilities	Patients	Beds	State Occupancy*	Median Facility Occupancy
US	15,664	1,380,409	1,666,805	82.8%	86.0%
AK	17	601	772	77.8%	89.3%
AL	228	22,751	26,677	85.3%	89.7%
AR	231	17,891	24,374	73.4%	74.8%
AZ	146	11,317	16,489	68.6%	72.6%
CA	1,229	102,447	120,681	84.9%	88.4%
CO	215	16,081	20,388	78.9%	82.9%
CT	231	24,981	27,833	89.8%	91.7%
DC	19	2,585	2,706	95.5%	92.7%
DE	46	4,186	4,943	84.7%	91.8%
FL	683	72,176	82,537	87.4%	90.0%
GA	360	34,229	39,996	85.6%	89.8%
HI	48	3,717	4,150	89.6%	92.7%
IA	444	25,094	31,271	80.2%	80.4%
ID	76	4,032	5,887	68.5%	71.8%
IL	773	73,436	94,152	78.0%	77.2%
IN	516	39,302	50,313	78.1%	75.5%
KS	345	18,681	22,885	81.6%	76.9%
KY	285	23,011	25,977	88.6%	91.1%
LA	280	25,949	34,759	74.7%	75.0%
MA	422	42,024	47,862	87.8%	90.7%
MD	230	24,378	28,198	86.5%	88.5%
ME	107	6,375	7,006	91.0%	92.3%
MI	427	39,295	46,608	84.3%	86.9%
MN	373	26,640	29,526	90.2%	91.4%
MO	513	38,094	52,710	72.3%	72.2%
MS	204	16,260	18,420	88.3%	90.6%
MT	85	4,715	6,823	69.1%	70.0%
NC	421	37,219	43,778	85.0%	87.9%
ND	83	5,682	6,295	90.3%	90.6%
NE	218	12,237	15,697	78.0%	79.9%
NH	76	6,909	7,564	91.3%	92.6%
NJ	366	45,600	52,119	87.5%	89.2%
NM	72	5,671	6,894	82.3%	84.7%
NV	51	4,667	5,951	78.4%	81.7%
NY	632	107,417	116,873	91.9%	94.2%
OH	953	77,443	91,602	84.5%	86.2%
OK	310	19,521	28,869	67.6%	68.8%
OR	139	7,377	12,242	60.3%	59.2%
PA	706	80,248	88,499	90.7%	93.1%
RI	84	7,967	8,699	91.6%	92.8%
SC	189	16,855	19,334	87.2%	89.8%
SD	112	6,296	6,955	90.5%	92.4%
TN	320	30,899	36,681	84.2%	86.4%
TX	1,202	93,906	130,885	71.7%	72.5%
UT	98	5,488	8,467	64.8%	65.0%
VA	285	28,259	32,158	87.9%	90.0%
VT	38	2,782	3,199	87.0%	89.8%
WA	226	17,349	21,677	80.0%	83.3%
WI	385	28,386	34,557	82.1%	85.9%
WV	126	9,576	10,884	88.0%	91.8%
WY	39	2,407	2,983	80.7%	84.0%

Source: CMS Form 671:L18, L37, L38, L39 and Form 672:F78. *State occupancy is calculated by dividing the sum of patients occupying certified beds by the sum of all certified beds in the state. CASPER data only reflects patients who occupy a certified bed. Occupancy rate of 0% and greater than 100% were eliminated from this analysis.

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 5: Nursing Facility Beds in Dedicated Special Care Units, March 2013

State	Total Beds	Aids	Alzheimer's	Hospice	Ventilator	Rehab	Other	Total Special Care Beds
US	1,702,661	556	77,441	2,166	9,422	13,981	4,057	107,623
AK	775	0	37	1	0	0	0	38
AL	26,685	0	1,242	135	33	544	58	2,012
AR	24,501	0	334	21	10	81	0	446
AZ	16,659	0	967	0	207	90	26	1,290
CA	121,831	62	3,168	53	2,628	1,199	162	7,272
CO	20,406	236	2,108	364	172	417	570	3,867
CT	27,837	30	1,894	7	76	1,056	0	3,063
DC	2,766	0	109	0	0	36	0	145
DE	4,943	0	375	25	58	67	22	547
FL	82,981	150	3,899	171	415	641	374	5,650
GA	39,996	0	1,555	4	88	319	17	1,983
HI	4,260	0	106	0	84	0	30	220
IA	34,918	0	1,737	230	22	104	32	2,125
ID	5,887	0	244	76	45	31	151	547
IL	99,652	0	4,694	110	626	889	175	6,494
IN	59,466	0	5,976	13	125	133	251	6,498
KS	25,836	0	871	1	38	0	0	910
KY	26,107	0	690	0	160	96	28	974
LA	35,678	0	1,772	9	315	210	5	2,311
MA	48,597	0	4,102	5	74	511	398	5,090
MD	28,496	0	830	29	222	0	9	1,090
ME	7,006	1	612	1	1	43	4	662
MI	46,741	0	643	12	167	87	1	910
MN	30,555	0	2,439	12	63	1,298	69	3,881
MO	55,108	16	4,485	86	0	599	58	5,244
MS	18,426	0	367	3	0	20	0	390
MT	6,823	0	523	4	0	62	0	589
NC	44,363	0	1,615	23	87	62	3	1,790
ND	6,299	0	438	0	0	47	0	485
NE	15,942	0	1,320	15	130	73	32	1,570
NH	7,564	0	595	13	30	154	67	859
NJ	52,227	0	1,128	3	247	167	468	2,013
NM	6,894	0	469	0	0	30	0	499
NV	5,992	0	303	0	279	76	1	659
NY	117,042	32	3,494	58	647	1,687	516	6,434
OH	91,696	0	4,582	319	499	845	27	6,272
OK	29,163	29	666	0	97	36	0	828
OR	12,298	0	259	2	0	14	83	358
PA	88,547	0	6,465	34	1,001	737	32	8,269
RI	8,715	0	1,165	2	25	433	0	1,625
SC	19,636	0	39	0	0	0	0	39
SD	6,955	0	548	1	4	7	13	573
TN	37,104	0	103	0	76	29	0	208
TX	134,624	0	2,656	29	220	196	100	3,201
UT	8,467	0	583	101	102	49	0	835
VA	32,390	0	987	3	118	123	67	1,298
VT	3,199	0	287	0	0	0	22	309
WA	21,757	0	792	4	140	138	129	1,203
WI	34,980	0	2,688	172	91	447	57	3,455
WV	10,888	0	167	15	0	98	0	280
WY	2,983	0	313	0	0	0	0	313

Source: CMS Form 671: F15 - F22

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 6: Nursing Facility Beds by Certification Type, March 2013

State	Facilities	Total Beds	Medicare	Medicare/Medicaid	Medicaid	Non-Certified
US	15,681	1,702,661	97,870	1,489,088	81,447	34,256
AK	17	775	108	664	0	3
AL	228	26,685	436	25,982	259	8
AR	231	24,501	426	22,685	1,263	127
AZ	146	16,659	1,970	13,884	635	170
CA	1,230	121,831	4,154	109,904	6,719	1,054
CO	215	20,406	2,022	16,430	1,936	18
CT	231	27,837	570	27,247	16	4
DC	19	2,766	33	2,633	40	60
DE	46	4,943	276	4,235	432	0
FL	684	82,981	7,383	74,258	986	354
GA	360	39,996	701	37,563	1,732	0
HI	48	4,260	119	3,976	55	110
IA	444	34,918	566	28,264	2,441	3,647
ID	76	5,887	165	5,717	5	0
IL	773	99,652	10,900	60,815	22,437	5,500
IN	516	59,466	7,099	41,525	1,689	9,153
KS	345	25,836	669	19,044	3,172	2,951
KY	285	26,107	2,096	23,628	253	130
LA	280	35,678	2,597	32,162	0	919
MA	422	48,597	831	45,972	1,059	735
MD	230	28,496	978	26,993	227	298
ME	107	7,006	140	6,589	277	0
MI	427	46,741	3,862	41,825	921	133
MN	381	30,555	486	28,977	990	102
MO	513	55,108	2,875	44,728	5,107	2,398
MS	204	18,426	411	15,683	2,326	6
MT	85	6,823	36	6,675	112	0
NC	421	44,363	770	42,459	549	585
ND	83	6,299	37	6,258	0	4
NE	218	15,942	930	13,468	1,299	245
NH	76	7,564	195	6,949	420	0
NJ	366	52,227	2,767	48,719	633	108
NM	72	6,894	121	6,660	113	0
NV	51	5,992	137	5,491	323	41
NY	632	117,042	163	116,476	234	169
OH	954	91,696	1,035	90,657	0	4
OK	310	29,163	1,260	26,097	1,512	294
OR	139	12,298	460	10,300	1,482	56
PA	707	88,547	4,120	81,100	3,303	24
RI	84	8,715	148	8,389	162	16
SC	189	19,636	2,108	16,852	374	302
SD	112	6,955	44	6,220	691	0
TN	320	37,104	1,489	29,739	5,453	423
TX	1,202	134,624	26,022	101,355	3,508	3,739
UT	98	8,467	905	7,223	339	0
VA	285	32,390	1,588	28,550	2,020	232
VT	38	3,199	141	3,058	0	0
WA	226	21,757	707	19,774	1,196	80
WI	390	34,980	451	33,136	1,343	50
WV	126	10,888	326	9,355	1,203	4
WY	39	2,983	37	2,745	201	0

Source: CMS Form 1539: L37, L38, L39

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 7: Average Full-Time Equivalent Direct Care Staff per Facility by State, March 2013

State	Facilities	Total Direct Care Staff	RN Staff	LPN Staff	Aide Staff**
US	14,836	65.89	7.81	14.74	43.33
AK	13	48.51	10.48	6.03	32.01
AL	221	83.11	7.58	21.66	53.88
AR	222	63.36	2.35	15.48	45.53
AZ	142	63.41	8.67	14.65	40.10
CA	1,157	68.91	9.14	14.95	44.82
CO	206	58.05	10.06	11.08	36.91
CT	217	81.35	11.09	17.15	53.11
DC	16	113.88	13.37	27.71	72.80
DE	44	77.19	12.29	17.34	47.56
FL	665	86.87	7.55	20.93	58.40
GA	329	66.37	4.26	19.54	42.57
HI	39	71.02	15.49	8.29	47.24
IA	429	39.45	5.07	7.08	27.30
ID	75	46.16	6.10	8.69	31.37
IL	747	61.50	9.98	11.27	40.25
IN	497	55.19	6.11	15.33	33.75
KS	330	40.35	4.52	6.94	28.90
KY	267	63.38	6.17	15.12	42.09
LA	261	59.85	2.38	16.86	40.60
MA	406	74.49	10.80	16.26	47.43
MD	204	82.66	12.00	19.22	51.45
ME	97	53.17	9.85	5.32	38.00
MI	413	71.25	8.78	14.72	47.74
MN	350	53.59	7.44	10.79	35.36
MO	504	53.25	3.96	11.08	38.22
MS	194	61.76	5.99	16.81	38.96
MT	83	40.82	7.22	5.92	27.68
NC	397	66.55	7.17	15.41	43.97
ND	74	56.50	6.46	8.51	41.53
NE	213	44.57	5.56	8.86	30.15
NH	74	71.20	11.86	11.25	48.08
NJ	349	89.92	14.62	18.72	56.58
NM	68	51.97	6.41	8.68	36.88
NV	43	71.60	12.31	15.64	43.64
NY	582	125.57	15.40	27.85	82.32
OH	920	59.53	6.86	14.53	38.14
OK	302	45.22	2.17	10.29	32.77
OR	132	44.39	5.84	5.93	32.62
PA	671	83.11	12.01	19.16	51.94
RI	80	71.42	11.95	7.39	52.08
SC	181	69.96	7.32	16.95	45.69
SD	102	39.21	6.88	4.15	28.17
TN	304	70.47	5.84	19.56	45.07
TX	1,072	53.54	3.41	14.09	36.03
UT	97	43.74	9.45	5.16	29.13
VA	272	72.56	6.87	20.93	44.75
VT	33	61.70	9.21	13.02	39.47
WA	219	61.43	11.01	10.17	40.25
WI	376	56.32	9.83	8.12	38.37
WV	111	56.58	6.77	14.31	35.49
WY	36	45.09	8.54	6.03	30.51

Note: Staff positions are measured in full-time equivalents, which is based on a 35-hour workweek. **Aide staff is equal to the sum of certified nurse aides+nurse aides in training+medication aides. Due to invalid or incomplete data, some facilities were eliminated from the staffing analysis. Source: CMS Form 671:F41-F45, current surveys.

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 8: Average Direct Care Staff Hours per Patient Day by State, March 2013

State	Total Direct Care Staff HPPD	RN HPPD	LPN HPPD	Aide HPPD*
US	3.68	0.44	0.82	2.42
AK	6.42	1.39	0.80	4.24
AL	4.12	0.38	1.07	2.67
AR	3.99	0.15	0.97	2.86
AZ	3.98	0.54	0.92	2.52
CA	4.06	0.54	0.88	2.64
CO	3.77	0.65	0.72	2.40
CT	3.70	0.50	0.78	2.42
DC	4.44	0.52	1.08	2.84
DE	4.12	0.66	0.93	2.54
FL	4.10	0.36	0.99	2.76
GA	3.44	0.22	1.01	2.21
HI	3.93	0.86	0.46	2.61
IA	3.48	0.45	0.62	2.41
ID	4.33	0.57	0.82	2.94
IL	3.18	0.52	0.58	2.08
IN	3.55	0.39	0.98	2.17
KS	3.69	0.41	0.63	2.65
KY	3.80	0.37	0.91	2.52
LA	3.19	0.13	0.90	2.17
MA	3.69	0.53	0.81	2.35
MD	3.78	0.55	0.88	2.35
ME	4.32	0.80	0.43	3.09
MI	3.83	0.47	0.79	2.56
MN	3.74	0.52	0.75	2.47
MO	3.57	0.26	0.74	2.56
MS	3.80	0.37	1.04	2.40
MT	3.66	0.65	0.53	2.48
NC	3.65	0.39	0.85	2.41
ND	4.14	0.47	0.62	3.04
NE	3.94	0.49	0.78	2.67
NH	3.85	0.64	0.61	2.60
NJ	3.56	0.58	0.74	2.24
NM	3.21	0.40	0.54	2.28
NV	3.53	0.61	0.77	2.15
NY	3.60	0.44	0.80	2.36
OH	3.62	0.42	0.88	2.32
OK	3.58	0.17	0.81	2.60
OR	4.15	0.55	0.55	3.05
PA	3.59	0.52	0.83	2.24
RI	3.65	0.61	0.38	2.66
SC	3.82	0.40	0.93	2.50
SD	3.43	0.60	0.36	2.46
TN	3.54	0.29	0.98	2.26
TX	3.38	0.22	0.89	2.28
UT	3.87	0.84	0.46	2.58
VA	3.60	0.34	1.04	2.22
VT	3.91	0.58	0.83	2.50
WA	3.96	0.71	0.66	2.59
WI	3.79	0.66	0.55	2.58
WV	3.53	0.42	0.89	2.21
WY	3.43	0.65	0.46	2.32

Note: Staff positions are measured in full-time equivalents, which is based on a 35-hour workweek. *Aide staff is equal to the sum of certified nurse aides + nurse aides in training + medication aides. Due to invalid or incomplete data, some facilities were eliminated from the staffing analysis. Source: CMS Form 671:F41-F45, current surveys.

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with CASPER data

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Please check with the nursing home to find out what types of beds are available.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Hours Per Patient Day is computed as the sum of the total number of hours worked by direct care staff in each category, and is then divided by a 35-work week and by the number of patients.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is a joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources. Check out with your State Medicaid Agency for the income levels in your State. If a nursing home does not participate in the Medicaid program and does not accept Medicaid patients, and the resident runs out of other funds/coverage, the resident will have to move to another nursing home if he/she wants to be on Medicaid.

Multifacility Multi-nursing home chains have two or more homes under one ownership or operation.

Nursing Home A residence that provides a room, meals, and help with activities of daily living and recreation. Generally, nursing home residents have physical or mental problems that keep them from living on their own. They usually require daily assistance.

Occupancy This measure indicates the percentage of certified beds occupied by residents at the time of the inspection. It is obtained by taking the number of residents occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership Nursing homes can be run by private for-profit corporations, non-profit corporations, religious affiliated organizations or government entities.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

Residents in Certified Beds This number tells you how many residents in certified beds were living in the nursing home at the time of the inspection.



1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org

LTC Stats:

Nursing Facility Operational Characteristics Report

March 2014 Update

Prepared By

Research Department
American Health Care Association



© American Health Care Association, 2014

LTC Stats: Nursing Facility Operational Characteristics Report

Table of Contents

Table 1: Nursing Facility Control	3
Table 2: Nursing Facility Ownership.....	4
Table 3: Nursing Facility Certification	5
Table 4: Nursing Facility State and Median Occupancy Rate for Certified Beds	6
Table 5: Nursing Facility Beds in Dedicated Special Care Units	7
Table 6: Nursing Facility Beds by Certification Type.....	8
Table 7: Average Full-Time Equivalent Direct Care Staff per Facility by State.....	9
Table 8: Average Direct Care Staff Hours per Patient Day by State	10
Glossary of Terms.....	11
Contact Information	13

Source: Center for Medicare & Medicaid Services Certification and Survey Provider Enhanced Reporting (CMS-CASPER) formerly OSCAR data as of March 2014

Table 1: Nursing Facility Control, March 2014

State	Facilities	Multifacilities	Independent	Hospital-based
US	15,663	55.2%	44.8%	5.8%
AK	17	41.2%	58.8%	64.7%
AL	227	57.7%	42.3%	5.3%
AR	232	11.6%	88.4%	3.0%
AZ	146	63.0%	37.0%	0.7%
CA	1,223	50.0%	50.0%	8.2%
CO	213	68.5%	31.5%	4.7%
CT	229	48.9%	51.1%	1.7%
DC	19	21.1%	78.9%	26.3%
DE	46	60.9%	39.1%	0.0%
FL	689	61.1%	38.9%	1.5%
GA	358	73.5%	26.5%	12.6%
HI	47	59.6%	40.4%	31.9%
IA	443	53.7%	46.3%	6.5%
ID	78	71.8%	28.2%	17.9%
IL	770	49.4%	50.6%	4.5%
IN	516	75.8%	24.2%	4.1%
KS	346	48.6%	51.4%	12.1%
KY	285	61.8%	38.2%	9.5%
LA	280	52.9%	47.1%	4.6%
MA	421	58.7%	41.3%	1.7%
MD	229	56.3%	43.7%	4.8%
ME	107	57.0%	43.0%	6.5%
MI	433	56.6%	43.4%	5.5%
MN	379	53.8%	46.2%	12.4%
MO	513	51.3%	48.7%	2.9%
MS	204	50.5%	49.5%	8.8%
MT	83	33.7%	66.3%	28.9%
NC	421	73.6%	26.4%	5.9%
ND	81	45.7%	54.3%	16.0%
NE	216	54.6%	45.4%	7.4%
NH	76	55.3%	44.7%	2.6%
NJ	365	35.6%	64.4%	4.4%
NM	71	54.9%	45.1%	1.4%
NV	51	64.7%	35.3%	15.7%
NY	631	12.5%	87.5%	9.8%
OH	951	64.9%	35.1%	1.9%
OK	310	31.9%	68.1%	2.3%
OR	138	73.9%	26.1%	2.2%
PA	702	59.0%	41.0%	5.6%
RI	84	38.1%	61.9%	0.0%
SC	188	75.5%	24.5%	6.9%
SD	111	62.2%	37.8%	13.5%
TN	322	64.6%	35.4%	5.0%
TX	1,207	62.2%	37.8%	2.1%
UT	99	66.7%	33.3%	3.0%
VA	286	70.6%	29.4%	3.5%
VT	38	39.5%	60.5%	7.9%
WA	224	64.3%	35.7%	4.0%
WI	393	48.6%	51.4%	4.3%
WV	126	60.3%	39.7%	16.7%
WY	39	41.0%	59.0%	33.3%

Source: CMS Form 671:F10, F13. Fields are not mutually exclusive *Multifacility ownership is two or more facilities owned or operated by the same organization.

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 2: Nursing Facility Ownership, March 2014

State	Facilities	For Profit	Nonprofit	Government
US	15,663	69.5%	24.6%	6.0%
AK	17	11.8%	52.9%	35.3%
AL	227	80.2%	12.8%	7.0%
AR	232	84.1%	12.5%	3.4%
AZ	146	78.8%	19.9%	1.4%
CA	1,223	82.7%	14.3%	3.0%
CO	213	75.6%	16.9%	7.5%
CT	229	79.5%	19.2%	1.3%
DC	19	36.8%	57.9%	5.3%
DE	46	58.7%	32.6%	8.7%
FL	689	72.1%	26.0%	1.9%
GA	358	65.4%	28.2%	6.4%
HI	47	48.9%	29.8%	21.3%
IA	443	54.2%	41.8%	4.1%
ID	78	73.1%	12.8%	14.1%
IL	770	71.8%	24.5%	3.6%
IN	516	46.7%	27.1%	26.2%
KS	346	52.0%	36.7%	11.3%
KY	285	73.3%	23.9%	2.8%
LA	280	79.3%	16.1%	4.6%
MA	421	71.5%	27.1%	1.4%
MD	229	69.9%	27.5%	2.6%
ME	107	69.2%	29.9%	0.9%
MI	433	69.7%	21.9%	8.3%
MN	379	30.1%	61.2%	8.7%
MO	513	74.9%	18.5%	6.6%
MS	204	77.0%	9.8%	13.2%
MT	83	44.6%	38.6%	16.9%
NC	421	77.7%	19.7%	2.6%
ND	81	3.7%	93.8%	2.5%
NE	216	50.0%	28.2%	21.8%
NH	76	53.9%	30.3%	15.8%
NJ	365	71.5%	23.8%	4.7%
NM	71	71.8%	21.1%	7.0%
NV	51	74.5%	13.7%	11.8%
NY	631	55.3%	38.0%	6.7%
OH	951	79.7%	18.4%	1.9%
OK	310	85.8%	11.3%	2.9%
OR	138	81.2%	15.9%	2.9%
PA	702	52.0%	43.2%	4.8%
RI	84	77.4%	22.6%	.
SC	188	75.5%	18.1%	6.4%
SD	111	35.1%	60.4%	4.5%
TN	322	78.6%	15.8%	5.6%
TX	1,207	87.3%	9.9%	2.7%
UT	99	82.8%	11.1%	6.1%
VA	286	67.8%	28.7%	3.5%
VT	38	63.2%	34.2%	2.6%
WA	224	75.0%	19.2%	5.8%
WI	393	51.9%	34.4%	13.7%
WV	126	74.6%	17.5%	7.9%
WY	39	41.0%	17.9%	41.0%

Source: CMS Form 671:F12

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 3: Nursing Facility Certification, March 2014

State	Facilities	Medicare Only	Medicaid Only	Medicare and Medicaid
US	15,663	4.9%	3.2%	91.9%
AK	17	0.0%	0.0%	100.0%
AL	227	3.5%	0.9%	95.6%
AR	232	2.2%	3.0%	94.8%
AZ	146	19.9%	0.0%	80.1%
CA	1,223	5.2%	4.4%	90.4%
CO	213	12.7%	4.7%	82.6%
CT	229	4.8%	0.0%	95.2%
DC	19	0.0%	5.3%	94.7%
DE	46	6.5%	10.9%	82.6%
FL	689	4.2%	0.3%	95.5%
GA	358	3.4%	1.1%	95.5%
HI	47	4.3%	0.0%	95.7%
IA	443	2.0%	5.4%	92.6%
ID	78	7.7%	0.0%	92.3%
IL	770	6.1%	7.7%	86.2%
IN	516	4.5%	2.1%	93.4%
KS	346	3.5%	17.1%	79.5%
KY	285	6.7%	0.0%	93.3%
LA	280	7.5%	0.0%	92.5%
MA	421	3.3%	1.4%	95.2%
MD	229	3.9%	1.3%	94.8%
ME	107	0.9%	0.0%	99.1%
MI	433	3.9%	2.1%	94.0%
MN	379	2.1%	2.6%	95.3%
MO	513	1.9%	3.7%	94.3%
MS	204	3.9%	12.7%	83.3%
MT	83	2.4%	1.2%	96.4%
NC	421	3.8%	0.5%	95.7%
ND	81	1.2%	0.0%	98.8%
NE	216	0.5%	10.2%	89.4%
NH	76	2.6%	5.3%	92.1%
NJ	365	8.5%	0.0%	91.5%
NM	71	5.6%	2.8%	91.5%
NV	51	3.9%	3.9%	92.2%
NY	631	1.3%	0.3%	98.4%
OH	951	2.5%	0.0%	97.5%
OK	310	4.2%	5.5%	90.3%
OR	138	5.1%	10.1%	84.8%
PA	702	11.0%	1.0%	88.0%
RI	84	1.2%	0.0%	98.8%
SC	188	18.1%	0.0%	81.9%
SD	111	0.9%	12.6%	86.5%
TN	322	8.1%	3.7%	88.2%
TX	1,207	5.9%	3.0%	91.1%
UT	99	16.2%	7.1%	76.8%
VA	286	4.5%	4.9%	90.6%
VT	38	2.6%	0.0%	97.4%
WA	224	3.1%	2.2%	94.6%
WI	393	2.5%	3.6%	93.9%
WV	126	4.8%	7.9%	87.3%
WY	39	5.1%	10.3%	84.6%

Source: CMS Form 671:F9

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 4: Nursing Facility State and Median Occupancy Rate for Certified Beds, March 2014

State	Facilities	Patients	Beds	State Occupancy*	Median Facility Occupancy
US	15,650	1,368,986	1,663,537	82.3%	85.6%
AK	17	576	659	87.4%	88.9%
AL	227	22,688	26,524	85.5%	89.0%
AR	232	17,764	24,649	72.1%	74.1%
AZ	146	11,296	16,425	68.8%	72.8%
CA	1,223	102,115	120,085	85.0%	88.5%
CO	213	16,059	20,433	78.6%	81.3%
CT	229	24,502	27,676	88.5%	90.8%
DC	19	2,561	2,706	94.6%	92.8%
DE	46	4,200	4,786	87.8%	88.9%
FL	689	72,603	83,157	87.3%	90.3%
GA	358	33,819	39,909	84.7%	89.4%
HI	47	3,718	4,065	91.5%	92.7%
IA	443	24,974	31,326	79.7%	80.8%
ID	78	3,927	5,960	65.9%	70.6%
IL	770	72,745	94,131	77.3%	76.7%
IN	516	38,603	50,580	76.3%	73.0%
KS	346	18,474	22,862	80.8%	77.6%
KY	285	22,746	26,123	87.1%	89.8%
LA	280	25,573	34,626	73.9%	73.5%
MA	421	41,646	47,886	87.0%	89.8%
MD	229	24,313	27,699	87.8%	87.1%
ME	107	6,337	7,020	90.3%	91.3%
MI	433	39,180	46,718	83.9%	86.9%
MN	371	26,507	29,528	89.8%	90.9%
MO	513	37,770	52,744	71.6%	71.1%
MS	204	16,050	18,386	87.3%	90.0%
MT	83	4,657	6,713	69.4%	70.0%
NC	421	37,054	44,294	83.7%	86.6%
ND	81	5,735	6,131	93.5%	93.8%
NE	216	12,033	15,622	77.0%	78.8%
NH	76	6,769	7,479	90.5%	92.1%
NJ	365	45,538	52,393	86.9%	88.7%
NM	71	5,549	6,666	83.2%	84.2%
NV	51	4,757	5,978	79.6%	84.7%
NY	631	105,444	115,724	91.1%	93.4%
OH	950	76,594	90,826	84.3%	87.1%
OK	310	19,364	29,026	66.7%	67.6%
OR	137	7,345	12,123	60.6%	59.8%
PA	702	79,530	88,263	90.1%	92.2%
RI	84	7,980	8,709	91.6%	93.4%
SC	188	16,753	19,309	86.8%	89.0%
SD	111	6,376	6,927	92.0%	93.5%
TN	322	29,873	36,993	80.8%	83.9%
TX	1,206	93,609	129,861	72.1%	71.2%
UT	99	5,386	8,539	63.1%	63.3%
VA	286	28,198	32,314	87.3%	89.8%
VT	38	2,699	3,199	84.4%	88.8%
WA	224	17,123	21,416	80.0%	83.3%
WI	391	27,966	34,502	81.1%	84.7%
WV	126	9,526	10,883	87.5%	92.1%
WY	39	2,382	2,984	79.8%	82.0%

Source: CMS Form 671:L18, L37, L38, L39 and Form 672:F78. *State occupancy is calculated by dividing the sum of patients occupying certified beds by the sum of all certified beds in the state. CASPER data only reflects patients who occupy a certified bed. Occupancy rate of 0% and greater than 100% were eliminated from this analysis.

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 5: Nursing Facility Beds in Dedicated Special Care Units, March 2014

State	Total Beds	Aids	Alzheimer's	Hospice	Ventilator	Rehab	Other	Total Special Care Beds
US	1,702,051	440	73,751	1,867	9,615	14,452	4,570	104,695
AK	779	0	37	1	0	0	0	38
AL	26,560	0	1,245	0	39	473	58	1,815
AR	24,776	0	333	9	11	138	0	491
AZ	16,607	0	874	12	230	260	21	1,397
CA	121,260	66	2,637	143	2,678	1,297	317	7,138
CO	20,445	165	1,928	249	101	386	337	3,166
CT	27,676	65	1,776	2	76	1,082	0	3,001
DC	2,766	0	22	0	0	0	0	22
DE	4,786	0	375	3	71	97	35	581
FL	83,479	30	4,021	83	392	569	244	5,339
GA	39,909	0	1,426	4	97	259	5	1,791
HI	4,215	0	106	2	91	0	30	229
IA	34,603	0	1,644	53	37	315	52	2,101
ID	5,960	0	182	74	41	154	106	557
IL	99,780	2	5,031	115	641	1,056	190	7,035
IN	59,616	0	6,000	59	248	208	314	6,829
KS	25,701	0	192	0	0	18	0	210
KY	26,448	0	672	0	93	124	104	993
LA	35,604	0	1,388	0	313	210	18	1,929
MA	48,660	0	3,928	0	87	412	327	4,754
MD	28,383	0	834	31	340	148	12	1,365
ME	7,021	0	429	1	0	18	12	460
MI	46,881	0	1,010	12	249	87	1	1,359
MN	30,533	0	2,507	63	51	1,394	251	4,266
MO	55,107	16	4,224	92	0	666	117	5,115
MS	18,392	0	244	0	0	20	0	264
MT	6,713	0	564	6	0	83	0	653
NC	44,742	0	1,615	22	90	85	2	1,814
ND	6,150	0	457	1	0	32	0	490
NE	15,863	0	1,233	67	82	55	33	1,470
NH	7,479	0	666	25	42	154	67	954
NJ	52,422	0	1,089	3	201	149	394	1,836
NM	6,693	0	547	0	0	0	0	547
NV	6,016	0	293	0	348	48	35	724
NY	116,532	23	3,794	75	602	1,678	522	6,694
OH	90,968	0	2,783	275	230	500	25	3,813
OK	29,265	73	559	75	202	73	30	1,012
OR	12,286	0	260	0	0	14	83	357
PA	88,263	0	6,344	80	982	696	25	8,127
RI	8,709	0	1,162	1	25	449	0	1,637
SC	19,607	0	94	0	20	36	0	150
SD	6,927	0	558	1	4	0	8	571
TN	37,461	0	124	1	107	29	0	261
TX	135,662	0	2,418	19	374	88	134	3,033
UT	8,563	0	547	0	62	100	0	709
VA	32,497	0	1,351	124	143	264	453	2,335
VT	3,199	0	195	0	0	0	22	217
WA	21,544	0	814	1	114	138	129	1,196
WI	34,671	0	2,730	68	101	319	57	3,275
WV	10,888	0	161	15	0	71	0	247
WY	2,984	0	328	0	0	0	0	328

Source: CMS Form 671: F15 - F22

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 6: Nursing Facility Beds by Certification Type, March 2014

State	Facilities	Total Beds	Medicare	Medicare/Medicaid	Medicaid	Non-Certified
US	15,663	1,702,051	97,279	1,492,083	75,001	37,688
AK	17	779	0	659	0	120
AL	227	26,560	372	26,040	112	36
AR	232	24,776	364	23,030	1,255	127
AZ	146	16,607	1,979	13,708	738	182
CA	1,223	121,260	4,133	109,478	6,474	1,175
CO	213	20,445	2,367	16,644	1,422	12
CT	229	27,676	491	27,169	16	0
DC	19	2,766	0	2,666	40	60
DE	46	4,786	276	4,220	290	0
FL	689	83,479	7,379	74,970	808	322
GA	358	39,909	737	37,544	1,628	0
HI	47	4,215	130	3,935	0	150
IA	443	34,603	595	28,285	2,446	3,277
ID	78	5,960	188	5,767	5	0
IL	770	99,780	10,969	62,801	20,361	5,649
IN	516	59,616	7,464	41,948	1,168	9,036
KS	346	25,701	680	19,271	2,911	2,839
KY	285	26,448	2,259	23,666	198	325
LA	280	35,604	2,488	32,138	0	978
MA	421	48,660	831	46,138	917	774
MD	229	28,383	775	26,691	233	684
ME	107	7,021	116	6,750	154	1
MI	433	46,881	3,972	41,720	1,026	163
MN	379	30,533	443	28,599	987	504
MO	513	55,107	2,882	45,669	4,193	2,363
MS	204	18,392	402	15,799	2,185	6
MT	83	6,713	32	6,581	100	0
NC	421	44,742	908	42,867	519	448
ND	81	6,150	19	6,112	0	19
NE	216	15,863	885	13,434	1,303	241
NH	76	7,479	144	6,963	372	0
NJ	365	52,422	2,720	49,013	660	29
NM	71	6,693	163	6,459	44	27
NV	51	6,016	180	5,313	485	38
NY	631	116,532	171	115,319	234	808
OH	951	90,968	1,018	89,930	0	20
OK	310	29,265	1,038	26,247	1,741	239
OR	138	12,286	368	10,430	1,330	158
PA	702	88,263	4,091	81,395	2,777	0
RI	84	8,709	149	8,414	146	0
SC	188	19,607	2,074	17,049	186	298
SD	111	6,927	44	6,229	654	0
TN	322	37,461	1,530	30,268	5,195	468
TX	1,207	135,662	25,945	100,313	3,677	5,727
UT	99	8,563	1,076	7,162	301	24
VA	286	32,497	1,152	29,097	2,065	183
VT	38	3,199	78	3,038	83	0
WA	224	21,544	405	19,895	1,116	128
WI	393	34,671	436	33,085	1,105	45
WV	126	10,888	324	9,419	1,140	5
WY	39	2,984	37	2,746	201	0

Source: CMS Form 1539: L37, L38, L39

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 7: Average Full-Time Equivalent Direct Care Staff per Facility by State, March 2014

State	Facilities	Total Direct Care Staff	RN Staff	LPN Staff	Aide Staff**
US	14,825	66.10	8.15	14.70	43.25
AK	13	46.35	10.04	5.51	30.80
AL	222	82.30	7.57	20.96	53.77
AR	227	61.73	2.58	15.03	44.12
AZ	142	64.82	8.97	14.80	41.05
CA	1,151	69.06	9.43	14.95	44.67
CO	207	57.84	10.51	11.15	36.18
CT	219	80.75	11.08	17.44	52.23
DC	18	108.85	17.09	26.07	65.70
DE	45	75.28	12.89	16.52	45.88
FL	669	87.92	8.21	20.44	59.27
GA	330	66.66	4.23	19.89	42.54
HI	40	70.96	15.49	8.19	47.29
IA	428	39.76	5.38	7.05	27.33
ID	76	45.44	6.35	8.36	30.73
IL	745	61.42	10.47	11.11	39.83
IN	509	56.18	6.33	15.28	34.57
KS	322	41.45	4.94	6.89	29.62
KY	270	63.58	6.75	15.20	41.64
LA	262	61.02	2.54	17.43	41.05
MA	410	74.64	11.24	16.28	47.11
MD	198	80.48	12.18	18.93	49.37
ME	97	52.20	10.20	5.16	36.84
MI	411	70.91	9.22	14.68	47.01
MN	350	54.49	7.92	10.90	35.67
MO	499	53.98	4.36	11.27	38.35
MS	194	59.90	6.06	15.57	38.28
MT	79	42.56	7.53	5.47	29.56
NC	399	68.13	7.49	15.64	45.00
ND	69	56.81	6.65	9.14	41.03
NE	213	44.08	5.66	8.73	29.69
NH	66	72.31	12.15	11.96	48.21
NJ	355	90.91	15.43	18.80	56.68
NM	66	53.73	7.68	8.30	37.76
NV	46	72.31	13.54	15.89	42.88
NY	588	125.50	16.13	27.37	82.01
OH	913	60.03	7.31	14.73	38.00
OK	301	45.19	2.28	10.26	32.66
OR	130	46.60	6.06	6.71	33.83
PA	676	83.31	12.23	19.42	51.65
RI	82	68.04	12.75	6.82	48.48
SC	176	68.55	7.23	16.55	44.76
SD	102	39.33	6.47	4.25	28.62
TN	310	67.77	5.69	19.19	42.89
TX	1,046	53.42	3.55	13.98	35.90
UT	96	44.73	10.17	5.12	29.44
VA	276	73.64	7.13	20.76	45.75
VT	35	60.01	9.69	12.33	37.98
WA	221	62.75	11.42	10.01	41.32
WI	375	55.67	9.86	7.85	37.96
WV	113	53.45	6.11	13.68	33.67
WY	38	41.87	8.43	5.29	28.16

Note: Staff positions are measured in full-time equivalents, which is based on a 35-hour workweek. **Aide staff is equal to the sum of certified nurse aides+nurse aides in training+medication aides. Due to invalid or incomplete data, some facilities were eliminated from the staffing analysis. Source: CMS Form 671:F41-F45, current surveys.

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Table 8: Average Direct Care Staff Hours per Patient Day by State, March 2014

State	Total Direct Care Staff HPPD	RN HPPD	LPN HPPD	Aide HPPD*
US	3.72	0.46	0.83	2.44
AK	6.26	1.36	0.74	4.16
AL	4.09	0.38	1.04	2.67
AR	4.01	0.17	0.98	2.87
AZ	4.12	0.57	0.94	2.61
CA	4.10	0.56	0.89	2.65
CO	3.78	0.69	0.73	2.37
CT	3.72	0.51	0.80	2.41
DC	4.24	0.67	1.01	2.56
DE	4.07	0.70	0.89	2.48
FL	4.11	0.38	0.96	2.77
GA	3.48	0.22	1.04	2.22
HI	3.94	0.86	0.46	2.63
IA	3.50	0.47	0.62	2.41
ID	4.40	0.61	0.81	2.98
IL	3.21	0.55	0.58	2.08
IN	3.71	0.42	1.01	2.28
KS	3.78	0.45	0.63	2.70
KY	3.86	0.41	0.92	2.53
LA	3.30	0.14	0.94	2.22
MA	3.72	0.56	0.81	2.35
MD	3.83	0.58	0.90	2.35
ME	4.32	0.85	0.43	3.05
MI	3.88	0.50	0.80	2.57
MN	3.78	0.55	0.76	2.47
MO	3.63	0.29	0.76	2.58
MS	3.75	0.38	0.98	2.40
MT	3.75	0.66	0.48	2.61
NC	3.76	0.41	0.86	2.48
ND	4.04	0.47	0.65	2.91
NE	3.93	0.51	0.78	2.65
NH	3.83	0.64	0.63	2.56
NJ	3.59	0.61	0.74	2.24
NM	3.33	0.48	0.51	2.34
NV	3.60	0.67	0.79	2.14
NY	3.64	0.47	0.79	2.38
OH	3.65	0.44	0.89	2.31
OK	3.57	0.18	0.81	2.58
OR	4.30	0.56	0.62	3.12
PA	3.65	0.54	0.85	2.26
RI	3.54	0.66	0.35	2.52
SC	3.79	0.40	0.92	2.48
SD	3.39	0.56	0.37	2.47
TN	3.58	0.30	1.01	2.27
TX	3.44	0.23	0.90	2.31
UT	4.00	0.91	0.46	2.63
VA	3.68	0.36	1.04	2.29
VT	4.12	0.66	0.85	2.60
WA	4.07	0.74	0.65	2.68
WI	3.83	0.68	0.54	2.61
WV	3.36	0.38	0.86	2.12
WY	3.36	0.68	0.42	2.26

Note: Staff positions are measured in full-time equivalents, which is based on a 35-hour workweek. *Aide staff is equal to the sum of certified nurse aides + nurse aides in training + medication aides. Due to invalid or incomplete data, some facilities were eliminated from the staffing analysis. Source: CMS Form 671-F41-F45, current surveys.

LTC Stats: Nursing Facility Operational Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with CASPER data

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Please check with the nursing home to find out what types of beds are available.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Hours Per Patient Day is computed as the sum of the total number of hours worked by direct care staff in each category, and is then divided by a 35-work week and by the number of patients.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is a joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources. Check out with your State Medicaid Agency for the income levels in your State. If a nursing home does not participate in the Medicaid program and does not accept Medicaid patients, and the resident runs out of other funds/coverage, the resident will have to move to another nursing home if he/she wants to be on Medicaid.

Multifacility Multi-nursing home chains have two or more homes under one ownership or operation.

Nursing Home A residence that provides a room, meals, and help with activities of daily living and recreation. Generally, nursing home residents have physical or mental problems that keep them from living on their own. They usually require daily assistance.

Occupancy This measure indicates the percentage of certified beds occupied by residents at the time of the inspection. It is obtained by taking the number of residents occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership Nursing homes can be run by private for-profit corporations, non-profit corporations, religious affiliated organizations or government entities.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

Residents in Certified Beds This number tells you how many residents in certified beds were living in the nursing home at the time of the inspection.



1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org

LTC Stats:

Nursing Facility Patient Characteristics Report

June 2013 Update

Prepared By

Research Department
American Health Care Association



© American Health Care Association, 2013

LTC Stats: Nursing Facility Patient Characteristics Report

Table of Contents

Table 1: Nursing Facility Patient Overview	3
Table 2: Patients by Payor – Number of Patients	4
Table 3: Patients by Payor – Percentage of Patients	5
Table 4: Activities of Daily Living – Bathing – Percent of Patients and Dependency	6
Table 5: Activities of Daily Living – Dressing – Percent of Patients and Dependency	7
Table 6: Activities of Daily Living – Eating – Percent of Patients and Dependency	8
Table 7: Activities of Daily Living – Toileting – Percent of Patients and Dependency	9
Table 8: Activities of Daily Living – Transferring – Percent of Patients and Dependency	10
Table 9: Medical Condition – Bladder and Bowel Status	11
Table 10: Medical Condition – Medications	12
Table 11: Medical Condition – Mobility	13
Table 12: Medical Condition – Mental Status	14
Table 13: Medical Condition – Weight Loss and Communication	15
Table 14: Medical Condition – Advance Directives and Vaccinations	16
Table 15: Medical Condition – Skin Integrity	17
Table 16: Medical Condition – Special Care	18
Glossary of Terms	21
Contact Information	23

Source: Center for Medicare & Medicaid Services Certification and Survey Provider Enhanced Reporting (CMS-CASPER) formerly OSCAR data as of June 2013

Table 1: Nursing Facility Patient Overview, June 2013

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,679	1,379,870	88.0	80.0	4.15
AK	17	605	35.6	18.0	4.13
AL	228	22,826	100.1	94.5	4.18
AR	232	17,847	76.9	76.0	3.98
AZ	146	11,418	78.2	77.5	4.14
CA	1,228	102,609	83.6	80.0	4.29
CO	217	16,039	73.9	71.0	4.06
CT	231	24,948	108.0	105.0	3.92
DC	19	2,568	135.2	117.0	4.22
DE	46	4,216	91.7	96.0	3.97
FL	686	72,569	105.8	108.0	4.23
GA	357	34,063	95.4	91.0	4.28
HI	48	3,721	77.5	77.5	4.59
IA	444	25,058	56.4	49.0	3.82
ID	76	3,962	52.1	48.0	4.24
IL	773	73,293	94.8	81.0	3.71
IN	516	39,215	76.0	70.5	4.33
KS	345	18,631	54.0	48.0	3.79
KY	285	22,932	80.5	81.0	4.23
LA	280	25,841	92.3	90.5	4.23
MA	422	41,911	99.3	103.0	4.10
MD	230	24,370	106.0	103.0	4.25
ME	107	6,365	59.5	55.0	4.37
MI	427	39,388	92.2	86.0	4.20
MN	380	27,504	72.4	59.5	3.95
MO	513	37,841	73.8	67.0	3.75
MS	204	16,177	79.3	75.0	4.28
MT	83	4,675	56.3	51.0	4.11
NC	419	37,211	88.8	91.0	4.36
ND	82	5,695	69.5	50.0	3.92
NE	218	12,201	56.0	47.0	4.09
NH	76	6,858	90.2	82.5	3.93
NJ	365	45,572	124.9	112.0	4.09
NM	71	5,525	77.8	78.0	4.29
NV	51	4,682	91.8	89.0	4.22
NY	631	106,874	169.4	146.0	4.27
OH	957	77,539	81.0	79.0	4.26
OK	313	19,542	62.4	58.0	3.72
OR	139	7,388	53.2	50.0	4.20
PA	705	79,967	113.4	104.0	4.22
RI	84	8,019	95.5	94.0	3.89
SC	189	16,923	89.5	83.0	4.48
SD	112	6,312	56.4	48.0	3.95
TN	321	30,795	95.9	94.0	4.37
TX	1,205	93,785	77.8	77.0	4.19
UT	98	5,494	56.1	52.0	4.42
VA	284	28,247	99.5	101.0	4.34
VT	38	2,749	72.3	66.0	4.11
WA	226	17,353	76.8	75.5	4.23
WI	390	28,581	73.3	65.0	3.98
WV	126	9,576	76.0	68.5	4.16
WY	39	2,390	61.3	55.0	3.76

Source: CMS Form 672: F78 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

**Table 2: Nursing Facility Patients by Payor -
Number of Patients, June 2013**

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,379,870	199,069	873,352	307,449
AK	605	40	505	60
AL	22,826	3,138	15,233	4,455
AR	17,847	2,073	12,107	3,667
AZ	11,418	1,718	6,795	2,905
CA	102,609	15,406	68,110	19,093
CO	16,039	1,904	9,582	4,553
CT	24,948	3,778	16,509	4,661
DC	2,568	294	2,068	206
DE	4,216	736	2,496	984
FL	72,569	15,304	42,267	14,998
GA	34,063	4,245	24,229	5,589
HI	3,721	395	2,435	891
IA	25,058	2,105	11,674	11,279
ID	3,962	652	2,498	812
IL	73,293	11,548	45,588	16,157
IN	39,215	6,502	24,453	8,260
KS	18,631	2,014	10,216	6,401
KY	22,932	3,623	14,971	4,338
LA	25,841	3,049	18,883	3,909
MA	41,911	5,758	26,209	9,944
MD	24,370	4,483	15,024	4,863
ME	6,365	930	4,228	1,207
MI	39,388	7,342	24,437	7,609
MN	27,504	3,078	14,799	9,627
MO	37,841	4,338	23,346	10,157
MS	16,177	2,240	12,203	1,734
MT	4,675	558	2,650	1,467
NC	37,211	6,293	24,433	6,485
ND	5,695	466	2,936	2,293
NE	12,201	1,451	6,360	4,390
NH	6,858	1,015	4,395	1,448
NJ	45,572	8,304	28,369	8,899
NM	5,525	715	3,591	1,219
NV	4,682	824	2,693	1,165
NY	106,874	12,606	75,894	18,374
OH	77,539	9,454	48,734	19,351
OK	19,542	2,440	12,854	4,248
OR	7,388	1,107	4,340	1,941
PA	79,967	9,163	49,721	21,083
RI	8,019	695	5,343	1,981
SC	16,923	3,072	10,416	3,435
SD	6,312	557	3,381	2,374
TN	30,795	5,020	19,775	6,000
TX	93,785	13,542	59,146	21,097
UT	5,494	1,032	2,875	1,587
VA	28,247	5,397	17,059	5,791
VT	2,749	413	1,766	570
WA	17,353	3,104	10,406	3,843
WI	28,581	3,658	16,889	8,034
WV	9,576	1,216	7,082	1,278
WY	2,390	274	1,379	737

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 3: Nursing Facility Patients by Payor - Percentage of Patients, June 2013

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,379,870	14.4%	63.3%	22.3%
AK	605	6.6%	83.5%	9.9%
AL	22,826	13.7%	66.7%	19.5%
AR	17,847	11.6%	67.8%	20.5%
AZ	11,418	15.0%	59.5%	25.4%
CA	102,609	15.0%	66.4%	18.6%
CO	16,039	11.9%	59.7%	28.4%
CT	24,948	15.1%	66.2%	18.7%
DC	2,568	11.4%	80.5%	8.0%
DE	4,216	17.5%	59.2%	23.3%
FL	72,569	21.1%	58.2%	20.7%
GA	34,063	12.5%	71.1%	16.4%
HI	3,721	10.6%	65.4%	23.9%
IA	25,058	8.4%	46.6%	45.0%
ID	3,962	16.5%	63.0%	20.5%
IL	73,293	15.8%	62.2%	22.0%
IN	39,215	16.6%	62.4%	21.1%
KS	18,631	10.8%	54.8%	34.4%
KY	22,932	15.8%	65.3%	18.9%
LA	25,841	11.8%	73.1%	15.1%
MA	41,911	13.7%	62.5%	23.7%
MD	24,370	18.4%	61.6%	20.0%
ME	6,365	14.6%	66.4%	19.0%
MI	39,388	18.6%	62.0%	19.3%
MN	27,504	11.2%	53.8%	35.0%
MO	37,841	11.5%	61.7%	26.8%
MS	16,177	13.8%	75.4%	10.7%
MT	4,675	11.9%	56.7%	31.4%
NC	37,211	16.9%	65.7%	17.4%
ND	5,695	8.2%	51.6%	40.3%
NE	12,201	11.9%	52.1%	36.0%
NH	6,858	14.8%	64.1%	21.1%
NJ	45,572	18.2%	62.3%	19.5%
NM	5,525	12.9%	65.0%	22.1%
NV	4,682	17.6%	57.5%	24.9%
NY	106,874	11.8%	71.0%	17.2%
OH	77,539	12.2%	62.9%	25.0%
OK	19,542	12.5%	65.8%	21.7%
OR	7,388	15.0%	58.7%	26.3%
PA	79,967	11.5%	62.2%	26.4%
RI	8,019	8.7%	66.6%	24.7%
SC	16,923	18.2%	61.5%	20.3%
SD	6,312	8.8%	53.6%	37.6%
TN	30,795	16.3%	64.2%	19.5%
TX	93,785	14.4%	63.1%	22.5%
UT	5,494	18.8%	52.3%	28.9%
VA	28,247	19.1%	60.4%	20.5%
VT	2,749	15.0%	64.2%	20.7%
WA	17,353	17.9%	60.0%	22.1%
WI	28,581	12.8%	59.1%	28.1%
WV	9,576	12.7%	74.0%	13.3%
WY	2,390	11.5%	57.7%	30.8%

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 4: Activities of Daily Living - Bathing - Percent of Patients and Dependency, June 2013

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	3.81%	63.33%	32.86%	96.19%
AK	3.47%	59.34%	37.19%	96.53%
AL	2.83%	57.74%	39.43%	97.17%
AR	3.23%	64.83%	31.94%	96.77%
AZ	3.45%	67.75%	28.80%	96.55%
CA	4.00%	58.22%	37.78%	96.00%
CO	3.45%	70.90%	25.66%	96.55%
CT	5.43%	60.09%	34.48%	94.57%
DC	5.88%	35.71%	58.41%	94.12%
DE	5.60%	51.47%	42.93%	94.40%
FL	3.02%	63.22%	33.76%	96.98%
GA	3.00%	53.93%	43.06%	97.00%
HI	1.18%	52.54%	46.28%	98.82%
IA	1.41%	80.28%	18.31%	98.59%
ID	1.77%	74.89%	23.35%	98.23%
IL	10.97%	70.24%	18.79%	89.03%
IN	2.62%	68.09%	29.28%	97.38%
KS	5.47%	70.77%	23.76%	94.53%
KY	2.00%	60.97%	37.03%	98.00%
LA	3.48%	64.68%	31.84%	96.52%
MA	3.92%	57.95%	38.14%	96.08%
MD	3.81%	45.79%	50.41%	96.19%
ME	3.11%	60.57%	36.32%	96.89%
MI	1.74%	72.88%	25.38%	98.26%
MN	3.49%	76.12%	20.39%	96.51%
MO	6.08%	70.40%	23.52%	93.92%
MS	1.95%	65.02%	33.03%	98.05%
MT	1.82%	79.42%	18.76%	98.18%
NC	3.51%	49.84%	46.65%	96.49%
ND	1.95%	76.44%	21.62%	98.05%
NE	1.34%	74.01%	24.65%	98.66%
NH	4.11%	70.57%	25.31%	95.89%
NJ	4.48%	58.29%	37.22%	95.52%
NM	1.90%	66.26%	31.84%	98.10%
NV	4.51%	55.89%	39.60%	95.49%
NY	3.77%	62.25%	33.98%	96.23%
OH	3.49%	69.08%	27.43%	96.51%
OK	5.28%	70.47%	24.25%	94.72%
OR	2.04%	73.19%	24.77%	97.96%
PA	4.14%	57.15%	38.70%	95.86%
RI	3.97%	67.37%	28.67%	96.03%
SC	1.17%	52.48%	46.35%	98.83%
SD	1.49%	79.66%	18.85%	98.51%
TN	2.08%	61.52%	36.41%	97.92%
TX	3.03%	62.55%	34.43%	96.97%
UT	3.06%	70.22%	26.72%	96.94%
VA	3.27%	49.96%	46.77%	96.73%
VT	3.78%	60.28%	35.94%	96.22%
WA	1.80%	73.77%	24.43%	98.20%
WI	2.91%	71.41%	25.67%	97.09%
WV	3.03%	48.32%	48.65%	96.97%
WY	4.14%	71.67%	24.18%	95.86%

Source: CMS Form 672: F78 - F81

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 5: Activities of Daily Living - Dressing - Percent of Patients and Dependency, June 2013

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	8.84%	69.70%	21.47%	91.16%
AK	8.76%	73.22%	18.02%	91.24%
AL	7.10%	63.94%	28.96%	92.90%
AR	10.89%	67.17%	21.94%	89.11%
AZ	9.05%	71.74%	19.22%	90.95%
CA	7.18%	66.60%	26.23%	92.82%
CO	11.63%	74.51%	13.85%	88.37%
CT	9.87%	63.53%	26.60%	90.13%
DC	9.19%	51.91%	38.90%	90.81%
DE	9.91%	61.46%	28.63%	90.09%
FL	7.11%	66.55%	26.33%	92.89%
GA	7.42%	64.43%	28.15%	92.58%
HI	1.77%	68.85%	29.37%	98.23%
IA	12.58%	75.93%	11.49%	87.42%
ID	7.70%	78.24%	14.06%	92.30%
IL	17.69%	70.45%	11.86%	82.31%
IN	6.92%	78.32%	14.76%	93.08%
KS	16.35%	70.28%	13.37%	83.65%
KY	5.47%	70.55%	23.98%	94.53%
LA	11.44%	69.47%	19.09%	88.56%
MA	5.76%	61.83%	32.41%	94.24%
MD	6.18%	58.01%	35.81%	93.82%
ME	3.41%	80.49%	16.10%	96.59%
MI	6.36%	77.64%	16.00%	93.64%
MN	11.11%	79.54%	9.35%	88.89%
MO	16.87%	66.68%	16.45%	83.13%
MS	8.84%	74.59%	16.57%	91.16%
MT	11.96%	77.95%	10.10%	88.04%
NC	5.84%	68.84%	25.32%	94.16%
ND	11.06%	82.27%	6.67%	88.94%
NE	10.80%	76.77%	12.43%	89.20%
NH	9.46%	74.95%	15.59%	90.54%
NJ	8.51%	60.48%	31.01%	91.49%
NM	7.80%	72.43%	19.76%	92.20%
NV	7.35%	71.94%	20.72%	92.65%
NY	7.57%	66.96%	25.47%	92.43%
OH	7.59%	76.79%	15.62%	92.41%
OK	17.28%	64.54%	18.18%	82.72%
OR	5.70%	78.07%	16.23%	94.30%
PA	6.78%	70.80%	22.42%	93.22%
RI	8.59%	72.13%	19.28%	91.41%
SC	2.58%	68.68%	28.74%	97.42%
SD	12.09%	80.04%	7.87%	87.91%
TN	4.90%	70.50%	24.60%	95.10%
TX	9.85%	69.53%	20.62%	90.15%
UT	6.92%	80.54%	12.54%	93.08%
VA	6.64%	63.57%	29.78%	93.36%
VT	6.26%	74.72%	19.03%	93.74%
WA	6.75%	79.06%	14.19%	93.25%
WI	9.28%	76.33%	14.40%	90.72%
WV	8.42%	67.89%	23.69%	91.58%
WY	17.03%	69.50%	13.47%	82.97%

Source: CMS Form 672: F78, F82 - F84

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 6: Activities of Daily Living - Eating - Percent of Patients and Dependency, June 2013

State	Independent	Assisted	Dependent	Total Eating Dependence
US	43.30%	43.09%	13.61%	56.70%
AK	45.45%	39.67%	14.88%	54.55%
AL	45.06%	35.47%	19.47%	54.94%
AR	48.57%	37.73%	13.70%	51.43%
AZ	47.20%	42.06%	10.75%	52.80%
CA	36.42%	43.52%	20.06%	63.58%
CO	45.56%	47.07%	7.38%	54.44%
CT	55.96%	29.25%	14.79%	44.04%
DC	36.10%	43.96%	19.94%	63.90%
DE	52.66%	32.54%	14.80%	47.34%
FL	43.45%	40.12%	16.43%	56.55%
GA	35.09%	47.83%	17.09%	64.91%
HI	29.67%	44.75%	25.58%	70.33%
IA	60.22%	33.44%	6.34%	39.78%
ID	44.25%	46.01%	9.74%	55.75%
IL	50.50%	40.47%	9.03%	49.50%
IN	34.15%	56.89%	8.96%	65.85%
KS	51.97%	40.35%	7.68%	48.03%
KY	47.14%	36.81%	16.05%	52.86%
LA	28.59%	60.19%	11.22%	71.41%
MA	52.20%	33.72%	14.08%	47.80%
MD	42.95%	38.92%	18.13%	57.05%
ME	43.82%	44.81%	11.37%	56.18%
MI	49.93%	39.24%	10.83%	50.07%
MN	55.35%	37.69%	6.96%	44.65%
MO	51.51%	38.95%	9.54%	48.49%
MS	34.13%	51.07%	14.79%	65.87%
MT	41.03%	52.39%	6.59%	58.97%
NC	37.13%	48.21%	14.66%	62.87%
ND	55.77%	38.30%	5.94%	44.23%
NE	47.28%	44.87%	7.84%	52.72%
NH	53.91%	37.45%	8.65%	46.09%
NJ	46.70%	35.93%	17.37%	53.30%
NM	36.11%	54.81%	9.09%	63.89%
NV	41.93%	44.60%	13.48%	58.07%
NY	36.05%	45.87%	18.07%	63.95%
OH	39.14%	50.43%	10.43%	60.86%
OK	53.51%	34.93%	11.56%	46.49%
OR	52.88%	35.84%	11.28%	47.12%
PA	44.37%	42.95%	12.68%	55.63%
RI	59.71%	30.66%	9.63%	40.29%
SC	36.88%	45.16%	17.96%	63.12%
SD	51.98%	42.25%	5.77%	48.02%
TN	37.50%	45.25%	17.25%	62.50%
TX	37.63%	48.93%	13.44%	62.37%
UT	29.47%	62.94%	7.59%	70.53%
VA	34.34%	48.10%	17.56%	65.66%
VT	49.51%	38.01%	12.48%	50.49%
WA	47.53%	41.38%	11.09%	52.47%
WI	57.11%	34.47%	8.41%	42.89%
WV	45.39%	41.26%	13.35%	54.61%
WY	51.76%	41.72%	6.53%	48.24%

Source: CMS Form 672: F78, F91 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 7: Activities of Daily Living - Toileting - Percent of Patients and Dependency, June 2013

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	13.02%	62.21%	24.77%	86.98%
AK	13.06%	57.02%	29.92%	86.94%
AL	12.52%	50.58%	36.91%	87.48%
AR	16.98%	54.79%	28.23%	83.02%
AZ	11.86%	64.21%	23.94%	88.14%
CA	10.71%	57.08%	32.21%	89.29%
CO	15.38%	66.88%	17.74%	84.62%
CT	16.46%	56.25%	27.29%	83.54%
DC	12.62%	45.68%	41.71%	87.38%
DE	15.06%	54.20%	30.74%	84.94%
FL	10.71%	59.25%	30.04%	89.29%
GA	11.94%	53.68%	34.38%	88.06%
HI	3.71%	55.01%	41.28%	96.29%
IA	18.92%	66.67%	14.40%	81.08%
ID	10.20%	70.14%	19.66%	89.80%
IL	23.76%	60.80%	15.44%	76.24%
IN	10.15%	74.14%	15.71%	89.85%
KS	21.34%	62.70%	15.97%	78.66%
KY	9.99%	63.43%	26.58%	90.01%
LA	15.44%	63.56%	21.00%	84.56%
MA	12.86%	59.02%	28.12%	87.14%
MD	9.62%	52.00%	38.38%	90.38%
ME	4.59%	77.41%	18.00%	95.41%
MI	9.62%	70.34%	20.04%	90.38%
MN	15.40%	73.16%	11.44%	84.60%
MO	22.90%	57.61%	19.50%	77.10%
MS	12.49%	65.33%	22.17%	87.51%
MT	14.84%	73.16%	12.00%	85.16%
NC	7.94%	64.31%	27.76%	92.06%
ND	16.28%	74.43%	9.29%	83.72%
NE	13.52%	70.56%	15.92%	86.48%
NH	16.83%	64.90%	18.27%	83.17%
NJ	14.53%	54.28%	31.19%	85.47%
NM	11.13%	66.59%	22.28%	88.87%
NV	10.42%	67.13%	22.45%	89.58%
NY	10.95%	60.26%	28.79%	89.05%
OH	10.94%	69.47%	19.59%	89.06%
OK	24.26%	54.16%	21.58%	75.74%
OR	8.62%	67.70%	23.67%	91.38%
PA	9.97%	66.60%	23.42%	90.03%
RI	16.84%	62.28%	20.89%	83.16%
SC	4.90%	59.10%	35.99%	95.10%
SD	17.28%	73.62%	9.09%	82.72%
TN	8.08%	62.68%	29.24%	91.92%
TX	13.84%	61.32%	24.85%	86.16%
UT	8.55%	75.70%	15.74%	91.45%
VA	9.83%	57.61%	32.57%	90.17%
VT	10.99%	65.77%	23.24%	89.01%
WA	9.11%	71.50%	19.39%	90.89%
WI	14.64%	67.48%	17.88%	85.36%
WV	11.60%	60.99%	27.41%	88.40%
WY	21.92%	60.42%	17.66%	78.08%

Source: CMS Form 672: F78, F88 - F90

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 8: Activities of Daily Living - Transferring - Percent of Patients and Dependency, June 2013

State	Independent	Assisted	Dependent	Total Transferring Dependent
US	15.85%	62.61%	21.54%	84.15%
AK	16.53%	49.92%	33.55%	83.47%
AL	14.74%	53.76%	31.49%	85.26%
AR	21.99%	54.73%	23.28%	78.01%
AZ	14.18%	64.29%	21.53%	85.82%
CA	12.52%	59.87%	27.61%	87.48%
CO	18.11%	67.11%	14.79%	81.89%
CT	20.24%	55.70%	24.06%	79.76%
DC	14.25%	49.49%	36.25%	85.75%
DE	19.47%	57.07%	23.46%	80.53%
FL	12.47%	61.38%	26.15%	87.53%
GA	14.37%	57.82%	27.81%	85.63%
HI	4.70%	60.79%	34.51%	95.30%
IA	24.86%	62.36%	12.78%	75.14%
ID	12.09%	69.64%	18.27%	87.91%
IL	26.44%	60.05%	13.50%	73.56%
IN	12.68%	72.93%	14.39%	87.32%
KS	25.87%	60.31%	13.82%	74.13%
KY	12.78%	62.89%	24.34%	87.22%
LA	17.67%	64.90%	17.43%	82.33%
MA	15.50%	62.26%	22.24%	84.50%
MD	12.35%	55.06%	32.59%	87.65%
ME	7.92%	73.62%	18.46%	92.08%
MI	12.13%	69.00%	18.87%	87.87%
MN	19.74%	67.06%	13.21%	80.26%
MO	27.20%	56.57%	16.23%	72.80%
MS	14.94%	63.23%	21.83%	85.06%
MT	19.68%	69.71%	10.61%	80.32%
NC	9.72%	66.17%	24.11%	90.28%
ND	22.49%	66.55%	10.96%	77.51%
NE	18.20%	67.81%	13.99%	81.80%
NH	23.13%	60.51%	16.36%	76.87%
NJ	16.68%	56.92%	26.40%	83.32%
NM	14.08%	68.58%	17.34%	85.92%
NV	13.35%	65.95%	20.70%	86.65%
NY	14.16%	60.30%	25.54%	85.84%
OH	13.33%	69.30%	17.37%	86.67%
OK	27.87%	53.69%	18.44%	72.13%
OR	11.02%	67.62%	21.36%	88.98%
PA	12.53%	65.88%	21.59%	87.47%
RI	22.37%	60.48%	17.15%	77.63%
SC	6.79%	65.44%	27.77%	93.21%
SD	22.05%	69.14%	8.81%	77.95%
TN	10.79%	64.10%	25.11%	89.21%
TX	16.27%	63.24%	20.49%	83.73%
UT	10.21%	74.63%	15.16%	89.79%
VA	12.35%	60.22%	27.43%	87.65%
VT	18.15%	60.64%	21.21%	81.85%
WA	11.88%	70.36%	17.77%	88.12%
WI	18.14%	64.33%	17.53%	81.86%
WV	15.33%	61.15%	23.52%	84.67%
WY	28.87%	55.73%	15.40%	71.13%

Source: CMS Form 672: F78, F85 - F87

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 9: Medical Condition - Bladder and Bowel Status, June 2013

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.66%	4.13%	60.97%	48.48%	22.30%
AK	9.42%	6.12%	60.33%	54.88%	24.96%
AL	4.93%	3.79%	66.21%	56.30%	22.55%
AR	5.10%	3.47%	63.76%	50.64%	12.36%
AZ	9.48%	7.93%	56.01%	49.12%	12.50%
CA	6.30%	5.06%	52.44%	47.14%	19.72%
CO	7.51%	5.48%	59.20%	44.87%	15.30%
CT	4.45%	3.18%	58.14%	46.18%	18.45%
DC	2.53%	2.02%	77.88%	64.29%	22.20%
DE	4.17%	2.82%	61.39%	50.26%	34.16%
FL	5.91%	4.73%	57.74%	51.06%	20.87%
GA	4.32%	3.21%	67.51%	58.73%	20.09%
HI	4.41%	2.98%	70.52%	59.72%	15.43%
IA	6.27%	4.12%	64.97%	36.78%	13.10%
ID	8.20%	6.39%	62.22%	42.81%	38.31%
IL	5.01%	3.81%	50.29%	36.20%	25.03%
IN	5.29%	3.73%	62.32%	47.60%	31.30%
KS	5.17%	3.55%	62.65%	41.02%	45.23%
KY	6.68%	4.78%	60.54%	50.24%	23.85%
LA	5.24%	3.01%	62.65%	52.01%	15.78%
MA	5.14%	3.79%	61.97%	49.35%	12.87%
MD	5.38%	3.96%	66.32%	58.83%	31.38%
ME	6.19%	4.74%	70.95%	50.54%	38.98%
MI	5.73%	4.54%	60.27%	44.81%	31.61%
MN	5.87%	4.17%	62.69%	40.92%	36.02%
MO	4.56%	3.22%	57.96%	40.69%	19.49%
MS	4.73%	3.16%	68.08%	57.71%	10.40%
MT	7.25%	4.60%	58.20%	37.63%	35.06%
NC	5.19%	3.63%	66.84%	57.17%	13.39%
ND	6.32%	4.39%	60.74%	38.68%	18.95%
NE	7.46%	4.70%	64.21%	38.71%	29.65%
NH	5.48%	4.08%	61.55%	38.42%	46.15%
NJ	5.07%	4.09%	56.14%	46.87%	16.91%
NM	6.15%	4.60%	58.26%	52.90%	27.31%
NV	8.84%	7.45%	55.30%	51.99%	6.62%
NY	4.94%	3.56%	63.33%	51.90%	12.29%
OH	5.69%	4.12%	57.79%	42.65%	26.56%
OK	5.70%	3.95%	56.65%	42.16%	24.73%
OR	9.41%	7.30%	57.07%	46.79%	21.25%
PA	6.31%	4.28%	65.35%	50.55%	29.97%
RI	3.97%	3.04%	58.31%	42.03%	34.69%
SC	4.50%	2.97%	69.36%	61.87%	15.59%
SD	6.27%	4.23%	64.24%	37.80%	38.45%
TN	6.16%	4.02%	65.12%	55.71%	20.55%
TX	5.54%	3.83%	65.10%	55.36%	15.55%
UT	7.19%	5.57%	60.48%	46.45%	19.11%
VA	5.20%	3.85%	65.17%	55.21%	17.89%
VT	7.09%	5.57%	65.33%	48.02%	34.96%
WA	7.88%	6.39%	62.65%	49.78%	19.05%
WI	6.92%	4.93%	61.41%	38.92%	51.76%
WV	6.29%	4.42%	63.94%	52.01%	34.33%
WY	6.53%	4.23%	63.14%	37.87%	50.42%

Source: CMS Form 672: F78, F94 - F99. *As a percentage of those patients with a catheter at the time of the survey. **Total patients in bladder and/or bowel training.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 10: Medical Condition - Medications, June 2013

State	Psychoactive Medication*	Antibiotics	Pain Management
US	62.77%	8.96%	45.19%
AK	55.37%	7.11%	69.42%
AL	67.09%	9.37%	51.72%
AR	66.05%	9.53%	31.94%
AZ	62.24%	12.72%	49.67%
CA	55.65%	8.87%	36.63%
CO	61.35%	8.81%	59.54%
CT	67.16%	7.40%	33.88%
DC	48.79%	6.70%	34.58%
DE	59.06%	9.44%	48.43%
FL	63.09%	10.82%	38.27%
GA	64.67%	7.97%	43.67%
HI	40.98%	7.52%	42.35%
IA	63.93%	10.02%	60.89%
ID	68.70%	11.69%	61.69%
IL	65.52%	8.32%	39.91%
IN	65.21%	9.62%	47.91%
KS	68.97%	9.58%	57.25%
KY	67.84%	10.34%	41.08%
LA	58.15%	7.70%	36.09%
MA	70.94%	7.42%	42.45%
MD	56.83%	9.07%	41.78%
ME	70.31%	8.72%	56.75%
MI	61.15%	8.65%	56.16%
MN	60.06%	8.68%	64.31%
MO	67.23%	8.45%	45.72%
MS	63.55%	8.46%	40.65%
MT	65.30%	8.71%	53.01%
NC	63.47%	10.34%	44.42%
ND	64.64%	7.97%	67.39%
NE	66.14%	10.09%	63.89%
NH	67.21%	7.80%	57.89%
NJ	56.17%	7.50%	38.10%
NM	57.41%	9.09%	46.71%
NV	57.39%	14.22%	44.34%
NY	56.80%	7.26%	43.59%
OH	65.32%	10.52%	45.10%
OK	68.53%	8.37%	53.16%
OR	63.59%	10.87%	59.76%
PA	65.64%	8.79%	45.50%
RI	66.27%	7.98%	47.36%
SC	59.03%	8.52%	47.21%
SD	60.58%	9.55%	62.71%
TN	71.39%	9.68%	47.66%
TX	62.02%	8.60%	39.91%
UT	68.04%	14.16%	56.15%
VA	61.22%	10.19%	42.40%
VT	61.62%	8.62%	58.57%
WA	63.42%	10.72%	51.17%
WI	62.99%	7.41%	61.23%
WV	59.75%	10.18%	53.64%
WY	66.03%	10.04%	58.45%

Source: CMS Form 672: F78, F133 - F139. *Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 11: Medical Condition - Mobility, June 2013

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.51%	53.98%	43.35%	2.39%	0.44%	24.44%
AK	3.14%	57.19%	39.67%	1.16%	0.66%	48.60%
AL	6.70%	56.20%	35.70%	1.67%	0.52%	35.83%
AR	4.65%	59.95%	36.35%	3.25%	0.49%	17.38%
AZ	5.72%	51.56%	37.45%	0.89%	0.12%	22.15%
CA	4.51%	52.59%	43.60%	4.00%	1.36%	24.78%
CO	2.14%	53.46%	44.46%	2.29%	0.28%	21.52%
CT	1.75%	50.94%	53.45%	1.72%	0.19%	16.29%
DC	7.83%	51.56%	38.16%	5.45%	0.31%	22.70%
DE	3.91%	61.74%	35.37%	1.16%	0.12%	31.59%
FL	3.40%	63.78%	33.32%	2.37%	0.25%	19.00%
GA	5.33%	52.85%	37.14%	1.95%	0.26%	30.18%
HI	5.97%	58.34%	35.55%	4.03%	1.05%	36.23%
IA	1.14%	40.71%	62.79%	1.64%	0.43%	28.10%
ID	2.93%	55.96%	44.57%	2.55%	0.76%	30.41%
IL	1.62%	47.19%	54.46%	2.22%	0.42%	22.52%
IN	2.52%	48.98%	49.78%	1.42%	0.28%	18.65%
KS	1.89%	44.95%	52.67%	0.83%	0.15%	21.76%
KY	5.93%	56.48%	37.09%	3.68%	0.48%	23.07%
LA	5.11%	44.59%	41.31%	4.86%	0.51%	25.73%
MA	2.14%	45.49%	55.99%	2.04%	0.22%	18.73%
MD	5.87%	60.59%	33.23%	1.56%	0.20%	23.13%
ME	3.08%	38.52%	52.77%	0.55%	0.13%	28.15%
MI	2.58%	62.83%	40.31%	3.14%	0.41%	21.38%
MN	1.25%	46.99%	57.84%	1.15%	0.18%	20.78%
MO	1.79%	50.39%	44.72%	2.20%	0.47%	20.41%
MS	6.34%	51.08%	34.73%	4.99%	0.49%	40.22%
MT	1.33%	35.23%	55.87%	1.95%	0.45%	31.98%
NC	5.19%	53.10%	35.07%	1.85%	0.12%	26.09%
ND	1.35%	48.53%	61.39%	1.60%	0.26%	38.82%
NE	1.02%	40.46%	57.63%	1.66%	0.20%	27.68%
NH	2.65%	48.34%	62.18%	1.09%	0.17%	28.40%
NJ	3.31%	63.50%	39.05%	2.58%	0.53%	16.69%
NM	1.29%	43.26%	42.37%	1.86%	0.18%	25.19%
NV	5.72%	61.85%	38.72%	2.09%	0.47%	23.90%
NY	2.13%	59.71%	43.21%	2.68%	0.67%	31.75%
OH	3.01%	45.44%	53.16%	2.36%	0.30%	27.03%
OK	4.73%	52.98%	40.88%	1.33%	0.29%	21.73%
OR	6.12%	55.22%	39.00%	1.79%	0.38%	25.14%
PA	3.54%	59.02%	37.50%	1.80%	0.26%	21.35%
RI	1.70%	35.23%	68.57%	0.66%	0.09%	23.58%
SC	5.53%	59.42%	28.30%	3.86%	0.37%	32.71%
SD	1.14%	42.55%	59.38%	1.20%	0.21%	40.46%
TN	5.82%	55.06%	37.83%	4.55%	0.42%	23.94%
TX	4.57%	60.62%	33.77%	2.29%	0.60%	23.93%
UT	2.91%	43.61%	48.89%	3.44%	0.51%	21.42%
VA	5.02%	63.07%	31.22%	1.08%	0.20%	26.79%
VT	4.44%	52.60%	52.31%	0.91%	0.00%	22.99%
WA	5.42%	56.49%	40.39%	1.39%	0.22%	23.50%
WI	1.95%	55.73%	50.46%	0.96%	0.17%	24.52%
WV	4.67%	43.78%	44.97%	3.08%	0.48%	36.50%
WY	1.46%	34.73%	53.47%	3.26%	0.54%	21.80%

Source: CMS Form 672: F78, F100 - F106. *Percentage of patients that ambulate independently or w/assistive devices. **As a percentage of patients physically restrained.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 12: Medical Condition - Mental Status, June 2013

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	2.10%	46.49%	29.42%	48.07%	23.26%
AK	1.82%	45.95%	21.49%	43.97%	24.13%
AL	4.12%	43.96%	31.59%	54.54%	18.02%
AR	3.34%	44.52%	29.38%	50.43%	19.92%
AZ	0.71%	43.31%	22.67%	38.75%	23.65%
CA	2.21%	32.80%	27.56%	38.15%	21.35%
CO	1.40%	52.29%	22.81%	48.10%	27.82%
CT	1.81%	42.01%	22.38%	51.65%	19.37%
DC	0.27%	31.11%	24.34%	44.67%	22.62%
DE	2.18%	47.79%	25.28%	50.55%	30.83%
FL	1.25%	43.98%	29.28%	46.91%	21.52%
GA	3.17%	55.15%	33.76%	50.69%	27.49%
HI	1.67%	38.56%	7.69%	52.38%	23.11%
IA	2.70%	56.73%	25.59%	50.53%	24.26%
ID	2.62%	51.92%	25.21%	43.39%	30.09%
IL	1.46%	47.67%	31.74%	41.29%	26.46%
IN	3.46%	44.33%	25.11%	50.66%	20.36%
KS	1.47%	55.58%	33.79%	49.19%	28.87%
KY	3.32%	46.35%	31.45%	51.79%	24.63%
LA	1.47%	42.84%	42.42%	39.63%	15.44%
MA	1.12%	49.98%	31.70%	55.83%	30.17%
MD	1.09%	38.19%	22.38%	45.14%	18.26%
ME	1.52%	57.80%	24.70%	56.48%	32.44%
MI	1.55%	44.84%	24.92%	55.18%	22.06%
MN	0.87%	53.65%	28.67%	47.55%	30.33%
MO	2.89%	46.91%	34.53%	45.73%	22.70%
MS	2.26%	43.84%	38.88%	47.74%	16.93%
MT	2.05%	52.71%	24.94%	45.43%	22.63%
NC	2.29%	43.79%	27.22%	44.22%	20.69%
ND	2.12%	63.62%	32.13%	50.48%	25.62%
NE	2.21%	56.96%	30.50%	44.56%	29.25%
NH	1.21%	51.62%	35.75%	57.20%	26.03%
NJ	2.68%	34.73%	22.70%	44.47%	21.27%
NM	1.16%	52.78%	28.89%	46.95%	24.62%
NV	1.54%	38.27%	27.45%	37.85%	15.93%
NY	1.75%	41.71%	22.88%	50.08%	21.34%
OH	2.51%	58.68%	36.66%	48.15%	27.73%
OK	3.01%	50.25%	30.24%	43.97%	20.92%
OR	1.71%	40.74%	22.10%	39.06%	22.17%
PA	2.30%	46.01%	28.66%	49.61%	22.90%
RI	2.21%	42.85%	24.77%	51.61%	17.80%
SC	2.41%	44.89%	26.63%	55.42%	23.23%
SD	1.49%	60.82%	28.30%	47.66%	29.97%
TN	2.13%	50.36%	39.75%	54.96%	23.27%
TX	1.97%	50.93%	37.29%	54.99%	22.07%
UT	2.95%	60.36%	26.16%	37.08%	30.07%
VA	3.26%	44.10%	25.09%	46.05%	22.84%
VT	1.27%	54.89%	28.66%	51.98%	29.03%
WA	3.05%	50.61%	23.15%	42.90%	25.79%
WI	1.01%	50.99%	25.46%	50.34%	24.95%
WV	2.76%	57.74%	38.62%	54.18%	24.14%
WY	0.92%	64.44%	22.38%	51.88%	27.57%

Source: CMS Form 672: F78, F108 - F114

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 13: Medical Condition - Weight Loss and Communication, June 2013

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.15%	3.09%	1.61%
AK	6.94%	4.13%	5.79%
AL	10.43%	0.24%	1.42%
AR	8.28%	0.39%	0.93%
AZ	6.09%	5.05%	1.43%
CA	6.64%	12.07%	5.02%
CO	7.15%	2.12%	1.73%
CT	5.02%	3.57%	0.93%
DC	6.31%	1.36%	0.51%
DE	5.86%	1.35%	1.09%
FL	4.74%	4.22%	1.15%
GA	8.66%	0.89%	1.43%
HI	5.86%	7.95%	6.66%
IA	8.90%	0.37%	1.22%
ID	8.40%	1.29%	1.51%
IL	8.34%	3.00%	2.19%
IN	7.94%	0.73%	0.99%
KS	7.78%	0.74%	1.08%
KY	7.56%	0.38%	1.06%
LA	8.68%	0.55%	1.40%
MA	5.05%	4.78%	1.33%
MD	6.05%	2.01%	0.93%
ME	8.50%	0.49%	1.21%
MI	7.92%	1.01%	1.46%
MN	6.98%	0.88%	1.27%
MO	7.99%	0.52%	0.90%
MS	8.24%	0.25%	1.45%
MT	7.40%	0.66%	0.68%
NC	8.52%	0.61%	0.95%
ND	9.18%	0.25%	1.14%
NE	7.32%	0.56%	1.52%
NH	7.89%	1.04%	1.57%
NJ	5.15%	6.73%	1.83%
NM	7.64%	3.69%	0.85%
NV	6.71%	3.57%	2.31%
NY	5.11%	7.13%	1.34%
OH	8.05%	0.71%	1.01%
OK	8.63%	0.79%	0.74%
OR	7.76%	1.72%	1.60%
PA	7.83%	1.50%	1.25%
RI	5.00%	4.91%	1.60%
SC	8.22%	0.25%	1.33%
SD	8.68%	0.32%	1.57%
TN	8.24%	0.32%	1.64%
TX	6.57%	3.08%	1.45%
UT	8.68%	2.89%	1.75%
VA	7.49%	1.37%	1.05%
VT	8.40%	0.40%	0.76%
WA	6.81%	2.35%	2.06%
WI	7.63%	0.57%	1.28%
WV	8.45%	0.87%	0.64%
WY	9.67%	0.46%	0.84%

Source: CMS Form 672: F78, F140 - F142

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 14: Medical Condition - Advance Directives and Vaccinations, June 2013

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	54.33%	69.87%	62.29%
AK	64.63%	77.85%	80.50%
AL	33.38%	66.84%	63.21%
AR	66.57%	83.63%	77.27%
AZ	70.02%	62.26%	55.04%
CA	47.82%	68.23%	58.46%
CO	79.07%	70.49%	64.03%
CT	65.61%	75.06%	67.45%
DC	35.86%	64.52%	51.56%
DE	50.07%	74.50%	72.53%
FL	57.35%	54.65%	42.89%
GA	41.75%	67.40%	61.81%
HI	56.62%	79.71%	82.56%
IA	66.43%	79.77%	79.80%
ID	59.92%	69.28%	67.59%
IL	49.92%	63.52%	52.47%
IN	57.43%	67.88%	57.39%
KS	70.61%	76.32%	70.39%
KY	55.01%	74.69%	64.15%
LA	35.72%	65.50%	67.81%
MA	71.61%	77.63%	67.36%
MD	47.43%	70.87%	59.67%
ME	67.59%	79.73%	67.09%
MI	75.10%	67.01%	62.70%
MN	54.75%	78.28%	77.08%
MO	53.63%	70.02%	58.96%
MS	31.87%	67.50%	68.49%
MT	72.71%	66.07%	61.48%
NC	44.72%	65.87%	62.32%
ND	57.63%	85.14%	85.00%
NE	64.93%	74.47%	74.08%
NH	80.17%	81.32%	81.95%
NJ	39.28%	72.98%	63.88%
NM	40.81%	49.16%	48.90%
NV	30.41%	50.43%	38.02%
NY	62.67%	77.38%	71.03%
OH	52.66%	65.37%	53.60%
OK	31.75%	70.87%	54.45%
OR	40.19%	64.50%	66.35%
PA	56.48%	77.03%	65.75%
RI	61.97%	69.60%	61.54%
SC	47.49%	69.38%	76.24%
SD	56.45%	78.55%	81.89%
TN	67.60%	69.06%	56.16%
TX	39.17%	62.57%	54.95%
UT	66.42%	65.78%	62.03%
VA	45.26%	71.77%	63.97%
VT	61.00%	78.79%	76.14%
WA	66.76%	69.15%	63.08%
WI	80.51%	86.00%	86.05%
WV	49.92%	63.00%	54.78%
WY	63.18%	68.45%	65.56%

Source: CMS Form 672: F78, F143 - F145

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 15: Medical Condition - Skin Integrity, June 2013

State	Pressure Sores	Pressure Sores at Admission	Preventative Skin Care	Rashes
US	6.16%	3.45%	76.12%	3.24%
AK	5.12%	3.31%	74.88%	4.63%
AL	5.97%	3.79%	82.35%	2.75%
AR	5.44%	2.64%	50.26%	3.33%
AZ	7.85%	4.90%	66.42%	3.19%
CA	6.78%	4.64%	62.13%	3.71%
CO	4.91%	2.26%	79.71%	2.80%
CT	4.78%	2.35%	62.49%	3.67%
DC	6.89%	4.52%	85.86%	1.13%
DE	4.81%	2.47%	74.88%	4.72%
FL	6.91%	4.79%	79.69%	3.78%
GA	6.40%	3.42%	77.19%	3.24%
HI	4.78%	2.66%	77.13%	6.96%
IA	3.93%	1.35%	79.43%	2.69%
ID	4.77%	2.93%	85.01%	3.33%
IL	5.78%	3.24%	74.75%	2.68%
IN	5.65%	2.75%	83.01%	1.55%
KS	4.74%	2.06%	69.59%	3.33%
KY	6.55%	3.28%	80.96%	2.56%
LA	7.00%	3.09%	79.46%	3.10%
MA	4.70%	2.26%	82.70%	2.38%
MD	7.32%	4.37%	82.83%	2.00%
ME	5.37%	2.58%	76.15%	5.56%
MI	5.90%	3.60%	80.88%	2.86%
MN	3.99%	1.77%	73.03%	4.57%
MO	5.04%	2.26%	69.64%	2.44%
MS	6.47%	3.61%	76.75%	3.10%
MT	4.68%	2.14%	85.07%	2.84%
NC	7.39%	3.68%	75.08%	2.69%
ND	4.62%	1.76%	84.62%	3.49%
NE	4.01%	1.41%	84.55%	2.45%
NH	3.69%	1.63%	87.34%	5.37%
NJ	6.81%	4.40%	70.93%	2.93%
NM	7.22%	3.48%	78.52%	2.30%
NV	9.18%	7.39%	77.83%	3.48%
NY	7.42%	4.72%	76.03%	5.30%
OH	6.20%	3.26%	83.79%	2.86%
OK	6.04%	2.72%	61.78%	2.10%
OR	6.85%	3.75%	76.45%	5.32%
PA	6.24%	3.39%	86.56%	3.15%
RI	6.38%	2.44%	86.92%	3.11%
SC	6.94%	3.98%	83.73%	3.17%
SD	4.34%	1.55%	75.65%	2.63%
TN	6.03%	3.48%	81.05%	3.25%
TX	6.58%	3.37%	70.62%	2.51%
UT	6.10%	3.19%	79.05%	4.51%
VA	6.55%	3.68%	78.16%	3.32%
VT	4.15%	2.26%	84.50%	4.33%
WA	6.09%	3.56%	76.59%	4.92%
WI	4.86%	2.43%	76.10%	3.49%
WV	6.57%	3.37%	82.16%	2.70%
WY	5.73%	1.51%	70.46%	2.68%

Source: CMS Form 672: F78, F115 - F118

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2013

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.97%	0.11%	0.35%	1.98%	1.69%
AK	0.17%	0.00%	0.17%	2.48%	2.31%
AL	6.15%	0.04%	0.28%	1.80%	0.98%
AR	4.56%	0.07%	0.29%	1.34%	0.87%
AZ	6.95%	0.09%	0.19%	3.08%	4.03%
CA	3.51%	0.09%	0.22%	2.89%	2.69%
CO	5.79%	0.09%	0.30%	1.28%	1.70%
CT	2.57%	0.14%	0.35%	1.48%	1.21%
DC	2.02%	0.78%	0.55%	3.27%	1.67%
DE	6.02%	0.07%	0.17%	2.89%	0.93%
FL	6.51%	0.11%	0.21%	1.98%	2.20%
GA	5.78%	0.09%	0.25%	2.60%	1.14%
HI	3.87%	0.13%	0.21%	1.80%	2.42%
IA	6.71%	0.18%	0.37%	1.05%	0.99%
ID	3.81%	0.08%	0.28%	1.84%	2.62%
IL	4.53%	0.09%	0.24%	1.97%	1.56%
IN	4.88%	0.10%	0.44%	1.64%	1.77%
KS	5.33%	0.11%	0.40%	0.98%	0.89%
KY	2.29%	0.06%	0.38%	1.60%	1.43%
LA	5.91%	0.13%	0.41%	2.20%	1.56%
MA	5.41%	0.09%	0.26%	1.35%	0.99%
MD	2.75%	0.10%	0.27%	3.19%	2.29%
ME	6.30%	0.11%	0.33%	1.02%	1.60%
MI	5.29%	0.12%	0.29%	2.02%	1.61%
MN	4.29%	0.06%	0.48%	1.23%	1.59%
MO	7.51%	0.07%	0.26%	1.58%	1.02%
MS	3.69%	0.06%	0.66%	2.44%	0.79%
MT	2.97%	0.06%	0.21%	0.88%	1.52%
NC	4.24%	0.11%	0.42%	2.23%	1.59%
ND	2.76%	0.18%	0.47%	1.30%	0.81%
NE	5.51%	0.06%	0.51%	1.15%	1.47%
NH	4.55%	0.09%	0.32%	0.98%	0.85%
NJ	4.06%	0.17%	0.32%	2.40%	1.75%
NM	5.90%	0.04%	0.18%	1.79%	2.32%
NV	5.25%	0.11%	0.15%	2.03%	5.34%
NY	1.71%	0.10%	0.69%	2.21%	1.37%
OH	6.93%	0.11%	0.46%	2.19%	2.16%
OK	10.32%	0.10%	0.18%	1.35%	0.92%
OR	4.60%	0.05%	0.37%	2.10%	2.86%
PA	5.35%	0.18%	0.37%	1.72%	1.67%
RI	7.79%	0.16%	0.19%	1.17%	1.98%
SC	6.78%	0.03%	0.21%	2.33%	0.92%
SD	2.63%	0.05%	0.60%	1.06%	1.03%
TN	4.54%	0.05%	0.24%	1.57%	1.48%
TX	7.33%	0.07%	0.25%	2.22%	1.61%
UT	7.68%	0.11%	0.24%	1.57%	3.82%
VA	3.70%	0.16%	0.37%	2.12%	1.94%
VT	0.73%	0.22%	0.40%	1.05%	1.56%
WA	2.50%	0.13%	0.49%	1.90%	2.25%
WI	4.86%	0.23%	0.52%	1.59%	1.00%
WV	4.15%	0.07%	0.73%	1.13%	2.70%
WY	0.92%	0.00%	0.04%	0.88%	3.51%

Source: CMS Form 672: F78, F119 - F123

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2013

State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	15.67%	1.25%	3.20%	1.52%	22.07%
AK	16.36%	5.62%	7.60%	3.14%	24.63%
AL	18.58%	0.50%	4.99%	1.13%	22.57%
AR	17.90%	0.29%	4.28%	0.97%	19.12%
AZ	19.80%	2.86%	2.85%	3.00%	27.82%
CA	14.62%	4.01%	4.45%	4.65%	24.86%
CO	30.45%	0.63%	2.14%	0.63%	18.43%
CT	13.90%	0.61%	2.14%	0.72%	18.61%
DC	9.42%	2.38%	2.73%	2.80%	27.96%
DE	16.25%	1.66%	2.80%	1.76%	22.04%
FL	18.31%	0.97%	4.04%	1.30%	24.93%
GA	13.99%	0.73%	3.92%	1.01%	24.06%
HI	7.20%	2.82%	6.29%	4.03%	15.53%
IA	14.75%	0.47%	2.37%	0.60%	16.65%
ID	25.04%	0.78%	3.05%	0.93%	24.66%
IL	13.02%	1.02%	2.75%	1.23%	23.15%
IN	15.88%	0.93%	2.36%	1.02%	22.13%
KS	16.64%	0.39%	1.95%	0.55%	19.31%
KY	21.15%	1.22%	4.53%	2.09%	23.56%
LA	10.70%	0.97%	3.70%	1.12%	21.14%
MA	11.96%	0.67%	1.92%	0.82%	17.40%
MD	14.03%	1.71%	2.63%	1.90%	23.92%
ME	13.45%	0.24%	2.04%	0.46%	16.65%
MI	15.90%	1.13%	2.82%	1.36%	23.35%
MN	13.53%	0.53%	2.01%	0.45%	18.18%
MO	14.95%	0.36%	1.94%	0.52%	20.84%
MS	13.93%	0.69%	6.11%	0.93%	24.16%
MT	20.73%	0.21%	1.90%	0.19%	16.26%
NC	15.40%	0.76%	2.67%	0.90%	24.66%
ND	15.45%	0.40%	1.98%	0.32%	19.68%
NE	16.11%	1.07%	2.70%	1.01%	17.77%
NH	15.25%	0.28%	1.65%	0.31%	16.75%
NJ	14.10%	1.70%	3.98%	1.99%	21.04%
NM	26.30%	0.36%	1.90%	0.63%	20.92%
NV	23.26%	3.46%	5.94%	4.02%	29.84%
NY	13.43%	2.05%	3.97%	2.50%	20.47%
OH	17.33%	1.22%	3.12%	1.27%	25.35%
OK	17.31%	0.78%	2.52%	1.09%	19.95%
OR	12.97%	0.68%	3.38%	0.88%	21.21%
PA	18.28%	1.28%	2.65%	1.40%	22.44%
RI	10.18%	0.41%	1.88%	0.46%	20.28%
SC	12.78%	0.61%	4.68%	0.90%	22.47%
SD	16.49%	0.27%	2.34%	0.25%	17.44%
TN	18.51%	0.79%	2.81%	1.61%	22.12%
TX	13.77%	0.86%	3.09%	1.07%	21.60%
UT	31.38%	1.53%	3.04%	1.55%	23.52%
VA	17.34%	1.09%	3.22%	1.35%	23.33%
VT	14.04%	0.62%	2.51%	0.65%	16.95%
WA	15.74%	1.14%	2.69%	1.38%	23.22%
WI	15.00%	0.63%	2.29%	0.65%	19.39%
WV	18.32%	0.37%	2.70%	0.66%	22.49%
WY	32.01%	0.08%	1.97%	0.17%	18.20%

Source: CMS Form 672: F78, F124 - F128

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2013

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.38%	32.03%	26.65%	8.57%
AK	7.60%	33.22%	14.71%	8.60%
AL	7.50%	34.16%	22.47%	8.95%
AR	4.90%	33.40%	17.18%	7.19%
AZ	4.97%	30.80%	31.17%	6.69%
CA	10.87%	39.07%	24.99%	5.72%
CO	2.13%	26.04%	27.12%	11.25%
CT	2.88%	35.20%	23.97%	8.53%
DC	11.10%	29.79%	26.36%	1.79%
DE	5.38%	33.14%	28.82%	6.83%
FL	6.84%	34.82%	33.72%	8.91%
GA	6.42%	35.18%	22.14%	6.97%
HI	10.29%	46.09%	19.27%	5.32%
IA	1.80%	24.44%	17.45%	15.62%
ID	3.21%	31.35%	32.94%	13.35%
IL	4.40%	26.00%	23.09%	5.44%
IN	3.83%	27.72%	35.53%	9.33%
KS	2.10%	28.25%	20.58%	10.62%
KY	6.41%	36.16%	28.76%	11.62%
LA	6.23%	22.55%	25.48%	2.31%
MA	2.93%	34.18%	25.61%	11.93%
MD	7.25%	30.73%	26.87%	4.78%
ME	1.74%	37.71%	28.89%	16.89%
MI	5.07%	29.31%	29.03%	13.17%
MN	2.08%	22.66%	21.01%	11.58%
MO	3.00%	26.24%	21.43%	7.91%
MS	8.52%	31.28%	26.48%	4.49%
MT	1.73%	25.09%	16.92%	8.26%
NC	5.29%	37.62%	30.44%	10.11%
ND	2.14%	24.88%	13.20%	17.91%
NE	2.99%	24.20%	22.29%	12.50%
NH	1.56%	30.87%	28.70%	12.53%
NJ	6.44%	34.26%	26.24%	4.82%
NM	2.52%	34.82%	25.05%	6.62%
NV	8.95%	31.12%	32.34%	4.16%
NY	6.57%	33.48%	23.99%	7.47%
OH	4.66%	29.05%	31.09%	10.01%
OK	4.12%	29.40%	15.95%	3.87%
OR	3.53%	32.96%	31.42%	9.69%
PA	4.27%	35.53%	32.26%	13.33%
RI	1.86%	28.21%	23.66%	6.31%
SC	6.59%	36.13%	25.69%	7.88%
SD	1.22%	25.41%	16.35%	11.47%
TN	5.45%	38.92%	26.97%	8.13%
TX	6.26%	31.24%	29.02%	4.77%
UT	3.69%	29.45%	30.80%	5.72%
VA	5.68%	34.01%	28.15%	6.86%
VT	1.82%	36.63%	26.74%	13.46%
WA	4.49%	32.33%	32.44%	12.09%
WI	2.48%	27.71%	26.71%	16.77%
WV	3.33%	36.09%	28.96%	9.39%
WY	1.05%	25.98%	20.04%	7.87%

Source: CMS Form 672: F78, F129 - F132

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with CASPER data

Activities of Daily Living (ADL) are activities done during a normal day such as getting in and out of bed, dressing, bathing, eating, and using the bathroom. Patients are considered to be *independent* if they can execute an activity of daily living independent of direct care staff or with only “set up” assistance. Patients needing *assistance* can partially execute the activity of daily living but must have considerable assistance from direct care staff to successfully complete the activity. Patients who are *dependent* for an activity of daily living are not at all capable of executing the activity of daily living.

Advance Directive (Health Care) is a written health care directive prepared by patients in advance of needing to apply its contents which documents how a patient wants medical decisions to be made on their behalf in the event they become disabled and are unable to make their own health related decisions. A health care advance directive may include a Living Will and a Durable Power of Attorney for health care.

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Certified beds refer to those beds certified for use under the Medicare and/or Medicaid programs.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is the joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources.



Multifacility - Multi-nursing home chains have two or more homes under one ownership or operation

Occupancy This measure indicates the percentage of certified beds occupied by patients at the time of the inspection. It is obtained by taking the number of patients occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership - Nursing homes can be run by private for-profit corporations, non-profit corporations or government entities.

Patients in Certified Beds This number tells you how many patients in certified beds were living in the nursing home at the time of the inspection

Primary Payor is an insurance policy, plan, or program that pays first on a claim for medical care. This could be Medicare, Medicaid or other health insurance.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

Restraint is any physical or chemical way to stop a patient from being free to move. These restraints are used to prevent patient injury and are not used for treating medical symptoms.



1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org

LTC Stats:

Nursing Facility Patient Characteristics Report

June 2014 Update

Prepared By

Research Department
American Health Care Association



© American Health Care Association, 2014

LTC Stats: Nursing Facility Patient Characteristics Report

Table of Contents

Table 1: Nursing Facility Patient Overview	3
Table 2: Patients by Payor – Number of Patients	4
Table 3: Patients by Payor – Percentage of Patients	5
Table 4: Activities of Daily Living – Bathing – Percent of Patients and Dependency	6
Table 5: Activities of Daily Living – Dressing – Percent of Patients and Dependency	7
Table 6: Activities of Daily Living – Eating – Percent of Patients and Dependency	8
Table 7: Activities of Daily Living – Toileting – Percent of Patients and Dependency	9
Table 8: Activities of Daily Living – Transferring – Percent of Patients and Dependency	10
Table 9: Medical Condition – Bladder and Bowel Status.....	11
Table 10: Medical Condition – Medications	12
Table 11: Medical Condition – Mobility	13
Table 12: Medical Condition – Mental Status	14
Table 13: Medical Condition – Weight Loss and Communication	15
Table 14: Medical Condition – Advance Directives and Vaccinations	16
Table 15: Medical Condition – Skin Integrity	17
Table 16: Medical Condition – Special Care	18
Glossary of Terms.....	21
Contact Information	23

Source: Center for Medicare & Medicaid Services Certification and Survey Provider Enhanced Reporting (CMS-CASPER) formerly OSCAR data as of June 2014

Table 1: Nursing Facility Patient Overview, June 2014

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,651	1,369,532	87.5	80.0	4.18
AK	18	584	32.4	20.0	3.96
AL	227	22,693	100.0	95.0	4.15
AR	231	17,589	76.1	74.0	3.96
AZ	146	11,425	78.3	74.0	4.18
CA	1,222	102,208	83.6	81.0	4.33
CO	215	16,229	75.5	72.0	4.07
CT	229	24,411	106.6	105.0	3.93
DC	19	2,558	134.6	115.0	4.06
DE	46	4,339	94.3	95.0	4.04
FL	689	72,923	105.8	108.0	4.26
GA	358	33,885	94.7	90.0	4.30
HI	46	3,724	81.0	80.5	4.63
IA	441	24,995	56.7	51.0	3.82
ID	78	3,862	49.5	47.0	4.18
IL	766	73,136	95.5	84.0	3.85
IN	519	38,695	74.6	68.0	4.34
KS	345	18,434	53.4	47.0	3.77
KY	285	22,878	80.3	81.0	4.25
LA	280	25,688	91.7	93.0	4.27
MA	421	41,552	98.7	100.0	4.08
MD	227	24,112	106.2	104.0	4.24
ME	107	6,350	59.3	55.0	4.38
MI	432	39,182	90.7	86.0	4.22
MN	378	26,872	71.1	59.0	3.94
MO	512	37,864	74.0	67.0	3.76
MS	203	16,006	78.8	75.0	4.32
MT	82	4,649	56.7	51.0	3.99
NC	421	37,015	87.9	90.0	4.39
ND	81	5,717	70.6	52.0	3.96
NE	216	12,029	55.7	46.0	4.05
NH	76	6,758	88.9	84.0	3.97
NJ	364	45,497	125.0	112.0	4.10
NM	71	5,577	78.5	81.0	4.37
NV	51	4,738	92.9	91.0	4.23
NY	629	105,012	167.0	146.0	4.32
OH	952	76,560	80.4	78.0	4.25
OK	310	19,182	61.9	57.0	3.74
OR	138	7,409	53.7	49.0	4.18
PA	702	79,671	113.5	104.5	4.25
RI	84	7,953	94.7	92.0	3.96
SC	188	16,768	89.2	85.0	4.48
SD	111	6,380	57.5	49.0	3.93
TN	322	29,654	92.1	89.0	4.45
TX	1,211	93,556	77.3	78.0	4.27
UT	99	5,403	54.6	52.0	4.51
VA	286	28,295	98.9	101.5	4.33
VT	38	2,670	70.3	63.0	4.10
WA	224	17,243	77.0	75.0	4.23
WI	390	27,636	70.9	62.0	4.03
WV	126	9,566	75.9	68.5	4.16
WY	39	2,400	61.5	55.0	3.95

Source: CMS Form 672: F78 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 2: Nursing Facility Patients by Payor - Number of Patients, June 2014

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,369,532	195,910	861,531	312,091
AK	584	47	484	53
AL	22,693	2,963	15,261	4,469
AR	17,589	2,045	11,858	3,686
AZ	11,425	1,890	6,615	2,920
CA	102,208	15,247	68,213	18,748
CO	16,229	1,905	9,920	4,404
CT	24,411	3,218	16,788	4,405
DC	2,558	287	2,055	216
DE	4,339	783	2,593	963
FL	72,923	15,216	42,013	15,694
GA	33,885	4,288	24,035	5,562
HI	3,724	422	2,315	987
IA	24,995	2,047	11,752	11,196
ID	3,862	633	2,470	759
IL	73,136	11,379	44,269	17,488
IN	38,695	6,358	24,333	8,004
KS	18,434	2,092	9,890	6,452
KY	22,878	3,393	15,165	4,320
LA	25,688	3,033	18,797	3,858
MA	41,552	5,318	25,860	10,374
MD	24,112	4,507	14,726	4,879
ME	6,350	943	4,137	1,270
MI	39,182	7,449	23,915	7,818
MN	26,872	2,974	14,172	9,726
MO	37,864	4,105	23,278	10,481
MS	16,006	2,286	12,029	1,691
MT	4,649	539	2,618	1,492
NC	37,015	6,167	24,070	6,778
ND	5,717	487	2,952	2,278
NE	12,029	1,526	6,241	4,262
NH	6,758	933	4,482	1,343
NJ	45,497	8,154	28,087	9,256
NM	5,577	701	3,610	1,266
NV	4,738	871	2,689	1,178
NY	105,012	12,561	73,003	19,448
OH	76,560	9,301	48,254	19,005
OK	19,182	2,305	12,657	4,220
OR	7,409	1,098	4,295	2,016
PA	79,671	8,599	49,569	21,503
RI	7,953	733	5,278	1,942
SC	16,768	3,084	10,274	3,410
SD	6,380	520	3,386	2,474
TN	29,654	5,089	18,501	6,064
TX	93,556	13,520	58,337	21,699
UT	5,403	988	2,822	1,593
VA	28,295	5,360	17,074	5,861
VT	2,670	428	1,717	525
WA	17,243	3,123	10,198	3,922
WI	27,636	3,562	15,887	8,187
WV	9,566	1,154	7,187	1,225
WY	2,400	279	1,400	721

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 3: Nursing Facility Patients by Payor - Percentage of Patients, June 2014

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,369,532	14.3%	62.9%	22.8%
AK	584	8.0%	82.9%	9.1%
AL	22,693	13.1%	67.2%	19.7%
AR	17,589	11.6%	67.4%	21.0%
AZ	11,425	16.5%	57.9%	25.6%
CA	102,208	14.9%	66.7%	18.3%
CO	16,229	11.7%	61.1%	27.1%
CT	24,411	13.2%	68.8%	18.0%
DC	2,558	11.2%	80.3%	8.4%
DE	4,339	18.0%	59.8%	22.2%
FL	72,923	20.9%	57.6%	21.5%
GA	33,885	12.7%	70.9%	16.4%
HI	3,724	11.3%	62.2%	26.5%
IA	24,995	8.2%	47.0%	44.8%
ID	3,862	16.4%	64.0%	19.7%
IL	73,136	15.6%	60.5%	23.9%
IN	38,695	16.4%	62.9%	20.7%
KS	18,434	11.3%	53.7%	35.0%
KY	22,878	14.8%	66.3%	18.9%
LA	25,688	11.8%	73.2%	15.0%
MA	41,552	12.8%	62.2%	25.0%
MD	24,112	18.7%	61.1%	20.2%
ME	6,350	14.9%	65.1%	20.0%
MI	39,182	19.0%	61.0%	20.0%
MN	26,872	11.1%	52.7%	36.2%
MO	37,864	10.8%	61.5%	27.7%
MS	16,006	14.3%	75.2%	10.6%
MT	4,649	11.6%	56.3%	32.1%
NC	37,015	16.7%	65.0%	18.3%
ND	5,717	8.5%	51.6%	39.8%
NE	12,029	12.7%	51.9%	35.4%
NH	6,758	13.8%	66.3%	19.9%
NJ	45,497	17.9%	61.7%	20.3%
NM	5,577	12.6%	64.7%	22.7%
NV	4,738	18.4%	56.8%	24.9%
NY	105,012	12.0%	69.5%	18.5%
OH	76,560	12.1%	63.0%	24.8%
OK	19,182	12.0%	66.0%	22.0%
OR	7,409	14.8%	58.0%	27.2%
PA	79,671	10.8%	62.2%	27.0%
RI	7,953	9.2%	66.4%	24.4%
SC	16,768	18.4%	61.3%	20.3%
SD	6,380	8.2%	53.1%	38.8%
TN	29,654	17.2%	62.4%	20.4%
TX	93,556	14.5%	62.4%	23.2%
UT	5,403	18.3%	52.2%	29.5%
VA	28,295	18.9%	60.3%	20.7%
VT	2,670	16.0%	64.3%	19.7%
WA	17,243	18.1%	59.1%	22.7%
WI	27,636	12.9%	57.5%	29.6%
WV	9,566	12.1%	75.1%	12.8%
WY	2,400	11.6%	58.3%	30.0%

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 4: Activities of Daily Living - Bathing - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	3.69%	63.66%	32.65%	96.31%
AK	3.77%	63.70%	32.53%	96.23%
AL	3.61%	57.64%	38.75%	96.39%
AR	3.58%	65.18%	31.24%	96.42%
AZ	3.69%	67.40%	28.91%	96.31%
CA	3.76%	58.37%	37.87%	96.24%
CO	3.94%	70.63%	25.44%	96.06%
CT	5.28%	60.35%	34.37%	94.72%
DC	7.08%	37.61%	55.32%	92.92%
DE	5.02%	51.44%	43.54%	94.98%
FL	2.89%	64.07%	33.04%	97.11%
GA	2.86%	52.76%	44.37%	97.14%
HI	1.24%	54.65%	44.12%	98.76%
IA	1.04%	81.34%	17.62%	98.96%
ID	1.58%	74.88%	23.54%	98.42%
IL	9.40%	71.02%	19.58%	90.60%
IN	2.47%	66.02%	31.51%	97.53%
KS	5.54%	72.81%	21.65%	94.46%
KY	1.71%	61.79%	36.49%	98.29%
LA	3.53%	64.42%	32.05%	96.47%
MA	4.07%	57.99%	37.94%	95.93%
MD	3.91%	46.54%	49.55%	96.09%
ME	2.39%	60.99%	36.61%	97.61%
MI	1.62%	73.43%	24.96%	98.38%
MN	3.35%	76.67%	19.98%	96.65%
MO	5.98%	71.48%	22.53%	94.02%
MS	2.21%	63.88%	33.92%	97.79%
MT	2.90%	80.06%	17.04%	97.10%
NC	3.48%	48.18%	48.33%	96.52%
ND	2.29%	78.49%	19.22%	97.71%
NE	1.14%	74.44%	24.42%	98.86%
NH	3.70%	71.41%	24.89%	96.30%
NJ	4.62%	60.55%	34.83%	95.38%
NM	1.58%	69.66%	28.76%	98.42%
NV	3.84%	56.21%	39.95%	96.16%
NY	3.47%	63.46%	33.07%	96.53%
OH	3.62%	70.02%	26.36%	96.38%
OK	5.22%	71.27%	23.51%	94.78%
OR	2.58%	73.17%	24.25%	97.42%
PA	3.93%	58.20%	37.88%	96.07%
RI	4.25%	68.44%	27.31%	95.75%
SC	1.14%	52.87%	45.99%	98.86%
SD	1.25%	80.78%	17.96%	98.75%
TN	1.85%	58.49%	39.65%	98.15%
TX	3.17%	61.55%	35.28%	96.83%
UT	2.65%	69.57%	27.78%	97.35%
VA	3.36%	49.80%	46.84%	96.64%
VT	4.64%	62.21%	33.15%	95.36%
WA	2.53%	75.30%	22.17%	97.47%
WI	2.57%	72.00%	25.43%	97.43%
WV	3.58%	47.69%	48.74%	96.42%
WY	2.33%	77.46%	20.21%	97.67%

Source: CMS Form 672: F78 - F81

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 5: Activities of Daily Living - Dressing - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	8.34%	71.63%	20.03%	91.66%
AK	9.59%	73.80%	16.61%	90.41%
AL	7.02%	64.93%	28.05%	92.98%
AR	11.52%	66.39%	22.09%	88.48%
AZ	9.02%	72.11%	18.87%	90.98%
CA	6.64%	68.91%	24.44%	93.36%
CO	11.37%	76.36%	12.26%	88.63%
CT	9.52%	65.09%	25.38%	90.48%
DC	10.99%	47.77%	41.24%	89.01%
DE	9.33%	65.75%	24.91%	90.67%
FL	6.85%	68.57%	24.58%	93.15%
GA	6.64%	66.02%	27.34%	93.36%
HI	1.75%	70.46%	27.79%	98.25%
IA	12.12%	77.28%	10.59%	87.88%
ID	8.26%	79.65%	12.09%	91.74%
IL	15.37%	73.39%	11.24%	84.63%
IN	6.64%	79.81%	13.55%	93.36%
KS	15.68%	72.29%	12.03%	84.32%
KY	5.50%	72.54%	21.96%	94.50%
LA	10.16%	72.19%	17.66%	89.84%
MA	5.70%	63.70%	30.61%	94.30%
MD	6.38%	58.44%	35.18%	93.62%
ME	2.90%	83.24%	13.86%	97.10%
MI	6.06%	79.36%	14.58%	93.94%
MN	10.95%	80.54%	8.51%	89.05%
MO	17.31%	66.89%	15.80%	82.69%
MS	7.72%	76.26%	16.03%	92.28%
MT	12.48%	78.60%	8.93%	87.52%
NC	5.32%	70.64%	24.04%	94.68%
ND	9.53%	84.45%	6.02%	90.47%
NE	11.07%	77.75%	11.18%	88.93%
NH	8.95%	77.82%	13.23%	91.05%
NJ	8.80%	63.37%	27.83%	91.20%
NM	6.26%	78.02%	15.73%	93.74%
NV	8.72%	69.57%	21.72%	91.28%
NY	6.91%	69.40%	23.69%	93.09%
OH	7.25%	78.67%	14.08%	92.75%
OK	16.71%	65.81%	17.48%	83.29%
OR	5.87%	80.39%	13.74%	94.13%
PA	6.58%	73.36%	20.06%	93.42%
RI	8.07%	73.59%	18.33%	91.93%
SC	2.50%	70.19%	27.30%	97.50%
SD	13.07%	80.58%	6.35%	86.93%
TN	3.82%	72.64%	23.54%	96.18%
TX	8.59%	72.20%	19.22%	91.41%
UT	4.31%	81.33%	14.36%	95.69%
VA	6.74%	65.11%	28.14%	93.26%
VT	7.23%	72.92%	19.85%	92.77%
WA	7.17%	79.26%	13.57%	92.83%
WI	8.20%	79.05%	12.76%	91.80%
WV	8.31%	69.95%	21.74%	91.69%
WY	13.08%	78.21%	8.71%	86.92%

Source: CMS Form 672: F78, F82 - F84

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 6: Activities of Daily Living - Eating - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Eating Dependence
US	42.51%	44.62%	12.87%	57.49%
AK	58.22%	28.60%	13.18%	41.78%
AL	47.18%	34.74%	18.08%	52.82%
AR	49.16%	37.75%	13.09%	50.84%
AZ	44.67%	43.83%	11.50%	55.33%
CA	34.71%	46.18%	19.11%	65.29%
CO	45.33%	48.21%	6.46%	54.67%
CT	55.09%	29.86%	15.05%	44.91%
DC	42.34%	36.83%	20.84%	57.66%
DE	51.90%	33.95%	14.15%	48.10%
FL	42.64%	41.71%	15.65%	57.36%
GA	35.63%	47.66%	16.71%	64.37%
HI	27.74%	47.58%	24.68%	72.26%
IA	61.50%	32.51%	5.99%	38.50%
ID	47.38%	44.61%	8.00%	52.62%
IL	46.55%	45.01%	8.44%	53.45%
IN	34.31%	57.17%	8.52%	65.69%
KS	55.57%	37.28%	7.16%	44.43%
KY	45.89%	38.95%	15.16%	54.11%
LA	26.93%	62.74%	10.34%	73.07%
MA	53.57%	33.21%	13.21%	46.43%
MD	43.70%	38.67%	17.63%	56.30%
ME	45.09%	44.54%	10.38%	54.91%
MI	49.77%	40.20%	10.03%	50.23%
MN	57.04%	36.26%	6.70%	42.96%
MO	50.81%	40.70%	8.50%	49.19%
MS	32.89%	52.56%	14.55%	67.11%
MT	46.85%	47.73%	5.42%	53.15%
NC	35.94%	50.39%	13.66%	64.06%
ND	55.62%	38.78%	5.60%	44.38%
NE	48.34%	44.44%	7.22%	51.66%
NH	53.70%	37.91%	8.39%	46.30%
NJ	45.57%	37.53%	16.90%	54.43%
NM	33.28%	58.20%	8.52%	66.72%
NV	41.54%	43.73%	14.73%	58.46%
NY	34.53%	48.67%	16.80%	65.47%
OH	40.64%	49.99%	9.37%	59.36%
OK	52.53%	36.75%	10.71%	47.47%
OR	54.31%	35.65%	10.04%	45.69%
PA	42.46%	45.73%	11.81%	57.54%
RI	56.83%	33.60%	9.57%	43.17%
SC	37.88%	44.64%	17.48%	62.12%
SD	52.85%	41.99%	5.16%	47.15%
TN	34.51%	48.89%	16.59%	65.49%
TX	34.64%	52.45%	12.91%	65.36%
UT	27.80%	63.95%	8.25%	72.20%
VA	35.29%	48.64%	16.07%	64.71%
VT	50.52%	37.19%	12.28%	49.48%
WA	45.65%	43.99%	10.36%	54.35%
WI	55.68%	36.25%	8.07%	44.32%
WV	44.55%	42.91%	12.53%	55.45%
WY	50.38%	44.58%	5.04%	49.63%

Source: CMS Form 672: F78, F91 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 7: Activities of Daily Living - Toileting - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	12.36%	64.22%	23.43%	87.64%
AK	14.04%	57.36%	28.60%	85.96%
AL	12.27%	53.42%	34.31%	87.73%
AR	17.71%	54.86%	27.43%	82.29%
AZ	11.61%	64.60%	23.80%	88.39%
CA	9.97%	59.63%	30.41%	90.03%
CO	14.69%	69.92%	15.39%	85.31%
CT	16.59%	56.87%	26.54%	83.41%
DC	15.68%	40.81%	43.51%	84.32%
DE	13.30%	58.68%	28.02%	86.70%
FL	10.23%	61.48%	28.29%	89.77%
GA	11.19%	54.51%	34.30%	88.81%
HI	3.09%	58.97%	37.94%	96.91%
IA	18.70%	67.91%	13.39%	81.30%
ID	11.16%	70.56%	18.28%	88.84%
IL	20.83%	64.35%	14.82%	79.17%
IN	10.11%	74.72%	15.17%	89.89%
KS	20.61%	64.63%	14.76%	79.39%
KY	9.54%	65.14%	25.32%	90.46%
LA	15.28%	64.45%	20.26%	84.72%
MA	12.69%	60.69%	26.62%	87.31%
MD	9.80%	53.29%	36.90%	90.20%
ME	4.20%	78.49%	17.31%	95.80%
MI	8.85%	72.95%	18.20%	91.15%
MN	15.21%	73.74%	11.04%	84.79%
MO	22.76%	59.11%	18.13%	77.24%
MS	11.55%	66.32%	22.14%	88.45%
MT	16.58%	71.76%	11.66%	83.42%
NC	7.25%	65.73%	27.02%	92.75%
ND	15.17%	77.05%	7.78%	84.83%
NE	14.42%	70.98%	14.61%	85.58%
NH	15.74%	68.07%	16.19%	84.26%
NJ	14.23%	56.00%	29.76%	85.77%
NM	9.86%	71.26%	18.88%	90.14%
NV	10.60%	64.52%	24.88%	89.40%
NY	9.97%	62.49%	27.54%	90.03%
OH	10.41%	71.85%	17.74%	89.59%
OK	23.88%	55.45%	20.68%	76.12%
OR	8.72%	69.56%	21.72%	91.28%
PA	9.68%	68.87%	21.44%	90.32%
RI	14.64%	66.09%	19.28%	85.36%
SC	4.54%	60.32%	35.14%	95.46%
SD	17.99%	74.73%	7.27%	82.01%
TN	6.51%	65.67%	27.82%	93.49%
TX	12.30%	64.09%	23.62%	87.70%
UT	5.92%	79.18%	14.90%	94.08%
VA	9.72%	59.75%	30.53%	90.28%
VT	10.79%	66.67%	22.55%	89.21%
WA	9.91%	71.95%	18.14%	90.09%
WI	13.57%	70.53%	15.90%	86.43%
WV	11.74%	63.85%	24.41%	88.26%
WY	16.42%	69.46%	14.13%	83.58%

Source: CMS Form 672: F78, F88 - F90

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 8: Activities of Daily Living - Transferring - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Transferring Dependent
US	15.09%	64.09%	20.82%	84.91%
AK	18.66%	52.57%	28.77%	81.34%
AL	14.67%	55.22%	30.11%	85.33%
AR	22.34%	55.38%	22.28%	77.66%
AZ	13.50%	64.72%	21.79%	86.50%
CA	11.70%	62.19%	26.12%	88.30%
CO	17.80%	68.71%	13.49%	82.20%
CT	20.57%	56.19%	23.24%	79.43%
DC	17.94%	42.22%	39.84%	82.06%
DE	16.66%	60.01%	23.32%	83.34%
FL	11.80%	63.43%	24.78%	88.20%
GA	13.71%	58.64%	27.66%	86.29%
HI	3.63%	63.80%	32.57%	96.37%
IA	24.78%	62.82%	12.41%	75.22%
ID	13.46%	68.54%	18.00%	86.54%
IL	23.34%	62.78%	13.88%	76.66%
IN	12.53%	72.88%	14.60%	87.47%
KS	25.23%	61.53%	13.24%	74.77%
KY	12.18%	65.33%	22.49%	87.82%
LA	16.76%	66.76%	16.48%	83.24%
MA	15.59%	62.83%	21.58%	84.41%
MD	12.59%	56.03%	31.38%	87.41%
ME	7.18%	76.30%	16.52%	92.82%
MI	11.33%	70.60%	18.07%	88.67%
MN	19.63%	67.10%	13.27%	80.37%
MO	27.38%	56.58%	16.03%	72.62%
MS	13.89%	64.29%	21.82%	86.11%
MT	22.00%	67.61%	10.39%	78.00%
NC	9.11%	66.48%	24.40%	90.89%
ND	21.78%	68.18%	10.04%	78.22%
NE	19.62%	66.38%	14.00%	80.38%
NH	21.26%	63.13%	15.61%	78.74%
NJ	16.45%	58.10%	25.45%	83.55%
NM	12.52%	73.39%	14.09%	87.48%
NV	12.79%	63.66%	23.55%	87.21%
NY	13.07%	62.27%	24.66%	86.93%
OH	12.80%	70.44%	16.76%	87.20%
OK	27.48%	54.20%	18.32%	72.52%
OR	10.81%	69.73%	19.46%	89.19%
PA	12.13%	67.20%	20.67%	87.87%
RI	20.55%	63.17%	16.28%	79.45%
SC	6.25%	65.40%	28.35%	93.75%
SD	22.01%	69.78%	8.21%	77.99%
TN	8.43%	67.88%	23.69%	91.57%
TX	14.53%	65.72%	19.75%	85.47%
UT	8.01%	77.46%	14.53%	91.99%
VA	11.85%	62.11%	26.03%	88.15%
VT	16.59%	60.60%	22.81%	83.41%
WA	12.16%	71.10%	16.74%	87.84%
WI	16.76%	66.16%	17.07%	83.24%
WV	15.38%	62.69%	21.93%	84.62%
WY	22.67%	65.33%	12.00%	77.33%

Source: CMS Form 672: F78, F85 - F87

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 9: Medical Condition - Bladder and Bowel Status, June 2014

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.66%	4.18%	61.87%	45.44%	38.93%
AK	10.62%	6.85%	58.56%	42.64%	58.56%
AL	5.29%	3.65%	66.38%	52.70%	34.91%
AR	5.21%	3.79%	64.13%	48.66%	20.01%
AZ	9.31%	8.17%	57.25%	47.06%	29.31%
CA	6.42%	5.13%	52.87%	45.57%	35.67%
CO	7.47%	5.67%	60.52%	39.08%	35.05%
CT	4.11%	2.99%	59.01%	43.76%	40.43%
DC	2.62%	2.19%	70.37%	60.40%	18.80%
DE	6.71%	3.27%	62.73%	48.79%	52.59%
FL	5.83%	4.82%	59.24%	49.86%	31.71%
GA	4.41%	3.32%	68.46%	57.81%	33.82%
HI	3.87%	2.87%	70.35%	57.81%	30.02%
IA	5.82%	3.78%	65.25%	31.00%	23.45%
ID	8.13%	6.68%	60.18%	36.38%	56.97%
IL	4.91%	3.68%	51.54%	33.16%	39.22%
IN	5.23%	3.85%	65.51%	44.06%	56.97%
KS	5.00%	3.63%	63.38%	35.35%	68.12%
KY	6.63%	4.61%	61.88%	47.57%	37.80%
LA	4.82%	2.67%	63.85%	47.08%	37.23%
MA	5.09%	3.67%	62.54%	47.21%	29.92%
MD	5.25%	3.75%	66.55%	55.03%	60.00%
ME	6.58%	5.10%	71.50%	42.60%	65.32%
MI	5.79%	4.72%	60.77%	42.13%	46.33%
MN	6.01%	4.21%	65.35%	36.92%	55.95%
MO	4.68%	3.54%	58.43%	35.61%	33.73%
MS	4.61%	2.79%	69.44%	53.89%	27.35%
MT	6.88%	4.95%	59.04%	32.95%	51.60%
NC	5.31%	3.83%	67.38%	54.80%	32.32%
ND	6.58%	4.13%	66.26%	33.46%	28.86%
NE	6.98%	4.71%	65.14%	30.82%	50.33%
NH	6.33%	4.47%	62.86%	35.16%	62.49%
NJ	5.25%	4.36%	55.66%	45.57%	26.14%
NM	6.76%	5.25%	63.55%	47.10%	57.76%
NV	7.98%	6.65%	56.46%	50.53%	16.97%
NY	5.03%	3.58%	63.48%	50.46%	25.82%
OH	5.69%	4.14%	58.58%	37.25%	44.99%
OK	5.77%	4.41%	58.04%	40.01%	38.82%
OR	9.61%	7.67%	58.86%	43.53%	39.83%
PA	6.24%	4.41%	65.88%	48.33%	43.96%
RI	4.05%	2.93%	62.24%	40.87%	61.88%
SC	4.40%	2.87%	70.44%	59.83%	29.15%
SD	6.29%	4.22%	68.79%	32.27%	64.44%
TN	6.00%	4.03%	66.71%	51.86%	48.77%
TX	5.52%	3.96%	66.49%	51.85%	33.54%
UT	7.79%	5.81%	62.93%	40.55%	40.33%
VA	5.30%	3.82%	65.63%	52.42%	31.50%
VT	6.82%	5.17%	66.89%	43.15%	58.01%
WA	8.64%	6.56%	61.49%	45.84%	31.74%
WI	6.48%	4.85%	62.81%	35.39%	76.38%
WV	6.16%	4.53%	64.88%	45.82%	65.75%
WY	6.71%	4.46%	63.63%	31.88%	87.67%

Source: CMS Form 672: F78, F94 - F99. *As a percentage of those patients with a catheter at the time of the survey. **Total patients in bladder and/or bowel training.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 10: Medical Condition - Medications, June 2014

State	Psychoactive Medication*	Antibiotics	Pain Management
US	64.32%	9.26%	46.36%
AK	58.56%	7.88%	65.07%
AL	70.85%	9.15%	51.00%
AR	68.09%	9.04%	34.20%
AZ	61.65%	13.86%	51.91%
CA	55.25%	9.18%	38.18%
CO	61.60%	8.60%	58.41%
CT	70.89%	8.02%	36.80%
DC	53.44%	5.36%	34.68%
DE	58.84%	10.30%	49.30%
FL	64.87%	10.70%	39.21%
GA	65.93%	8.15%	44.45%
HI	44.01%	7.81%	43.42%
IA	65.58%	9.41%	62.32%
ID	68.05%	12.38%	61.60%
IL	65.45%	8.52%	40.35%
IN	67.26%	10.10%	49.06%
KS	67.98%	9.63%	58.38%
KY	69.16%	9.67%	43.67%
LA	68.99%	10.85%	37.75%
MA	71.34%	7.28%	44.54%
MD	60.51%	10.01%	43.09%
ME	66.30%	8.54%	59.84%
MI	62.32%	9.17%	56.64%
MN	60.59%	7.91%	66.35%
MO	69.88%	8.74%	44.75%
MS	67.22%	9.70%	43.10%
MT	63.99%	8.86%	59.56%
NC	65.23%	10.93%	45.84%
ND	64.44%	7.84%	66.84%
NE	67.72%	10.27%	61.27%
NH	66.17%	6.78%	59.22%
NJ	56.49%	8.15%	37.67%
NM	62.49%	9.47%	47.01%
NV	59.05%	14.90%	42.91%
NY	57.24%	7.88%	44.28%
OH	66.56%	9.95%	45.49%
OK	70.39%	8.91%	55.33%
OR	63.52%	10.80%	60.47%
PA	65.27%	8.45%	46.54%
RI	68.23%	8.61%	49.97%
SC	64.21%	9.86%	47.87%
SD	64.06%	9.11%	63.32%
TN	72.35%	10.12%	50.54%
TX	67.87%	10.02%	43.91%
UT	67.56%	14.31%	57.75%
VA	64.16%	10.40%	41.95%
VT	63.82%	7.68%	55.43%
WA	62.66%	10.65%	53.78%
WI	63.24%	7.56%	62.45%
WV	62.20%	10.30%	54.54%
WY	62.71%	9.88%	53.42%

Source: CMS Form 672: F78, F133 - F139. *Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 11: Medical Condition - Mobility, June 2014

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.63%	64.39%	39.66%	2.08%	0.54%	23.78%
AK	6.51%	70.55%	37.67%	0.86%	0.68%	51.88%
AL	7.39%	68.48%	25.65%	1.91%	0.53%	34.49%
AR	4.58%	65.53%	32.09%	1.89%	0.32%	17.51%
AZ	6.00%	65.61%	36.25%	0.82%	0.18%	19.49%
CA	5.12%	63.44%	41.52%	3.35%	1.38%	25.49%
CO	2.26%	60.74%	37.00%	1.58%	0.20%	19.52%
CT	1.88%	57.72%	53.07%	1.31%	0.23%	15.59%
DC	6.33%	58.17%	32.29%	5.51%	0.12%	21.11%
DE	3.57%	64.00%	33.26%	1.13%	0.16%	29.57%
FL	3.38%	72.02%	31.47%	1.94%	0.36%	18.00%
GA	5.98%	62.43%	31.67%	1.49%	0.26%	30.92%
HI	6.26%	65.84%	33.75%	3.11%	0.97%	32.87%
IA	1.20%	50.57%	57.98%	2.08%	0.61%	26.22%
ID	4.38%	72.14%	42.59%	2.77%	1.35%	29.47%
IL	1.61%	57.50%	52.66%	1.91%	0.52%	20.83%
IN	2.43%	67.06%	45.66%	1.16%	0.23%	19.03%
KS	2.07%	54.70%	42.68%	0.68%	0.24%	19.22%
KY	5.83%	61.89%	32.81%	2.83%	0.51%	23.36%
LA	4.45%	67.86%	29.29%	3.72%	0.46%	25.16%
MA	2.25%	55.45%	52.86%	1.71%	0.25%	19.36%
MD	5.33%	67.08%	30.69%	1.88%	0.59%	22.53%
ME	3.02%	64.58%	48.71%	0.76%	0.24%	27.84%
MI	2.98%	69.70%	38.24%	2.26%	0.57%	20.47%
MN	1.29%	65.14%	57.52%	1.03%	0.14%	18.42%
MO	1.80%	61.27%	44.21%	2.35%	0.87%	19.80%
MS	6.27%	70.20%	24.28%	4.30%	0.38%	40.17%
MT	1.79%	58.18%	52.38%	2.67%	0.75%	32.89%
NC	5.03%	70.66%	27.73%	1.56%	0.12%	25.70%
ND	1.54%	67.45%	58.35%	0.96%	0.23%	35.74%
NE	0.98%	64.28%	53.30%	1.39%	0.28%	21.27%
NH	3.70%	57.56%	55.82%	0.73%	0.24%	30.08%
NJ	3.82%	66.13%	36.42%	2.64%	0.78%	16.38%
NM	1.42%	71.13%	36.02%	0.88%	0.20%	22.32%
NV	6.35%	68.26%	32.42%	1.86%	0.49%	22.98%
NY	2.21%	64.26%	41.21%	2.68%	0.90%	31.56%
OH	2.98%	63.02%	49.72%	1.67%	0.34%	24.50%
OK	4.78%	60.41%	37.60%	1.19%	0.42%	19.21%
OR	5.21%	63.37%	34.13%	1.03%	0.24%	24.35%
PA	3.74%	61.09%	35.17%	1.46%	0.22%	21.57%
RI	1.36%	57.20%	63.69%	0.43%	0.15%	23.43%
SC	6.20%	72.90%	22.32%	3.24%	0.35%	31.52%
SD	1.38%	62.82%	58.51%	1.30%	0.30%	35.88%
TN	6.18%	68.42%	34.02%	3.50%	0.50%	24.89%
TX	4.36%	69.32%	26.90%	2.58%	0.86%	23.92%
UT	2.98%	62.48%	49.12%	2.42%	0.80%	24.49%
VA	5.50%	67.47%	27.91%	0.89%	0.16%	24.89%
VT	4.31%	62.36%	52.32%	0.30%	0.04%	24.98%
WA	5.28%	66.71%	40.80%	1.48%	0.68%	21.34%
WI	2.33%	66.11%	44.87%	0.92%	0.21%	24.94%
WV	4.53%	66.73%	42.24%	3.66%	0.59%	34.79%
WY	1.46%	61.04%	55.04%	1.96%	0.58%	26.29%

Source: CMS Form 672: F78, F100 - F106. *Percentage of patients that ambulate independently or w/assistive devices. **As a percentage of patients physically restrained.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 12: Medical Condition - Mental Status, June 2014

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	.	42.58%	31.03%	47.35%	23.74%
AK	.	44.86%	21.58%	34.59%	22.77%
AL	.	38.12%	31.71%	54.66%	19.46%
AR	.	39.25%	34.16%	50.35%	21.00%
AZ	.	38.51%	24.18%	37.93%	22.90%
CA	.	29.21%	27.60%	37.55%	20.34%
CO	.	50.35%	22.87%	47.46%	29.50%
CT	.	40.18%	27.23%	50.69%	19.29%
DC	.	24.82%	26.31%	45.39%	20.60%
DE	.	42.08%	25.93%	48.54%	30.38%
FL	.	39.94%	30.08%	45.53%	22.30%
GA	.	51.68%	34.35%	51.26%	28.27%
HI	.	31.71%	8.70%	54.35%	22.72%
IA	.	53.53%	27.21%	49.22%	24.09%
ID	.	52.25%	29.36%	40.63%	30.55%
IL	.	48.27%	33.63%	40.99%	26.76%
IN	.	40.93%	28.51%	50.81%	20.78%
KS	.	50.85%	36.15%	47.81%	28.76%
KY	.	41.65%	34.36%	49.78%	23.90%
LA	.	34.32%	44.06%	39.96%	22.42%
MA	.	42.38%	33.82%	55.07%	30.78%
MD	.	33.93%	24.00%	43.89%	17.04%
ME	.	53.81%	26.13%	56.24%	34.79%
MI	.	40.37%	26.56%	53.46%	22.51%
MN	.	48.33%	29.27%	47.93%	31.93%
MO	.	42.90%	35.08%	43.77%	22.80%
MS	.	34.78%	39.43%	47.18%	22.57%
MT	.	47.99%	24.80%	46.83%	21.53%
NC	.	38.84%	29.53%	45.32%	21.81%
ND	.	56.15%	29.75%	50.41%	27.30%
NE	.	53.97%	32.55%	42.86%	30.48%
NH	.	47.29%	37.82%	57.16%	27.15%
NJ	.	31.74%	23.28%	42.23%	20.10%
NM	.	39.18%	27.72%	46.15%	28.26%
NV	.	36.15%	28.64%	36.01%	15.56%
NY	.	40.39%	24.01%	50.08%	20.06%
OH	.	54.82%	39.18%	47.68%	27.98%
OK	.	46.91%	30.60%	43.04%	22.31%
OR	.	39.26%	21.51%	36.93%	22.59%
PA	.	40.79%	31.15%	47.47%	22.06%
RI	.	44.17%	29.06%	52.38%	20.37%
SC	.	39.02%	29.24%	54.47%	24.65%
SD	.	55.69%	29.17%	47.15%	29.67%
TN	.	44.33%	42.54%	53.91%	25.82%
TX	.	47.01%	38.43%	55.48%	25.54%
UT	.	50.66%	27.60%	34.22%	32.46%
VA	.	40.67%	28.41%	44.90%	21.24%
VT	.	54.83%	33.18%	52.40%	29.81%
WA	.	48.43%	23.21%	41.88%	23.96%
WI	.	47.90%	29.69%	48.48%	24.47%
WV	.	48.63%	38.78%	53.79%	25.34%
WY	.	58.17%	24.46%	50.21%	28.17%

Source: CMS Form 672: F78, F108 - F114

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 13: Medical Condition - Weight Loss and Communication, June 2014

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.87%	3.33%	1.43%
AK	8.73%	4.11%	3.25%
AL	10.81%	0.20%	1.38%
AR	8.67%	0.27%	0.87%
AZ	6.98%	5.78%	2.17%
CA	7.15%	13.55%	4.67%
CO	7.82%	2.27%	1.40%
CT	5.15%	3.81%	0.87%
DC	5.20%	1.56%	0.39%
DE	7.49%	1.31%	1.11%
FL	5.05%	4.68%	0.98%
GA	9.28%	1.15%	1.17%
HI	6.90%	7.25%	3.89%
IA	9.43%	0.36%	1.19%
ID	8.36%	1.55%	1.50%
IL	9.09%	2.95%	2.05%
IN	9.39%	0.41%	0.96%
KS	7.83%	0.81%	0.90%
KY	8.24%	0.35%	0.94%
LA	10.40%	0.62%	1.34%
MA	5.39%	5.11%	1.21%
MD	7.09%	2.30%	0.95%
ME	8.24%	0.36%	0.76%
MI	8.11%	1.06%	1.23%
MN	7.55%	0.92%	0.95%
MO	9.14%	0.50%	0.69%
MS	9.60%	0.25%	1.18%
MT	10.37%	0.26%	0.77%
NC	9.19%	0.48%	0.86%
ND	9.87%	0.10%	1.63%
NE	8.95%	0.48%	1.02%
NH	9.12%	0.90%	0.74%
NJ	5.22%	6.99%	2.47%
NM	7.87%	7.12%	0.59%
NV	8.19%	3.82%	2.32%
NY	5.63%	7.41%	1.31%
OH	8.89%	0.64%	0.76%
OK	10.42%	0.68%	0.94%
OR	9.07%	1.67%	1.36%
PA	9.58%	1.64%	0.94%
RI	6.85%	4.68%	1.08%
SC	10.25%	0.23%	1.14%
SD	10.38%	0.41%	1.13%
TN	8.04%	0.33%	1.07%
TX	6.96%	3.63%	1.06%
UT	8.22%	2.39%	1.18%
VA	8.11%	1.42%	0.78%
VT	6.67%	0.26%	0.60%
WA	7.03%	3.20%	1.30%
WI	8.44%	0.52%	0.77%
WV	11.04%	0.31%	1.33%
WY	9.17%	0.63%	0.79%

Source: CMS Form 672: F78, F140 - F142

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 14: Medical Condition - Advance Directives and Vaccinations, June 2014

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	54.65%	69.45%	65.34%
AK	73.63%	76.37%	80.99%
AL	36.47%	66.26%	59.69%
AR	71.20%	83.68%	78.31%
AZ	70.18%	62.90%	59.64%
CA	47.18%	68.91%	62.93%
CO	80.94%	67.42%	64.80%
CT	68.73%	75.61%	69.96%
DC	40.46%	67.32%	51.06%
DE	48.72%	70.80%	75.80%
FL	57.62%	55.56%	43.63%
GA	42.32%	67.76%	63.82%
HI	66.22%	82.38%	85.15%
IA	63.67%	80.15%	82.63%
ID	63.72%	66.75%	69.01%
IL	52.64%	63.02%	56.31%
IN	54.34%	66.48%	63.54%
KS	71.40%	73.59%	70.45%
KY	54.15%	71.60%	65.58%
LA	32.92%	68.13%	71.18%
MA	71.50%	77.92%	70.74%
MD	53.54%	68.39%	61.33%
ME	59.80%	71.54%	70.52%
MI	74.15%	65.88%	65.00%
MN	58.47%	78.25%	80.57%
MO	52.44%	69.50%	61.81%
MS	33.11%	68.36%	69.60%
MT	74.60%	67.03%	73.39%
NC	44.88%	67.39%	64.71%
ND	58.96%	79.43%	84.38%
NE	69.23%	75.59%	73.96%
NH	84.37%	78.60%	83.83%
NJ	39.20%	70.56%	65.97%
NM	48.32%	59.21%	58.31%
NV	35.84%	52.34%	41.24%
NY	63.81%	78.29%	75.03%
OH	51.35%	63.63%	60.51%
OK	33.85%	70.02%	58.65%
OR	43.92%	65.97%	69.01%
PA	58.09%	74.65%	67.93%
RI	64.76%	71.65%	70.69%
SC	47.67%	70.73%	77.63%
SD	56.69%	80.91%	85.39%
TN	67.87%	68.14%	61.59%
TX	36.68%	62.29%	57.35%
UT	58.95%	60.87%	60.10%
VA	44.58%	71.69%	65.14%
VT	61.76%	70.41%	77.04%
WA	67.12%	67.71%	67.42%
WI	80.65%	83.83%	88.01%
WV	50.03%	65.70%	67.08%
WY	60.67%	74.00%	72.96%

Source: CMS Form 672: F78, F143 - F145

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 15: Medical Condition - Skin Integrity, June 2014

State	Pressure Sores	Pressure Sores at Admission	Preventative Skin Care	Rashes
US	6.31%	3.60%	76.47%	2.88%
AK	9.08%	5.82%	73.46%	4.11%
AL	6.33%	3.75%	82.23%	2.45%
AR	5.86%	2.75%	32.34%	2.73%
AZ	7.95%	4.84%	65.78%	2.87%
CA	6.54%	4.47%	64.05%	3.62%
CO	4.79%	2.53%	81.49%	2.04%
CT	4.85%	2.49%	69.83%	4.03%
DC	6.68%	3.83%	86.00%	1.06%
DE	4.96%	2.63%	82.67%	5.07%
FL	7.21%	4.96%	80.25%	3.49%
GA	6.60%	3.78%	77.04%	2.88%
HI	4.43%	2.52%	72.56%	6.55%
IA	4.13%	1.37%	78.16%	1.88%
ID	5.46%	3.75%	82.88%	3.42%
IL	5.86%	3.36%	75.25%	2.49%
IN	5.92%	2.88%	80.77%	1.72%
KS	4.69%	2.13%	71.89%	3.24%
KY	6.77%	3.16%	78.94%	1.74%
LA	8.18%	3.89%	80.36%	2.34%
MA	4.73%	2.26%	81.44%	2.13%
MD	7.37%	4.70%	83.69%	2.52%
ME	5.40%	2.74%	72.43%	3.32%
MI	6.15%	4.04%	79.90%	2.43%
MN	4.40%	1.95%	73.53%	2.91%
MO	5.01%	2.26%	69.29%	1.77%
MS	7.25%	3.92%	75.35%	2.07%
MT	4.71%	2.06%	86.08%	2.69%
NC	7.91%	4.11%	77.69%	2.32%
ND	4.01%	1.38%	83.68%	3.88%
NE	4.14%	1.90%	81.53%	2.25%
NH	4.39%	2.18%	88.37%	5.37%
NJ	6.97%	4.38%	71.27%	2.54%
NM	6.98%	3.91%	78.38%	2.37%
NV	8.82%	7.07%	71.78%	3.19%
NY	7.34%	4.80%	78.15%	5.11%
OH	5.68%	3.20%	85.21%	2.57%
OK	6.20%	3.08%	60.68%	1.99%
OR	7.25%	4.04%	79.21%	4.56%
PA	6.21%	3.36%	85.51%	2.70%
RI	4.87%	2.39%	85.46%	2.55%
SC	7.47%	4.39%	83.12%	2.53%
SD	4.50%	1.94%	77.60%	2.59%
TN	6.93%	4.15%	81.79%	2.75%
TX	7.25%	3.74%	70.98%	1.70%
UT	6.44%	3.31%	77.03%	3.29%
VA	6.68%	4.01%	79.92%	3.10%
VT	4.01%	1.76%	83.41%	3.33%
WA	6.58%	3.74%	75.98%	5.35%
WI	4.87%	2.49%	80.83%	3.09%
WV	7.16%	4.15%	83.90%	2.47%
WY	3.96%	1.92%	80.38%	1.29%

Source: CMS Form 672: F78, F115 - F118

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2014

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.75%	0.09%	0.37%	2.03%	1.43%
AK	0.17%	0.17%	0.34%	1.88%	1.54%
AL	5.73%	0.04%	0.26%	1.86%	0.69%
AR	4.52%	0.06%	0.21%	1.23%	0.49%
AZ	5.44%	0.08%	0.18%	3.22%	4.53%
CA	3.10%	0.08%	0.22%	2.92%	2.46%
CO	5.58%	0.04%	0.25%	1.32%	1.21%
CT	2.79%	0.11%	0.36%	1.64%	1.16%
DC	3.48%	0.04%	0.35%	3.71%	1.02%
DE	6.98%	0.02%	0.21%	3.13%	1.11%
FL	6.21%	0.12%	0.16%	2.10%	1.90%
GA	5.58%	0.11%	0.32%	2.72%	0.98%
HI	4.99%	0.08%	0.27%	2.09%	2.07%
IA	6.12%	0.06%	0.35%	0.96%	0.62%
ID	3.44%	0.16%	0.41%	2.02%	2.07%
IL	4.53%	0.14%	0.28%	1.98%	1.35%
IN	4.94%	0.12%	0.42%	1.77%	1.45%
KS	5.16%	0.05%	0.35%	1.12%	0.64%
KY	2.24%	0.08%	0.27%	1.61%	1.49%
LA	5.60%	0.09%	0.47%	2.33%	0.74%
MA	5.06%	0.12%	0.32%	1.33%	1.04%
MD	2.88%	0.10%	0.25%	3.48%	1.86%
ME	5.97%	0.05%	0.31%	0.85%	0.88%
MI	4.96%	0.10%	0.33%	2.27%	1.59%
MN	4.48%	0.09%	0.53%	1.15%	0.85%
MO	7.09%	0.06%	0.27%	1.56%	0.73%
MS	3.77%	0.06%	0.59%	2.42%	0.64%
MT	2.58%	0.06%	0.28%	0.84%	0.86%
NC	3.82%	0.12%	0.48%	2.47%	1.23%
ND	2.75%	0.03%	0.45%	1.35%	0.61%
NE	6.07%	0.06%	0.54%	1.19%	0.83%
NH	4.10%	0.04%	0.33%	1.07%	1.04%
NJ	3.58%	0.13%	0.34%	2.45%	1.63%
NM	5.94%	0.02%	0.16%	1.79%	1.45%
NV	4.71%	0.06%	0.32%	2.34%	5.57%
NY	1.65%	0.08%	0.79%	2.16%	1.17%
OH	6.70%	0.09%	0.49%	2.23%	1.79%
OK	10.08%	0.08%	0.16%	1.41%	0.69%
OR	4.39%	0.12%	0.30%	2.15%	2.11%
PA	4.72%	0.13%	0.47%	1.75%	1.59%
RI	5.53%	0.16%	0.35%	1.24%	1.28%
SC	5.82%	0.03%	0.26%	2.27%	0.67%
SD	3.32%	0.03%	0.45%	1.07%	0.91%
TN	4.70%	0.06%	0.23%	1.60%	1.36%
TX	7.39%	0.06%	0.25%	2.39%	1.36%
UT	8.03%	0.13%	0.28%	1.72%	3.39%
VA	3.39%	0.12%	0.37%	2.13%	1.43%
VT	1.20%	0.04%	0.26%	0.94%	1.16%
WA	2.61%	0.13%	0.42%	1.94%	2.00%
WI	4.50%	0.10%	0.42%	1.41%	0.83%
WV	3.89%	0.13%	0.49%	1.51%	2.17%
WY	0.88%	0.17%	0.29%	0.63%	1.21%

Source: CMS Form 672: F78, F119 - F123

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2014

State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	15.21%	1.31%	2.86%	1.55%	21.97%
AK	16.61%	2.05%	6.51%	2.74%	24.83%
AL	17.36%	0.59%	4.03%	1.10%	23.47%
AR	18.32%	0.39%	4.62%	1.17%	17.60%
AZ	20.69%	2.84%	2.80%	2.72%	27.11%
CA	14.40%	4.08%	4.23%	4.69%	24.50%
CO	30.05%	0.63%	2.03%	0.56%	17.17%
CT	12.76%	0.57%	2.06%	0.74%	18.81%
DC	9.66%	2.07%	4.69%	3.24%	27.64%
DE	16.59%	1.52%	2.56%	2.21%	20.26%
FL	17.45%	0.97%	3.68%	1.26%	24.64%
GA	13.89%	0.73%	3.62%	1.10%	23.67%
HI	8.97%	2.87%	5.29%	3.79%	14.85%
IA	14.77%	0.48%	1.88%	0.45%	16.49%
ID	25.25%	1.06%	2.54%	1.24%	24.29%
IL	12.68%	1.03%	2.46%	1.18%	22.99%
IN	15.26%	0.91%	2.14%	1.06%	21.77%
KS	15.57%	0.43%	1.72%	0.54%	18.92%
KY	19.52%	1.38%	4.05%	2.03%	23.42%
LA	10.35%	1.06%	2.77%	1.23%	22.60%
MA	11.53%	0.76%	1.86%	0.84%	17.61%
MD	14.18%	1.92%	2.54%	2.22%	24.66%
ME	13.29%	0.22%	1.73%	0.30%	18.58%
MI	15.41%	1.15%	2.51%	1.31%	23.76%
MN	13.01%	0.74%	2.02%	0.57%	17.15%
MO	14.80%	0.34%	1.91%	0.45%	20.19%
MS	11.91%	0.84%	4.74%	1.01%	24.25%
MT	19.85%	0.26%	1.98%	0.34%	16.48%
NC	15.19%	0.86%	2.45%	0.87%	24.39%
ND	14.80%	0.37%	2.19%	0.28%	20.06%
NE	16.43%	0.89%	2.49%	0.91%	17.85%
NH	14.65%	0.37%	1.66%	0.43%	17.19%
NJ	13.92%	1.71%	3.74%	2.10%	21.14%
NM	28.26%	0.38%	1.90%	0.57%	22.05%
NV	24.21%	3.90%	3.67%	3.78%	30.14%
NY	12.74%	2.13%	3.34%	2.56%	20.57%
OH	16.15%	1.17%	2.56%	1.30%	24.58%
OK	17.04%	0.88%	2.39%	1.29%	19.56%
OR	14.09%	0.67%	2.82%	0.72%	22.68%
PA	17.63%	1.46%	2.46%	1.44%	22.49%
RI	9.83%	0.35%	1.80%	0.39%	19.85%
SC	13.10%	0.60%	3.78%	0.78%	22.76%
SD	16.22%	0.16%	2.18%	0.20%	17.38%
TN	17.90%	1.03%	2.64%	1.46%	22.00%
TX	13.37%	0.91%	2.56%	1.17%	22.42%
UT	28.60%	2.17%	2.70%	2.17%	25.19%
VA	16.80%	1.00%	2.86%	1.40%	22.35%
VT	14.23%	0.67%	2.10%	0.75%	16.63%
WA	15.87%	1.24%	2.52%	1.78%	22.06%
WI	15.75%	0.67%	1.98%	0.68%	18.75%
WV	16.12%	0.40%	2.45%	0.63%	21.35%
WY	28.92%	0.04%	1.79%	0.04%	18.50%

Source: CMS Form 672: F78, F124 - F128

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2014

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.36%	32.78%	28.78%	8.67%
AK	6.34%	31.68%	13.53%	12.67%
AL	7.20%	37.05%	24.54%	8.17%
AR	4.57%	33.32%	19.15%	7.53%
AZ	5.18%	30.36%	33.07%	6.83%
CA	10.78%	40.55%	26.10%	6.05%
CO	2.13%	26.85%	29.52%	10.19%
CT	2.81%	35.30%	26.03%	9.19%
DC	10.79%	30.81%	24.98%	1.99%
DE	7.47%	32.27%	29.75%	7.44%
FL	6.61%	34.89%	34.54%	8.65%
GA	6.45%	36.60%	24.72%	7.70%
HI	9.56%	55.08%	19.60%	8.03%
IA	1.61%	26.01%	21.69%	15.68%
ID	3.06%	31.85%	35.03%	13.23%
IL	4.38%	26.07%	25.77%	5.96%
IN	3.81%	28.26%	37.53%	10.27%
KS	2.10%	26.31%	22.02%	10.69%
KY	6.31%	36.41%	30.03%	12.55%
LA	7.00%	29.19%	32.03%	2.67%
MA	2.81%	34.86%	25.60%	12.11%
MD	7.31%	31.38%	28.67%	4.32%
ME	1.42%	36.54%	26.90%	16.25%
MI	5.30%	28.84%	30.82%	12.28%
MN	2.08%	23.00%	22.21%	11.47%
MO	2.86%	25.67%	22.41%	7.43%
MS	9.12%	36.19%	31.61%	4.43%
MT	1.87%	25.60%	20.46%	9.31%
NC	5.37%	38.04%	33.07%	10.30%
ND	2.03%	23.70%	14.94%	18.10%
NE	2.89%	24.94%	25.43%	13.09%
NH	1.55%	31.90%	31.58%	12.55%
NJ	6.57%	34.19%	28.91%	4.62%
NM	3.12%	38.00%	27.02%	8.84%
NV	9.20%	29.38%	33.09%	4.71%
NY	6.46%	34.07%	25.61%	7.91%
OH	4.41%	28.83%	31.92%	10.18%
OK	4.13%	28.92%	16.33%	3.86%
OR	3.28%	32.35%	33.36%	8.60%
PA	4.17%	35.49%	34.57%	13.26%
RI	2.07%	29.69%	26.53%	5.27%
SC	6.35%	39.40%	28.32%	7.38%
SD	1.18%	24.76%	17.81%	11.18%
TN	5.61%	39.47%	30.38%	8.75%
TX	6.39%	34.34%	34.20%	4.87%
UT	4.22%	29.96%	35.96%	7.57%
VA	5.78%	33.59%	30.28%	7.40%
VT	1.57%	37.12%	28.16%	15.58%
WA	4.27%	31.54%	32.99%	11.36%
WI	2.32%	27.60%	28.78%	15.46%
WV	3.33%	37.43%	29.37%	8.32%
WY	1.00%	26.92%	21.46%	7.58%

Source: CMS Form 672: F78, F129 - F132

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with CASPER data

Activities of Daily Living (ADL) are activities done during a normal day such as getting in and out of bed, dressing, bathing, eating, and using the bathroom. Patients are considered to be *independent* if they can execute an activity of daily living independent of direct care staff or with only “set up” assistance. Patients needing *assistance* can partially execute the activity of daily living but must have considerable assistance from direct care staff to successfully complete the activity. Patients who are *dependent* for an activity of daily living are not at all capable of executing the activity of daily living.

Advance Directive (Health Care) is a written health care directive prepared by patients in advance of needing to apply its contents which documents how a patient wants medical decisions to be made on their behalf in the event they become disabled and are unable to make their own health related decisions. A health care advance directive may include a Living Will and a Durable Power of Attorney for health care.

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Certified beds refer to those beds certified for use under the Medicare and/or Medicaid programs.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is the joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources.



Multifacility - Multi-nursing home chains have two or more homes under one ownership or operation

Occupancy This measure indicates the percentage of certified beds occupied by patients at the time of the inspection. It is obtained by taking the number of patients occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership - Nursing homes can be run by private for-profit corporations, non-profit corporations or government entities.

Patients in Certified Beds This number tells you how many patients in certified beds were living in the nursing home at the time of the inspection

Primary Payor is an insurance policy, plan, or program that pays first on a claim for medical care. This could be Medicare, Medicaid or other health insurance.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.


Restraint is any physical or chemical way to stop a patient from being free to move. These restraints are used to prevent patient injury and are not used for treating medical symptoms.



1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org



MEDICARE CUTS



* 2006 Non-Therapy Ancillary Case Mix Index Refinement; 2006 Elimination of Add-On; 2010 Recalibration of Case Mix Indexes

AHCA®

AMERICAN HEALTH CARE ASSOCIATION

1201 L St. NW Washington, DC 20005

www.ahca.org

GRAND TOTAL: \$53.951 billion

Setting the Record Straight on Skilled Nursing Margins



MedPAC confirmed what our profession already knew: Skilled Nursing operates on razor-thin margins.

- ▶ MedPAC estimated 2012 overall operating margins at 1.8 percent. This number reflects Medicare, Medicaid and private pay, but it does not take into consideration the two percent sequestration cut.
- ▶ Such thin operating margins are not sustainable, particularly for the skilled nursing profession: We are the nation's 10th largest employer and support more than 5.4 million jobs.¹

A series of cuts over the last five years has resulted in little or no margin in the skilled nursing profession.

- ▶ Since 2011, the skilled nursing sector incurred two productivity adjustments, the sequester and sequester extensions, reductions in bad debt reimbursement, and a value-based purchasing cut.
- ▶ In the Ryan-Murray budget agreement, Congress extended the two percent sequestration cut to Medicare through 2022 and 2023.
- ▶ On top of this, providers still have six more years of productivity adjustments that will further erode margins (approx. \$15b in additional cuts).

Further reductions to the profession threaten access to care for millions of Americans.

- ▶ On any given day, 78 percent of individuals receiving care in a skilled nursing care center rely on Medicare or Medicaid to pay for their care.²
- ▶ 3.7 million Americans require our services each year, and that number will continue to grow as Baby Boomers enter retirement age.³

Private entities are reluctant to invest.

- ▶ The Wall Street Journal published an article⁴ revealing that many of the nation's largest health care real estate investment trusts (REITs) are pulling away from nursing facilities amid concerns that steep Medicare and Medicaid cuts will render them unstable.

We want to be ready for reforms and new payment models.

- ▶ The profession knows new payment models are coming. We are embracing these new policies. Yet cuts to market baskets prevent providers from investing in the necessary building blocks that will help us move to these new payment reforms.

¹ American Health Care Association, Economic Impact Report, January 2011.

² American Health Care Association, "2013 AHCA Quality Report," October 2013.


³ American Health Care Association, "2013 AHCA Quality Report," October 2013.

⁴ Pruitt, AD. "Health-Care Owners Shun Nursing Homes," The Wall Street Journal: April 30, 2013.



 facebook.com/careadvocacy

 twitter.com/careadvocacy

 [contact us: 202-898-2816](tel:202-898-2816)

1201 L Street NW Washington, DC 20005
www.ahcancal.org



IMPROVING LIVES by DELIVERING SOLUTIONS for QUALITY CARE