

**REVISED PROPOSED REGULATION OF
THE STATE CONTRACTORS' BOARD**

LCB File No. R209-03

August 12, 2005

EXPLANATION – Matter in *italics* is new; matter in brackets ~~[omitted material]~~ is material to be omitted.

AUTHORITY: §§1 and 2, NRS 624.220.

A REGULATION relating to contractors; revising the provisions governing licensure for the specialty of landscape contracting; and providing other matters properly relating thereto.

Section 1. NAC 624.280 is hereby amended to read as follows:

624.280 ~~[(a)]~~ The Board will grant to qualified applicants a license in the specialty of landscape contracting. The Board designates such a license as a “classification C-10” license. A person who holds a classification C-10 license may:

- ~~[(a)]~~ **1.** Grade and prepare plots of land for architectural horticulture;
- ~~[(b)]~~ **2.** Decoratively treat, arrange, plant and maintain gardens, lawns, shrubs, vines, bushes, trees and other vegetation;
- ~~[(c)]~~ **3.** Construct systems of drainage and landscape irrigation; ~~and~~
- ~~[(d)]~~ **4.** Install rocks, sand and gravel for desert landscaping ~~;~~
- ~~2. The subclassifications of the classification C-10 license and the work authorized for persons licensed in the respective subclassifications are:~~
- ~~(a) LANDSCAPING (subclassification C-10a): All work authorized by a classification C-10 license except the installation of drainage and landscape irrigation systems.~~

~~—(b) LANDSCAPE IRRIGATION (subclassification C-10b): The installation of systems of drainage and landscape irrigation for lawns and shrubs.~~

~~—(c) HYDROSEEDING AND CONTROL OF SOIL EROSION (subclassification C-10c): The implantation of ground cover by spraying mulch, seeds and nutrients under pressure and the use of other methods of controlling soil erosion, including the application of netting.];~~

5. Install nonload-bearing walkways using brick or stone not exceeding 200 square feet in area;

6. Install patio areas using brick or stone not exceeding 400 square feet in area;

7. Install landscape retaining walls to a height not exceeding 3 feet;

8. Install nonengineered decorative landscape ponds;

9. Install landscape lighting not exceeding 24 volts;

10. Install nonengineered prefabricated trellises and arbors; and

11. Hydroseed and control soil erosion by spraying mulch, seeds and nutrients under pressure and the use of other methods of controlling soil erosion, including, without limitation, the application of netting.

Sec. 2. On the effective date of this regulation:

1. A person who holds a subclassification C-10a license that was issued pursuant to the former provisions of paragraph (a) of subsection 2 of NAC 624.280 shall be deemed to hold a classification C-10 license issued pursuant to the provisions of NAC 624.280 as amended by the provisions of this regulation.

2. A person who holds a subclassification C-10b license that was issued pursuant to the former provisions of paragraph (b) of subsection 2 of NAC 624.280 shall be deemed to hold a

classification C-10 license issued pursuant to the provisions of NAC 624.280 as amended by the provisions of this regulation.

3. A person who holds a subclassification C-10c license that was issued pursuant to the former provisions of paragraph (c) of subsection 2 of NAC 624.280 shall be deemed to hold a classification C-10 license issued pursuant to the provisions of NAC 624.280 as amended by the provisions of this regulation.