

PROPOSED REGULATION OF THE STATE
ENVIRONMENTAL COMMISSION

LCB File No. R096-05

August 31, 2005

EXPLANATION – Matter in *italics* is new; matter in brackets ~~[omitted material]~~ is material to be omitted.

AUTHORITY: §§1-17 and 24, NRS 445B.210; §§18-23, NRS 445B.210 and 445B.300.

A REGULATION relating to air quality; revising provisions governing allowable emissions of regulated air pollutants; revising provisions governing the construction or modification of a stationary source or affected facility; revising provisions governing operating permits; revising provisions governing environmental evaluations; and providing other matters properly relating thereto.

Section 1. Chapter 445B of NAC is hereby amended by adding thereto the provisions set forth as sections 2 to 5, inclusive, of this regulation.

Sec. 2. *“Dispersion technique” has the meaning ascribed to it in 40 C.F.R. § 51.100(hh).*

Sec. 3. *“Excessive concentration” has the meaning ascribed to it in 40 C.F.R. § 51.100(kk).*

Sec. 4. *“Good engineering practice stack height” has the meaning ascribed to it in 40 C.F.R. § 51.100(ii).*

Sec. 5. *“Nearby” has the meaning ascribed to it in 40 C.F.R. § 51.100(jj).*

Sec. 6. NAC 445B.001 is hereby amended to read as follows:

445B.001 As used in NAC 445B.001 to 445B.3497, inclusive, *and sections 2 to 5, inclusive, of this regulation*, unless the context otherwise requires, the words and terms defined in NAC 445B.002 to 445B.211, inclusive, *and sections 2 to 5, inclusive, of this regulation*, have the meanings ascribed to them in those sections.

Sec. 7. NAC 445B.013 is hereby amended to read as follows:

445B.013 “Allowable emissions” means the emissions from a stationary source at its designed maximum capacity or at its actual maximum capacity, whichever is greater, except as reduced by any federally enforceable limitations on its emissions which are established:

1. By Nevada laws or regulations;
2. By any applicable requirement; or
3. By conditions of the stationary source’s operating permit, imposed on the emission rate, the type or amount of materials combusted or processed, the operating rates, the hours of operation, or any other factor limiting production or emission, whichever is most stringent.

~~[→ For Class II sources that are not subject to federal requirements, emission limitations need not be federally enforceable.]~~

Sec. 8. NAC 445B.044 is hereby amended to read as follows:

445B.044 “Construction” means *any physical change or change in the method of operation of an emission unit, including, without limitation, the fabrication*, erection, ~~[or]~~ installation *or modification* of an emission unit.

Sec. 9. NAC 445B.063 is hereby amended to read as follows:

445B.063 “Excess emissions” means any emission which exceeds any applicable emission limitation prescribed by NAC 445B.001 to 445B.3497, inclusive, *and sections 2 to 5, inclusive, of this regulation*, or that is contained in an operating permit. The averaging time and test procedures for determining excess emissions must be as specified in the relevant condition or conditions of the operating permit ~~[]~~, *except that this does not preclude the use, including the exclusive use, of any credible evidence or information relevant to the determination of whether a source would have been in compliance with the applicable requirements if the appropriate*

performance or compliance test or procedure had been performed to determine excess emissions.

Sec. 10. NAC 445B.153 is hereby amended to read as follows:

445B.153 “Regulated air pollutant” means:

1. Nitrogen oxides or any volatile organic compounds;
2. Any pollutant subject to:
 - (a) A national ambient air quality standard ~~[.]~~ *and any constituents or precursors for such pollutants identified by the Administrator;*
 - (b) A standard or requirement adopted pursuant to 42 U.S.C. § 7411 ; or ~~[7412; or]~~
 - (c) A standard established pursuant to NAC 445B.22097; ~~[or]~~
3. Any Class I or Class II substance subject to a standard adopted pursuant to 42 U.S.C. §§ 7671 to 7671q, inclusive ~~[.]~~ ; *or*
4. *Any pollutant that otherwise is subject to regulation under the Act, except that any hazardous air pollutant regulated under 42 U.S.C. § 7412 is not a regulated air pollutant unless the hazardous air pollutant is also regulated as a constituent or precursor of an air pollutant listed pursuant to 42 U.S.C. § 7408.*

Sec. 11. NAC 445B.22057 is hereby amended to read as follows:

445B.22057 The allowable emission of sulfur from fossil fuel-fired power generating units Number 1, 2 and 3 of Nevada Power Company’s Reid Gardner Station, located in Air Quality Control Region 13, Basin 218, California Wash, must not be greater than 0.275 pounds per million Btu’s ~~[(0.504)]~~ *(0.495)* kilograms per million kg-cal).

Sec. 12. NAC 445B.2206 is hereby amended to read as follows:

445B.2206 The allowable emission of sulfur from fossil fuel-fired power generating unit Number 4 of Nevada Power Company's Reid Gardner Station, located in Air Quality Control Region 13, Basin 218, California Wash, must not be greater than 0.145 ~~[Hb/10-Btu (0.09)]~~ *pounds per million Btu's (0.261* kg/10 kg-cal). The efficiency of the capture of sulfur must be maintained at a minimum of 85 percent, based on a 30-day rolling average.

Sec. 13. NAC 445B.22063 is hereby amended to read as follows:

445B.22063 The allowable emission of sulfur from fossil fuel-fired power generating unit Number 2 Sierra Pacific Power Company's North Valmy Station, located in Air Quality Control Region 147, Basin 64, Clovers Area, must not be greater than 0.3 ~~[Hb/106-Btu (0.135 kg/106)]~~ *pounds per million Btu's (0.540 kilograms per million* kg-cal). The efficiency of the capture of sulfur must be maintained at a minimum of 70 percent, based on a 30-day rolling average.

Sec. 14. NAC 445B.22083 is hereby amended to read as follows:

445B.22083 1. Except as otherwise provided in subsections 2 and 3, a person shall not make a major modification to an existing plant or construct a new plant to generate electricity using steam produced by the burning of fossil fuels within:

- (a) The Las Vegas Valley, Hydrographic Area 212;
- (b) The El Dorado Valley, Hydrographic Area 167;
- (c) The Ivanpah Valley, Hydrographic Areas 164 a and 164 b; or
- (d) The city limits of Boulder City.

2. Fossil fuel-fired power generating units Numbers 1, 2 and 3 at Clark Station and fossil fuel-fired power generating unit Number 1 at Sunrise Station may be relocated to the Ivanpah Valley and ~~[retain their operating permits if the emission units that are relocated use the best~~

~~available control technology.]~~ *must comply with the provisions of NAC 445B.001 to 445B.3497, inclusive, and sections 2 to 5, inclusive, of this regulation.*

3. If an emission unit is relocated to Ivanpah Valley:

(a) The previously used emission unit must be deactivated and removed from the previous site when the relocated unit begins operation.

(b) Any credit for reduced emission is not available as an offset credit.

4. As used in this section, “major modification” has the meaning ascribed to it in 40 C.F.R. § 51.165, as ~~incorporated]~~ *adopted* by reference in NAC 445B.221.

Sec. 15. NAC 445B.22093 is hereby amended to read as follows:

445B.22093 1. Solvents or other volatile compounds such as paints, acids, alkalies, pesticides, fertilizers and manure must be processed, stored, used and transported in such a manner and by such means as to minimize the tendency to evaporate, leak, escape or be otherwise discharged into the ambient air causing or contributing to air pollution. If methods of control are available and feasible effectively to reduce the contribution to air pollution from evaporation, leakage or discharge, as determined by the Director, the installation and use of such methods, devices or equipment for control is mandatory.

2. No person may place, store or hold in any new reservoir, stationary tank or other container with a capacity equal to or greater than 40,000 gallons (150 kiloliters) any gasoline, petroleum distillate, or volatile organic compound having a vapor pressure of 1.5 lb/square inch absolute (1,055 kg/square meter) or greater under actual storage conditions unless the tank, reservoir or other container is a pressure tank maintaining working pressure sufficient at all times to prevent loss of vapor or gas to the atmosphere or is equipped with one of the following devices properly installed, in good working order, and in operation:

(a) A floating roof which consists of a pontoon type or double-deck roof which rests on the surface of the liquid contents and is equipped with a seal to close the space between the roof eave and tank wall or a vapor balloon or a vapor dome designed in accordance with accepted standards of the petroleum industry. This control equipment is not permitted if the gasoline or petroleum distillate has a vapor pressure of 11 lb/square inch absolute (7,734 kg/square meter) or greater under actual conditions. All gauging and sampling devices for tanks must be gastight except when gauging or sampling is taking place.

(b) Other equipment proven to be of equal efficiency for preventing discharge of gases and vapors to the atmosphere.

3. Any tank for the storage of any other petroleum or volatile organic compound which is constructed or extensively remodeled on or after November 7, 1975, must be equipped with a submerged fill pipe ~~for the equivalent, as approved by the Director,~~ for the control of emissions.

4. All facilities for dock loading of products consisting of petroleum or other volatile organic compounds having a vapor pressure of 1.5 lb/square inch absolute (1,055 kg/square meter) or greater at loading pressure must have facilities for submerged filling by a submerged fill pipe ~~for an acceptable equivalent,~~ for the control of emissions.

Sec. 16. NAC 445B.235 is hereby amended to read as follows:

445B.235 1. When requested to do so by an owner or operator, the Director will make a determination of whether action taken or intended to be taken by the owner or operator constitutes construction, including reconstruction, or modification or the commencement thereof within the meaning of NAC 445B.236.

2. The Director will respond to any request for a determination under subsection 1 within ~~[30]~~ 60 days after receipt of the request.

Sec. 17. NAC 445B.236 is hereby amended to read as follows:

445B.236 1. When requested to do so by an owner or operator, the Director will review plans for construction or modification to provide technical advice to the owner or operator. A separate request must be submitted for each construction or modification project. Each request must identify the location of such projects and be accompanied by technical information describing the proposed nature, size, design and method of operation of each affected facility involved in the project, including information on any equipment to be used for measurement or control of emissions.

2. *The Director shall respond to any request for review of plans under subsection 1 within 60 days after receipt of the request.*

3. Neither a request for a review of plans nor advice furnished by the Director in response to such request:

(a) Relieves an owner or operator of legal responsibility for compliance with any provision of *this section or* NAC 445B.235 , ~~for this section,~~ or of any applicable state or local requirement;

or

(b) Prevents the Director from carrying out or enforcing any provision of *this section or* NAC 445B.235 , ~~for this section,~~ or taking any other action authorized by the Act.

Sec. 18. NAC 445B.250 is hereby amended to read as follows:

445B.250 Any owner or operator subject to the provisions of NAC ~~445B.235 to 445B.250,~~ *445B.001 to 445B.3497*, inclusive, *and sections 2 to 5, inclusive, of this regulation*, shall furnish the Director written notification of:

1. The date that construction ~~[.]~~ or reconstruction ~~[as defined under NAC 445B.247,]~~ of an affected facility is commenced, postmarked no later than 30 days after such date. This

requirement does not apply in the case of mass-produced facilities which are purchased in completed form.

2. The anticipated date of initial start-up of an affected facility, postmarked not more than 60 days ~~nor~~ *and not* less than 30 days before such date.

3. The actual date of initial start-up of an affected facility, postmarked within 15 days after such date.

4. ~~[Any physical or operational change to an existing facility which may increase the emission rate of any regulated air pollutant to which a standard applies, unless that change is specifically exempted under an applicable section or in NAC 445B.239 or 445B.242 and the exemption is not denied under those sections. The notice must be postmarked 60 days or as soon as practicable before the change is commenced and must include information describing the precise nature of the change, present and proposed emission control systems, productive capacity of the facility before and after the change, and the expected completion date of the change. The Director may request additional relevant information subsequent to this notice.~~

~~—5.]~~ The date upon which demonstration of the continuous monitoring system performance commences in accordance with NAC 445B.256 to 445B.267, inclusive. Notification must be postmarked not less than 30 days before such date.

Sec. 19. NAC 445B.308 is hereby amended to read as follows:

445B.308 1. ~~[Before]~~ *In any area designated as attainment or unclassifiable for a regulated air pollutant, before* an operating permit or a revision of an operating permit may be issued:

- (a) For a new or modified stationary source;
- (b) For a pollution control project;

(c) For a plantwide applicability limitation; or

(d) To allow a plantwide applicability limitation to expire and not be renewed,

↪ in accordance with NAC 445B.308 to 445B.314, inclusive, the applicant must submit to the Director an environmental evaluation and any other information the Director determines is necessary to make an independent air quality impact assessment.

2. The Director shall not issue an operating permit or a revision of an operating permit for any stationary source if the environmental evaluation submitted by the applicant shows, or if the Director determines, in accordance with the provisions of this section, that the stationary source:

(a) Will prevent the attainment and maintenance of the state or national ambient air quality standards. For the purposes of this paragraph, only those ambient air quality standards that have been established in NAC 445B.22097 need to be considered in the environmental evaluation.

(b) Will cause a violation of the applicable control strategy contained in the approved air quality plan.

(c) Will cause a violation of any applicable requirement.

(d) Will not comply with subsection ~~3.1~~ 4.

3. *The Director shall not issue an operating permit or a revision of an operating permit for any stationary source if the Director determines that the degree of emission limitation required for control of an air pollutant under this section is affected by that amount of the stack height of any source as exceeds good engineering practice stack height, or any other dispersion technique.*

4. Except as otherwise provided in subsection ~~4.1~~ 5, to be issued an operating permit or a revision of an operating permit, the owner or operator of a major stationary source or major modification, as those terms are defined in 40 C.F.R. § 51.165, who proposes to construct in an

area designated nonattainment for the regulated air pollutant or pollutants for which the stationary source or modification is major must:

(a) Comply with the provisions of 40 C.F.R. § 51.165, as ~~incorporated~~ *adopted* by reference in NAC 445B.221.

(b) Adopt as an emission limitation for the stationary source the lowest achievable emission rate for each nonattainment regulated air pollutant from the stationary source.

(c) Demonstrate that all other stationary sources within this State which are owned, operated or controlled by the applicant are in compliance or on a schedule of compliance with NAC 445B.001 to 445B.3497, inclusive, *and sections 2 to 5, inclusive, of this regulation*, and all other applicable requirements and conditions of the permit.

(d) Conduct an analysis of any anticipated impact on visibility in any federal Class I area which may be caused by emissions from the stationary source.

(e) Conduct an analysis of alternative sites, sizes, processes of production and techniques for environmental control for the proposed stationary source. Except as otherwise provided in this paragraph, the analysis must demonstrate that the benefits of the proposed stationary source significantly outweigh the detrimental environmental and social effects that will result from its location, construction or modification. If the major stationary source or major modification proposes to locate in an area designated as marginal nonattainment for ozone, the analysis must demonstrate an offset ratio of 1.2 to 1 for volatile organic compounds and nitrogen oxides. For the purposes of this paragraph, a stationary source which is major for volatile organic compounds or nitrogen oxides shall be deemed major for ozone if the proposed location of the major stationary source or major modification is in an area designated as nonattainment for ozone.

(f) Comply with one of the following:

(1) Sufficient offsets in emissions must be obtained by the time the proposed stationary source begins operation to ensure that the total allowable emissions of each nonattainment regulated air pollutant from the existing stationary sources in the area, those stationary sources in the area which have received their respective permits and the proposed stationary source will be sufficiently less than the total emissions from the existing stationary sources and those stationary sources in the area which have received their respective permits before the proposed stationary source applies for its operating permit or a revision of an operating permit, in order to achieve reasonable further progress; or

(2) If the major stationary source or major modification is located in a zone identified by the Administrator as one to be targeted for economic development, the owner or operator must demonstrate that the emission from the stationary source will not cause or contribute to emissions levels which exceed the allowance permitted for a regulated air pollutant for the nonattainment area.

↪ For the purposes of this paragraph, offsets must comply with the provisions of Appendix S of 40 C.F.R. Part 51, as ~~incorporated~~ *adopted* by reference in NAC 445B.221, and be coordinated with the appropriate local agency for the control of air pollution.

~~[4.]~~ 5. To be issued an operating permit or a revision of an operating permit, the owner or operator of a major stationary source or major modification, as those terms are defined in 40 C.F.R. § 51.165, *as adopted by reference in NAC 445B.221*, who proposes to construct in an area designated as basic nonattainment for ozone must:

(a) Comply with the provisions of 40 C.F.R. § 51.165, as ~~incorporated~~ *adopted* by reference in NAC 445B.221.

(b) Adopt as an emission limitation for the stationary source the best available control technology for volatile organic compounds and nitrogen oxides from the stationary source.

(c) Demonstrate that all other stationary sources within this State that are owned, operated or controlled by the applicant are in compliance or on a schedule of compliance with NAC 445B.001 to 445B.3497, inclusive, *and sections 2 to 5, inclusive, of this regulation*, and all other applicable requirements and conditions of the permit.

(d) Demonstrate an offset ratio of 1 to 1 for volatile organic compounds and nitrogen oxides. For the purposes of this paragraph, a stationary source that is major for volatile organic compounds or nitrogen oxides shall be deemed major for ozone if the proposed location of the major stationary source or major modification is located in an area designated as basic nonattainment for ozone.

(e) Comply with one of the following:

(1) Sufficient offsets in emissions must be obtained by the time the proposed stationary source begins operation to ensure that the total allowable emissions of each nonattainment regulated air pollutant from the existing stationary sources in the area, those stationary sources in the area that have received their respective permits and the proposed stationary source will be sufficiently less than the total emissions from the existing stationary sources and those stationary sources in the area that received their respective permits before the proposed stationary source applies for its operating permit or a revision of an operating permit, in order to achieve reasonable further progress; or

(2) If the major stationary source or major modification is located in a zone identified by the Administrator as one to be targeted for economic development, the owner or operator must demonstrate that the emissions from the stationary source will not cause or contribute to

emissions levels which exceed the allowance permitted for a regulated air pollutant for the nonattainment area.

↪ For the purposes of this paragraph, offsets must comply with the provisions of Appendix S of 40 C.F.R. Part 51, as ~~incorporated~~ *adopted* by reference in NAC 445B.221, and be coordinated with the appropriate local agency for the control of air pollution.

~~5.1~~ *6.* To be issued an operating permit or a revision of an operating permit, the owner or operator of a major stationary source or major modification who proposes to construct in any area designated as attainment or unclassifiable under 42 U.S.C. § 7407(d) must comply with the provisions of 40 C.F.R. § 52.21, as ~~incorporated~~ *adopted* by reference in NAC 445B.221.

~~6.1~~ *7.* The Director may impose any reasonable conditions on his approval, including conditions requiring the owner or operator of the stationary source to:

(a) Conduct monitoring of the quality of the ambient air at the facility site for a reasonable period before the commencement of construction or modification and for any specified period after operation has begun at the stationary source; and

(b) Meet standards for emissions that are more stringent than those found in NAC 445B.001 to 445B.3497, inclusive ~~7.~~

~~7.1~~, *and sections 2 to 5, inclusive, of this regulation.*

8. Where a proposed stationary source located on contiguous property is constructed or modified in phases which individually are not subject to review as provided in NAC 445B.308 to 445B.314, inclusive, all phases occurring since November 7, 1975, must be added together for determining the applicability of those sections.

~~[8.]~~ **9.** Approval and issuance of an operating permit or a revision of an operating permit for any stationary source does not affect the responsibilities of the owner or owners to comply with any other portion of the control strategy.

~~[9.—An owner or operator of a Class II source may request an exemption from the requirement to submit an environmental evaluation. Within 30 days after receipt of a written request for an exemption, the Director shall grant or deny the request and notify the owner or operator in writing of his determination.]~~

10. As used in this section:

(a) “Lowest achievable emission rate” has the meaning ascribed to it in 40 C.F.R. § 51.165, as ~~[incorporated]~~ **adopted** by reference in NAC 445B.221.

(b) “Offset ratio” means the percentage by which a reduction in an emission must exceed the corresponding increase in that emission.

(c) “Reasonable further progress” means the annual incremental reductions in emissions of the relevant regulated air pollutant that are required by 42 U.S.C. §§ 7501 to 7515, inclusive, or are required by the Administrator to ensure attainment of the applicable standard for national ambient air quality by the applicable date.

Sec. 20. NAC 445B.310 is hereby amended to read as follows:

445B.310 **1.** An applicant for an operating permit, a revision to an operating permit or a request for a change of location, which is not subject to the provisions of 40 C.F.R. § 52.21, as adopted by reference in NAC 445B.221, must submit with the application an environmental evaluation for:

~~[1.]~~ **(a)** A new stationary source which emits, or has the potential to emit, greater than 25 tons of a regulated air pollutant per year;

~~{2.}~~ (b) A modification to an existing stationary source that meets the following criteria:

~~{(a)}~~ (1) The existing stationary source has the potential to emit greater than 25 tons of a regulated air pollutant per year; and

~~{(b)}~~ (2) The proposed modification has the potential to emit greater than 10 tons of a regulated air pollutant per year;

~~{3.}~~ (c) The approval of a pollution control project, the approval of a plantwide applicability limitation or the approval to allow a plantwide applicability limitation to expire and not be renewed; or

~~{4.}~~ (d) Upon written notice from the Director, any other source or combination of sources.

2. An owner or operator of a Class II source may request an exemption from the requirement to submit an environmental evaluation with the application. Within 30 days after receipt of a written request for an exemption, the Director shall grant or deny the request and notify the owner or operator in writing of his determination. If such an exemption is granted, the Director shall perform the environmental evaluation.

Sec. 21. NAC 445B.311 is hereby amended to read as follows:

445B.311 *Except as otherwise provided in paragraph (c) of subsection 4:*

1. An environmental evaluation which is required for a new or modified stationary source pursuant to NAC 445B.308 to 445B.314, inclusive, or as required by the Director must contain a careful and detailed assessment of the environmental aspects of the proposed stationary source and must also contain:

(a) The name and address of the applicant;

(b) The name, address and location of the stationary source;

(c) A description of the proposed stationary source, including the normal hours of operation of the facility and the general types of activities to be performed;

(d) A map showing the location of the stationary source and the topography of the area, including existing principal streets, roads and highways within 3 miles of the stationary source;

(e) A site plan showing the location and height of buildings on the site; ~~and~~

(f) Any additional information or documentation which the Director deems necessary to determine the effect of the stationary source on the quality of the ambient air, including measured data on the quality of the ambient air *and meteorological conditions* at the proposed site before construction or modification ~~{} ; and~~

(g) A dispersion analysis of each regulated air pollutant.

2. Where approval is sought for stationary sources to be constructed in phases, the information required by subsection 1 must be submitted for each phase of the construction project.

3. An environmental evaluation must also ~~contain adequate environmental safeguards to be put into operation by the applicant to provide for the maintenance of acceptable air quality and must consider:~~

~~—(a) Concentrations in the ambient air before, during and after construction, empirically calculated with recognized methods as approved by the Director. Existing concentrations in the ambient air may be measured with approved methods at approved site locations for not less than 1 year. Estimates must be empirically determined for concentrations in the ambient air immediately adjacent to the facility and at the predicted point of maximum concentration within the surrounding region.~~

~~—(b) Alternate proposals which could be put into effect as conditions of approval.~~

~~—(c) In the narrative portion of the evaluation, other probable environmental effects before, during and after construction.~~

~~4. Diffusion models]~~ *consider good engineering practice stack height. If the Director considers an analysis of a source based on a good engineering practice stack height that exceeds the height specified in 40 C.F.R. § 51.100(ii)(1) or (2), the Director shall:*

(a) Notify the public of the availability of the demonstration study performed pursuant to 40 C.F.R. § 51.100(ii)(3); and

(b) Provide an opportunity for a public hearing on the demonstration study in accordance with the requirements for a Class I operating permit set forth in subsections 7, 9 and 10 of NAC 445B.3395.

4. A dispersion analysis used to determine the location and estimated value of *the* highest concentration of *each* regulated air ~~[pollutants must contain:]~~ *pollutant must include:*

(a) A dispersion model based on the applicable models, bases and other requirements specified in the “Guideline on Air Quality Models,” which is Appendix W of 40 C.F.R. Part 51, as adopted by reference in NAC 445B.221, except that the Director may authorize the modification of a model specified in the “Guideline on Air Quality Models” or the use of a model not included in the “Guideline on Air Quality Models” if the Director determines that the modification or use is appropriate;

(b) A narrative report describing:

(1) Assumptions and premises ~~1;~~

~~—(b) Evaluation at the most adverse meteorological conditions recorded in the last 10 years;~~

~~—(c) Evaluation at the most adverse meteorological conditions recorded in the last year;~~

~~—(d) A description of the geographic area considered in the evaluation;~~

- ~~—(e) Dispersion equations;~~
- ~~—(f) The predicted buildup of regulated air pollutants;~~
- ~~—(g) Location, type and amount of emissions; and~~
- ~~—(h) Meteorological information.]~~ *used in the analysis, including, without limitation:*

- (I) Model options chosen;*
- (II) Urban versus rural selection;*
- (III) Background concentrations;*
- (IV) Characterization of emission sources as point, area or volume;*
- (V) Emission discharge points; and*
- (VI) Rate of emission from each emission unit; and*

(2) The geographic area considered in the analysis, including, without limitation, information concerning:

- (I) The nearest significant terrain features;*
- (II) The receptor grid or grids; and*
- (III) Restrictions on public access to the stationary source; and*

(c) Valid meteorological information pursuant to the provisions of Appendix W of 40

C.F.R. Part 51, as adopted by reference in NAC 445B.221, which:

(1) For sources that are not subject to the permitting requirements of 40 C.F.R. § 52.21, as adopted by reference in NAC 445B.221:

(I) Is site specific, if the information exists pursuant to subsection 1 of this section or subsection 7 of NAC 445B.308, and which covers a period of not less than 1 year;

(II) Has been obtained from an off-site location representative of the proposed site and which covers a period of not less than 1 year;

(III) Represents the worst-case meteorological conditions, as approved by the Director for synthetic data; or

(IV) Has been obtained over the last 5 years at the nearest National Weather Service site; or

(2) For sources that are subject to the permitting requirements of 40 C.F.R. § 52.21, as adopted by reference in NAC 445B.221, is representative of the source site location and source emissions and which covers a period of not less than 1 year.

Sec. 22. NAC 445B.342 is hereby amended to read as follows:

445B.342 1. The owner or operator of a stationary source operating in compliance with an operating permit may make changes which contravene an express term of the operating permit without a revision of the operating permit if the changes do not:

(a) Constitute modifications pursuant to any provision of 42 U.S.C. §§ 7401 to 7515, inclusive, or constitute a modification as that term is defined in NAC 445B.099;

(b) Violate any provision of NAC 445B.001 to 445B.3497, inclusive, *and sections 2 to 5, inclusive, of this regulation*, or any other applicable requirement; or

(c) Exceed the allowable emissions set forth in the operating permit for any emissions unit.

2. Any conditions of an operating permit that are requirements for monitoring, methods of testing, recordkeeping, reporting or compliance certification may not be changed pursuant to this section.

3. For each change made pursuant to this section, the holder of the operating permit shall provide a written notification to the Director and the Administrator at least 7 days before making the change. This notification must include:

(a) A detailed description of the change;

(b) The date on which the change will occur;

(c) Any change in emissions, as determined in accordance with NAC ~~[445B.239;]~~ *445B.001 to 445B.3497, inclusive, and sections 2 to 5, inclusive, of this regulation;*

(d) Any condition of the operating permit which will no longer apply because of the change;
and

(e) For a change that includes the trading of emissions made pursuant to paragraph (h) of subsection 1 of NAC 445B.3405, a detailed description of how the increase or decrease in emissions, or both, resulting from the change complies with the terms and conditions of the operating permit.

4. The holder of the operating permit, the Director and the Administrator, as appropriate, shall attach a copy of the written notification to his respective copy of the permit.

Sec. 23. NAC 445B.3465 is hereby amended to read as follows:

445B.3465 1. The owner or operator of a stationary source with a Class II operating permit may request, on an application form provided by the Director, a revision of the operating permit to allow for a modification to the stationary source.

2. An application for a revision of a Class II operating permit must include:

(a) The name and address of the owner or operator of the stationary source;

(b) The location of the stationary source;

(c) A description of:

(1) The existing emission units undergoing the modification and the applicable control systems; and

(2) The proposed modification to such emission units;

(d) The ~~allowable~~ emission rates from the existing emission units of each regulated air pollutant to which a standard applies, ~~as determined in accordance with NAC 445B.239,~~ which exist at the time of the application before the modification and which would exist after the modification takes place;

(e) A description of any proposed new emission units and applicable control systems;

(f) The potential to emit of the proposed new emission units for each regulated air pollutant to which a standard applies;

(g) A description of the procedures and methods used to determine the emission rates;

(h) A discussion of all applicable requirements to which the new or modified operations will be subject;

(i) An explanation of any proposed exemption from any applicable requirement;

(j) An environmental evaluation conducted in accordance with NAC 445B.308, 445B.310, 445B.311 and 445B.3135; and

(k) Any other information that the Director determines is necessary to process the application and issue a Class II operating permit pursuant to ~~this section and~~ NAC 445B.001 to 445B.3497, inclusive ~~1~~, *and sections 2 to 5, inclusive, of this regulation.*

Sec. 24. NAC 445B.010 is hereby repealed.

TEXT OF REPEALED SECTION

445B.010 “Air contaminant” defined. (NRS 445B.210) “Air contaminant” has the meaning ascribed to it in NRS 445B.110.