

**PROPOSED REGULATION OF THE
DIVISION OF FORESTRY OF THE STATE DEPARTMENT OF
CONSERVATION AND NATURAL RESOURCES**

LCB FILE NO. R140-23I

**The following document is the initial draft regulation proposed
by the agency submitted on 12/19/2023**

**PROPOSED ADMINISTRATIVE REGULATION OF THE
NEVADA DIVISION OF FORESTRY**

Nevada Administrative Code Chapter 472

Date, 2023

Section 1. ~~[NAC 472.020—Areas in which required. (NRS 472.040)]~~

~~—1. The areas within Nevada where fire retardant roofing materials must be used are those areas marked on the master map on file with the State Forester Firewarden.~~

~~—2. The areas designated principally lie within the following counties:~~

~~—(a) Carson City.~~

~~—(b) Washoe County.~~

~~—(c) Douglas County.~~

~~—(d) Clark County.~~

~~—(e) Storey County.~~

~~—3. A copy of the map may be obtained by contacting the Division of Forestry of the State Department of Conservation and Natural Resources.]~~

Sec. 2. ~~[NAC 472.030—Fire retardant roofing materials: Minimum standards; wooden shakes or shingles not approved.]~~

~~—1. Except at otherwise provided in subsection 2, those fire retardant roof coverings which are delineated in paragraphs 1 to 10, inclusive, of subsection (e) of section 3203 of chapter 32 of the *Uniform Building Code*, 1985 edition, and the standards by which these are measured, being Standard No. 32-7 of the *Uniform Building Code Standards*, 1985 edition, are hereby adopted by the State Forester Firewarden as minimum standards for fire retardant roofing materials.~~

~~—2. Roof coverings consisting of shakes or shingles made of wood are not approved as fire retardant roofing materials.~~

~~—3. A copy of these standards may be obtained from the Division of Forestry of the State Department of Conservation and Natural Resources at 201 South Fall Street, Carson City, Nevada 89710, for a cost of \$2.]~~