

Amendment No. 598

Assembly Amendment to Senate Bill No. 110

(BDR 43-593)

Proposed by: Assembly Committee on Growth and Infrastructure

Amends: Summary: No Title: No Preamble: No Joint Sponsorship: No Digest: No

ASSEMBLY ACTION			Initial and Date	SENATE ACTION			Initial and Date		
Adopted	<input type="checkbox"/>	Lost	<input type="checkbox"/>	_____	Adopted	<input type="checkbox"/>	Lost	<input type="checkbox"/>	_____
Concurred In	<input type="checkbox"/>	Not	<input type="checkbox"/>	_____	Concurred In	<input type="checkbox"/>	Not	<input type="checkbox"/>	_____
Receded	<input type="checkbox"/>	Not	<input type="checkbox"/>	_____	Receded	<input type="checkbox"/>	Not	<input type="checkbox"/>	_____

EXPLANATION: Matter in (1) *blue bold italics* is new language in the original bill; (2) variations of **green bold underlining** is language proposed to be added in this amendment; (3) ~~red strikethrough~~ is deleted language in the original bill; (4) ~~purple double strikethrough~~ is language proposed to be deleted in this amendment; (5) orange double underlining is deleted language in the original bill proposed to be retained in this amendment.

AMD/HAC



Date: 5/19/2023

S.B. No. 110—Revises provisions governing the operation of vehicles on certain highways in the State of Nevada. (BDR 43-593)



SENATE BILL NO. 110—SENATORS GOICOECHEA, BUCK AND STONE

FEBRUARY 8, 2023

JOINT SPONSOR: ASSEMBLYMAN GURR

Referred to Committee on Growth and Infrastructure

SUMMARY—Revises provisions governing the operation of vehicles on certain highways in the State of Nevada. (BDR 43-593)

FISCAL NOTE: Effect on Local Government: No.
Effect on the State: No.

~

EXPLANATION – Matter in *bolded italics* is new; matter between brackets ~~omitted material~~ is material to be omitted.

AN ACT relating to public safety; requiring vehicles operating on certain highways in this State with one lane for traveling in each direction to display daytime running lamps or lighted lamps and illuminating devices under certain circumstances; revising certain provisions governing the requirements for lamps and other equipment on vehicles and implements of husbandry during certain times and conditions; and providing other matters properly relating thereto.

Legislative Counsel’s Digest:

1 Existing law requires every vehicle on a highway of this State, with certain exceptions for
2 parked vehicles, to display lighted lamps and illuminating devices as respectively required for
3 different classes of vehicles during defined conditions: (1) at any time from one-half hour
4 after sunset to one-half hour before sunrise; (2) at any other time when persons and vehicles
5 on the highway are not clearly discernible at a distance of 1,000 feet ahead; and (3) when
6 directed by an official traffic control device. Existing law also prescribes certain requirements
7 for lamps and other equipment on vehicles and implements of husbandry during those times or
8 conditions. (NRS 484D.100, 484D.105, 484D.165, 484D.170, 484D.175, 484D.215,
9 484D.220, 484D.460) **Section 1** of this bill requires that when one of those times or
10 conditions does not apply, every vehicle operating upon a highway of this State that has one
11 lane for traveling in each direction, except for a street, must display the daytime running
12 lamps, as defined by federal regulation, or lighted lamps and illuminating devices while
13 operating on such a highway. (49 C.F.R. § 571.108; NRS 484D.100) **Sections 2-8** of this bill
14 make conforming changes to clarify the times and conditions during which the requirements
15 for certain lamps and other equipment on vehicles apply.

THE PEOPLE OF THE STATE OF NEVADA, REPRESENTED IN
SENATE AND ASSEMBLY, DO ENACT AS FOLLOWS:

1 **Section 1.** NRS 484D.100 is hereby amended to read as follows:

2 484D.100 1. Every vehicle upon a highway of this State, subject to
3 exceptions with respect to parked vehicles as stated in chapters 484A to 484E,
4 inclusive, of NRS, must display lighted lamps and illuminating devices as
5 respectively required in this chapter for different classes of vehicles:

6 (a) At any time from one-half hour after sunset to one-half hour before sunrise;

7 (b) At any other time when, because of insufficient light or unfavorable
8 atmospheric conditions, persons and vehicles on the highway are not clearly
9 discernible at a distance of 1,000 feet ahead; and

10 (c) When directed by an official traffic control device.

11 2. *During a time or condition to which subsection 1 is not applicable, every*
12 *vehicle upon a highway of this State that has one lane for traveling in each*
13 *direction, except for a street, must display daytime running lamps or lighted*
14 *lamps and illuminating devices while operating on such a highway.*

15 3. Every vehicle upon a highway must be equipped with stop lights, turn
16 signals and other signaling devices to be lighted in the manner prescribed for the
17 use of such devices.

18 4. *As used in this section, "daytime running lamps" has the meaning*
19 *ascribed to it in 49 C.F.R. § 571.108.*

20 **Sec. 2.** NRS 484D.105 is hereby amended to read as follows:

21 484D.105 1. Whenever there is a requirement as to distance from which
22 lighted lamps and illuminating devices shall be visible, such requirements shall
23 apply during the times and conditions specified in *subsection 1 of NRS 484D.100*
24 and measured as though the vehicle were unloaded and upon a straight, level,
25 unlighted highway under normal atmospheric conditions, unless a different time or
26 condition is specified.

27 2. Whenever there is a requirement as to the mounted height of such lamps or
28 devices, such height shall be measured from the center of the lamp or device to the
29 level ground upon which the vehicle stands when the vehicle is unloaded.

30 **Sec. 3.** NRS 484D.165 is hereby amended to read as follows:

31 484D.165 1. Every vehicle shall be equipped with one or more lamps
32 which, when lighted, shall display a white or amber light visible from a distance of
33 500 feet to the front of the vehicle, and one or more lamps which, when lighted,
34 shall display a red light visible from a distance of 500 feet to the rear of the vehicle.
35 The location of such lamps shall be such that at least one such lamp is installed as
36 near as practicable to the side of the vehicle which is closest to passing traffic.

37 2. Whenever a vehicle is parked upon the traveled portion of a highway
38 during the times ~~mentioned~~ *and conditions specified in subsection 1 of NRS*
39 *484D.100* and there is sufficient light to reveal any person or object within a
40 distance of 1,000 feet upon such highway, no lights need be displayed upon such
41 parked vehicle.

42 3. Whenever a vehicle is parked or stopped upon the traveled portion of a
43 highway or shoulder adjacent thereto, whether attended or unattended during the
44 times ~~mentioned~~ *and conditions specified in subsection 1 of NRS 484D.100*, and
45 there is insufficient light to reveal any person or object within a distance of 1,000
46 feet upon such highway or roadway, such vehicle shall display lighted lamps
47 meeting the requirements of subsection 1.

48 4. Any lighted headlamps upon a parked vehicle shall be depressed or
49 dimmed.

1 **Sec. 4.** NRS 484D.170 is hereby amended to read as follows:

2 484D.170 1. Every implement of husbandry manufactured after January 1,
3 1970, shall be equipped with vehicular hazard-warning lamps of a type described in
4 NRS 484D.205, visible from a distance of not less than 1,000 feet to the front and
5 rear in normal sunlight, which shall be displayed whenever any such vehicle is
6 operated upon a highway.

7 2. Every implement of husbandry manufactured after January 1, 1970, shall at
8 all times, and every other such vehicle shall, during the times ~~mentioned~~ and
9 *conditions specified in subsection 1 of* NRS 484D.100, be equipped with lamps
10 and reflectors as follows:

11 (a) At least two headlamps meeting the requirements of NRS 484D.210.

12 (b) At least one red lamp visible when lighted from a distance of not less than
13 1,000 feet to the rear, mounted as far to the left of the center of the vehicle as
14 practicable.

15 (c) At least two red reflectors visible from all distances within 600 feet to 100
16 feet to the rear when directly in front of lawful lower beams of headlamps.

17 3. Every combination of farm tractor and towed implement of husbandry shall
18 at all times ~~mentioned~~ and *conditions specified in subsection 1 of* NRS 484D.100
19 be equipped with lamps and reflectors as follows:

20 (a) The farm tractor shall be equipped as required in subsections 1 and 2.

21 (b) If the towed unit extends more than 4 feet to the rear of the tractor or
22 obscures any lamp on the tractor, such unit shall be equipped on the rear with at
23 least two red reflectors visible from all distances within 600 feet to 100 feet to the
24 rear when directly in front of lawful lower beams of headlamps.

25 (c) If the towed unit extends more than 4 feet to the left of the centerline of the
26 tractor, such unit shall be equipped on the front with an amber reflector visible from
27 all distances within 600 feet to 100 feet to the front when directly in front of lawful
28 beams of headlamps. Such reflector shall be so positioned as to indicate, as nearly
29 as practicable, the extreme left projection of the towed unit.

30 4. The two red reflectors required by subsection 3 shall be so positioned as to
31 show from the rear, as nearly as practicable, the extreme width of the vehicle or
32 combination carrying them.

33 **Sec. 5.** NRS 484D.175 is hereby amended to read as follows:

34 484D.175 All vehicles including animal-drawn vehicles not otherwise
35 specifically required to be equipped with lamps, shall at all times *and conditions*
36 *specified in subsection 1 of* NRS 484D.100 be equipped with at least one lamp
37 displaying a white light visible from a distance of not less than 500 feet to the front
38 of the vehicle and two lamps displaying a red light visible from a distance of not
39 less than 500 feet to the rear of the vehicle or one lamp displaying a red light visible
40 from a distance of not less than 500 feet to the rear and two red reflectors visible
41 from all distances of 600 to 100 feet to the rear when illuminated by the lawful
42 lower beams of headlamps.

43 **Sec. 6.** NRS 484D.215 is hereby amended to read as follows:

44 484D.215 Whenever a motor vehicle is being operated on the traveled portion
45 of the highway, or shoulder adjacent thereto, during the times *and conditions*
46 *specified in subsection 1 of* NRS 484D.100, the driver shall use a distribution of
47 light, or composite beam, directed high enough and of sufficient intensity to reveal
48 persons and vehicles at a safe distance in advance of the vehicle, subject to the
49 following requirements and limitations:

50 1. Whenever a driver of a vehicle approaches an oncoming vehicle within 500
51 feet, the driver shall use a distribution of light, or composite beam, so aimed that
52 the glaring rays are not projected into the eyes of the oncoming driver. The
53 lowermost distribution of light, or composite beam, specified in subsection 2 of

1 NRS 484D.210 shall be deemed to avoid glare at all times, regardless of road
2 contour and loading.

3 2. Whenever the driver of a vehicle follows another vehicle within 300 feet to
4 the rear, the driver shall use a distribution of light permissible under this chapter
5 other than the uppermost distribution of light specified in subsection 1 of NRS
6 484D.210.

7 **Sec. 7.** NRS 484D.220 is hereby amended to read as follows:

8 484D.220 1. At all times *and conditions* specified in *subsection 1 of* NRS
9 484D.100, a lighted headlamp or headlamps meeting the requirements of NRS
10 484D.110 shall be displayed on a motor vehicle except when the vehicle is parked.

11 2. Whenever a motor vehicle equipped with headlamps is also equipped with
12 any auxiliary lamps, spot lamp or any other lamp on the front projecting a beam of
13 intensity greater than 300 candle power, not more than a total of four of any such
14 lamps may be lighted at one time when upon a highway.

15 3. A motor vehicle may be equipped with headlamps that are high-intensity
16 discharge lamps if such headlamps have a correlated color temperature of not less
17 than 5,000 kelvins and not more than 6,000 kelvins.

18 4. The provisions of subsection 3 do not apply to the extent preempted by
19 federal law.

20 5. As used in this section, "high-intensity discharge lamp" has the meaning
21 ascribed to it in 10 C.F.R. § 431.282.

22 **Sec. 8.** NRS 484D.460 is hereby amended to read as follows:

23 484D.460 1. Every bus, truck and truck-tractor and every combination of
24 vehicles 80 inches or more in overall width, except implements of husbandry, shall
25 be equipped with at least three pot torches, three red electric lanterns or three red
26 emergency reflectors.

27 2. Except as otherwise provided in subsections 3, 4 and 5, when any such
28 vehicle is disabled on any portion of the traveled portion of a highway during any
29 time *or condition* specified in *subsection 1 of* NRS 484D.100, such torches,
30 lanterns or reflectors shall be placed as soon as possible as follows:

31 (a) One at the traffic side of the vehicle, not more than 10 feet to the front or
32 rear thereof;

33 (b) One at a distance of approximately 100 feet to the rear of the disabled
34 vehicle in the center of the traffic lane occupied by such vehicle; and

35 (c) One at a distance of approximately 100 feet to the front of the vehicle in the
36 center of the traffic lane occupied by such vehicle.

37 3. If the vehicle is disabled within 500 feet of a curve, crest of a hill or other
38 obstruction to view, the torch, lantern or reflector to be placed in that direction shall
39 be placed so as to afford ample warning to other users of the highway, but not less
40 than 100 feet or more than 500 feet from the vehicle.

41 4. When any such vehicle is disabled on any portion of the traveled portion of
42 a one-way highway with two or more traffic lanes during any time *or condition*
43 specified in *subsection 1 of* NRS 484D.100, such torches, lanterns or reflectors
44 shall be placed as soon as possible as provided in subsection 2, except that the
45 torch, lantern or reflector to be placed at the front of the vehicle shall be placed 200
46 feet to the rear of the vehicle.

47 5. When any such vehicle is disabled or parked off the traveled portion of a
48 highway, but within 10 feet of such portion, during any time *or condition* specified
49 in *subsection 1 of* NRS 484D.100, such torches, lanterns or reflectors shall be
50 placed as soon as possible as follows:

51 (a) One at the traffic side of the vehicle not more than 10 feet to the rear of the
52 vehicle;

53 (b) One at a distance of approximately 100 feet to the rear of the vehicle; and

1 (c) One at a distance of approximately 200 feet to the rear of the vehicle.
2 6. When any such vehicle is equipped with front turn signals which flash
3 simultaneously and rear turn signals which flash simultaneously or with fusees,
4 such turn signals shall be immediately operated or such fusees shall be placed as
5 provided in this section for the placing of torches, lanterns or reflectors until such
6 torches, lanterns or reflectors have been placed.

7 *Sec. 9. This act becomes effective on July 1, 2028.*